

METZELER

PIRELLI

VeeMoto

↕	∅	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>	index	TL TT	ε ο =	TIMH
---	---	--------------	---------------------	-------	----------	----------	------

PIRELLI <ΠΕΛΜΑ>	index	TL TT	ε ο =	TIMH
--------------------	-------	----------	----------	------

VeeMoto <ΠΕΛΜΑ>	index	TL TT	ε ο =	TIMH
--------------------	-------	----------	----------	------

ΠΑΠΙΑ

ΠΑΠΙΑ	17"	60/100 - 17	ME22 sport	33L	TT	ε	27			V359	33P	TT	ε	20			
	!	2.50 - 17	ME22 sport /rf. (4PR)	43P	TT	=	28	Angel-CiTy/rf.	43P	TT	=	28	V359	38P	TT	=	21
	!	2.75 - 17	ME22 sport /rf. (6PR)	47P	TT	=	30	Angel-CiTy/rf.	47P	TT	o	30	V359	41P	TT	=	23
	!	2.50 - 17						City-Cross	38P	TT	=	28	V022 enduro	43R	TT	=	23
	!	2.75 - 17						City-Cross/rf.	47P	TT	=	30	V022 enduro	47R	TT	=	26
	!	70/90 - 17	Sportec {STR}	38S	TL	=	29	Angel-CiTy	38S	TL	ε	29	Manhattan (WAVE)	43P	TT	ε	23
	!	80/90 - 17	Sportec {STR}	44S	TL	=	31	Angel-CiTy	44S	TL	o	31	Manhattan (WAVE)	50P	TT	o	26

ΠΑΠΙΑ	SPORT	70/90 - 17	RossoSPORT {Sport-@@}	RossoSPORT (sport@)	38S	TL	=	33					
		80/90 - 17		RossoSPORT (sport@)	44S	TL	=	39					

ΠΑΠΙΑ	SPORT	90/80 - 17	Sportec {STR-super@}	46S	TL	=	62	ANGEL-City (super@)	46S	TL	=	62		
		120/70 - 17	Sportec {STR-super@}	58S	TL	=	78	ANGEL-City (super@)	58S	TL	=	78		
		90/80 - 17	RossoSPORT {Super-@@}	RossoSPORT (super@)	46S	TL	=	72						
		120/70 - 17		RossoSPORT (super@)	58S	TL	o	99						

ΠΑΠΙΑ	14"	2.25 - 14										V020	24B	TT	=	15
	16"	2.1/4 - 16										V099/rf.	38J	TT	=	15
	!	2.1/2 - 16										V099/rf.	42J	TT	=	18
	!	2.3/4 - 16										V099/rf.	46J	TT	=	25
	17"	50/45 - 17										V165tiger / V223magic	22P	TT	=	18
	!	60/45 - 17										V165tiger / V223magic	29P	TT	=	20
	!	70/45 - 17										V165tiger / V223magic	39P	TT	=	22
	!	45/90 - 17										V360 satan	19S	TT	=	18
	!	65/75 - 17										V266 Dragster-slick	35S	TT	o	37

SCOOTER (6" εως 11")

SCOOTER	6"	5.4 - 6							V213	4PR	TT	o	45				
	8"	3.00 - 8							V113	37J	TT	=	16				
	!	3.50 - 8							V108 / V164 enduro	45J	TT	=	21				
	!	4.00 - 8							V108	55J	TT	=	22				
	10"	2.50 - 10							V018	39J	TT	=	18				
	!	2.75 - 10							V119B	40J	TT	=	19				
	!	3.00 - 10							Samson-054	50J	TT	=	18				
	!	3.00 - 10	Roadtec-scoot/rf.	50J	TL	=	29	Angel-scoot/rf.	50J	TL	=	29	V396-Manhattan	42J	TL	=	22
	!	3.50 - 10											Samson-054	59J	TT	=	20
	!	3.50 - 10	*ME1/rf.	59J	TL	=	34						V219 enduro	51J	TT	=	22
	!	3.50 - 10	Roadtec-scoot/rf.	59J	TL	=	34	Angel-scoot/rf. (6PR)	59J	TL	=	34	V396-Manhattan /rf.	59J	TL	=	27
	!	80/90 - 10						Angel-scoot.	44J	TL	=	30					
	!	90/90 - 10	Roadtec-scoot.	50J	TL	=	34	Angel-scoot.	50J	TL	=	34	V134	50J	TL	=	26
	!	100/80 - 10	Roadtec-scoot.	53L	TL	=	34	Angel-scoot / *SL38	53L	TL	=	34	V144	53L	TL	=	26
	!	100/90 - 10	Roadtec-scoot/rf.	61J	TL	=	34	Angel-scoot.	56J	TL	=	34	V396-Manhattan	56J	TL	=	27
!	110/80 - 10	Roadtec-scoot.	58L	TL	=	38	Angel-scoot.	58J	TL	=	38						
!	120/70 - 10	*ME7/rf.	54L	TL	=	41	*SL38/rf.	54L	TL	=	41	V144	54L	TL	=	33	
!	120/70 - 10	Roadtec-scoot/rf.	54L	TL	=	41	Angel-scoot/rf.	54L	TL	=	41	V396-Manhattan /rf.	54P	TL	=	33	
!	120/90 - 10	Roadtec-scoot.	66L	TL	=	39	Angel-scoot.	66J	TL	=	39	V119B	66L	TL	=	32	
!	120/90 - 10						*SL60 enduro	57J	TL	=	39	V137 enduro	66M	TL	=	32	
!	130/90 - 10	Roadtec-scoot.	61L	TL	=	41	Angel / *SL60	61J	TL	=	41	V137 enduro	66M	TL	=	34	
!	130/70 - 10	Roadtec-scoot/rf.	59L	TL	o	41	Angel-scoot/rf.	59L	TL	=	41						
!	110/70 - 11						*SL38	45L	TL	=	40						
!	110/70 - 11						Angel-scoot.	45L	TL	=	40	V396-Manhattan	45L	TL	=	31	
!	120/70 - 11						Angel-scoot/rf.	56L	TL	=	40	V396-Manhattan /rf.	56L	TL	=	32	
!	130/70 - 11	Roadtec-scoot/rf.	60L	TL	=	45	Angel-scoot/rf.	60L	TL	=	45	V134	60L	TL	=	37	

SCOOTER (12" εως 13" <130/70-13)

S C O O T E R	12"	3.00 - 12										V094	43J	TT	=	24		
		90/90 - 12											V396-Manhattan	44J	TL	=	34	
	!	110/70 - 12	Roadtec-scoot.	47P	TL	=	40		Angel-scoot.	47P	TL	=	40	V396-Manhattan	47P	TL	=	31
	!	110/70 - 12							ROSSO-scoot.	48P	TL	ε	42					
	!	110/90 - 12	Roadtec-scoot.	64P	TL	ε	51		Angel-scoot.	64P	TL	=	51	V396-Manha. / *V119	64P	TL	=	41
	!	110/100 - 12							Angel-scoot.	67J	TL	=	51					
	!	120/70 - 12							Angel-scoot.	51L	TL	=	43					
	!	120/70 - 12	Roadtec-scoot.	51P	TL	ο	45		Angel-scoot/rf.	58P	TL	ο	45					
	!	120/70 - 12	Roadtec-scoot.	51P	TL	=	45		Angel-scoot.	51P	TL	=	45	V396-Manhattan /rf.	58P	TL	=	36
	!	120/70 - 12							Angel-scoot.	51S	TL	ε	46					
	!	130/70 - 12	Roadtec-scoot/rf.	62L	TL	ο	45											
	!	130/70 - 12	Roadtec-scoot/rf.	62P	TL	ο	49		Angel-scoot/rf.	62P	TL	=	49	V396-Manhattan /rf.	62P	TL	=	39
	!	120/80 - 12							SL60 enduro	55J	TL	=	43	V133 enduro	65J	TL	ε	35
	!	130/80 - 12							SL60 enduro	60J	TL	=	46	V133 enduro	69J	TL	ο	38
!	140/70 - 12	Roadtec-scoot.	60L	TL	=	54		Angel-scoot/rf.	65P	TL	ο	54						
S C O O T E R	G	100/90 - 12	ROSSO-SC {Race Mini-GP}				ROSSO-SC=Race/rf.	64P	TL	ε	60							
	P	120/80 - 12					ROSSO-SC=Race	55P	TL	ο	71							
S C O O T E R	13"	110/70 P 13	Roadtec-scoot.	48P	TL	ε	45	Angel-scoot.	48P	TL	ε	45						
	!	110/70 S 13						Angel-scoot.	48S	TL	ε	46						
	!	110/70 P 13						ROSSO-scoot.	48P	TL	ε	48						
	!	110/90 - 13	Roadtec-scoot.	56P	TL	ε	51	Angel-scoot.	56P	TL	ε	51	V119B	56P	TL	ε	38	
	!	120/70 - 13	Roadtec-scoot.	53L	TL	=	46	Angel-scoot.	53P	TL	ε	46	V342	53P	TL	ε	36	
	!	120/70 - 13						ROSSO-scoot.	53P	TL	ε	48						
	!	130/60 - 13	Roadtec-scoot.	53P	TL	=	48	Angel-scoot/rf.	60P	TL	=	48	V396-Manhattan /rf.	60P	TL	=	38	
	!	130/70 - 13	Roadtec-scoot/rf.	63P	TL	ο	53	Angel-scoot/rf.	63P	TL	ο	53	V119C/rf.	63P	TL	ο	42	



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

SCOOTER (13" εως 14" <140/60-14)

S
C
O
O
T
E
R

S
C
O
O
T
E
R

13"	130/70 - 13								ROSSO-scoot/rf.	63P	TL	o	55					
!	140/60 - 13	Roadtec-scoot.	57L	TL	=	56			Angel-scoot/rf.	63P	TL	o	56	V342	57P	TL	o	43
!	140/70 - 13								Angel-scoot.	61P	TL	o	59					
!	140/70 - 13								ROSSO-scoot.	61P	TL	o	61					
!	150/70 - 13	Roadtec-scoot.	64S	TL	o	63			Angel-scoot.	64S	TL	o	63					
!	150/70 - 13								ROSSO-scoot.	64S	TL	o	65					
14"	70/90 - 14	Sportec {STR}	34S	TL	ε	26												
!	80/80 - 14	Sportec {STR}/rf.	43S	TL	=	28			Angel-scoot/rf.	43S	TL	ε	32	V087/rf.	43J	TT	=	22
!	80/90 - 14	Sportec {STR}	40S	TL	ε	28			Rosso-SPORT	40S	TL	=	33	V396-Manhattan /rf.	46P	TL	=	26
!	90/80 - 14	Sportec {STR}/rf.	49S	TL	ε	30			Angel-scoot/rf.	49S	TL	=	34	V396-Manhattan	43P	TL	=	29
!	90/80 - 14	Roadtec-scoot/rf.	49S	TL	ε	34			Rosso-SPORT /rf.	49S	TL	=	37					
!	90/90 - 14	Sportec {STR}	46S	TL	ε/o	37								V396-Manhattan	46P	TL	=	34
!	90/90 - 14	Roadtec-scoot.	46P	TL	ε	47			Rosso-SPORT	46S	TL	=	48					
!	100/80 - 14	Sportec {STR}	48S	TL	o	46			Angel-scoot/rf.	54S	TL	=	48	V396-Manhattan /rf.	54P	TL	=	36
!	100/80 - 14	Roadtec-scoot/rf.	54S	TL	=	48			ROSSO-scooter/rf.	54S	TL	=	49	V144/rf.	54J	TL	=	36
!	100/80 - 14								Rosso-SPORT	48S	TL	=	50					
!	100/90 - 14	Sportec {STR}/rf.	57P	TL	o	47			Angel-scoot/rf.	57P	TL	o	56	V396-Manhattan /rf.	57P	TL	=	42
!	100/90 - 14	Roadtec-scoot/rf.	57P	TL	o	56			Rosso-SPORT /rf.	57S	TL	o	59					
!	110/70 - 14								Angel-scoot/rf.	56S	TL	o	60					
!	110/80 - 14	Sportec {STR}/rf.	59S	TL	o	44			MT15-Mandrake/rf.	59J	TL	o	47	V144/rf.	59J	TL	o	37
!	110/80 - 14	Roadtec-scoot/rf.	59S	TL	ε	47			Angel-scoot/rf.	59S	TL	=	47	V396-Manhattan /rf.	59S	TL	=	37
!	120/70 - 14	Roadtec-scoot.	55S	TL	=	54			Angel-scoot.	55P	TL	=	54					
!	120/70 - 14								ROSSO-scoot.	55S	TL	ε	56	V396-Manhattan	55S	TL	=	43
!	120/80 - 14	Roadtec-scoot.	58S	TL	=	59			Angel-scoot.	58P	TL	=	59	V119B	58S	TL	=	46
!	120/80 - 14								ROSSO-scoot.	58S	TL	=	61					
!	140/60 P 14	Roadtec-scoot/rf.	64P	TL	o	63			Angel-scoot/rf.	64P	TL	o	63					



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΑΜΑ>

index

TL
TT

ε ο
=

TIMH

SCOOTER (14" εως 16")

S
C
O
O
T
E
R

S
C
O
O
T
E
R

14"	140/60 S 14					Angel-scoot/rf.	64S	TL	ο	65	V319	64S	TL	ο	51	
!	140/70 P 14	Roadtec-scoot/rf.	68P	TL	ο	65	Angel-scoot/rf.	68P	TL	ο	65					
!	140/70 S 14						Angel-scoot/rf.	68S	TL	ο	67	V319	62S	TL	ο	53
!	150/70 P 14						Angel-scoot.	66P	TL	ο	72					
!	150/70 S 14	Roadtec-scoot.	66S	TL	ο	74	Angel-sc/Beverly 350	66S	TL	ο	74					
!	150/70 S 14						ROSSO-scoot.	66S	TL	ο	76					
15"	80/90 - 15											V144	51J	TL	ε	37
!	120/70 P 15						Angel-scoot.	56P	TL	ε	58	V224 sport	56P	TL	ε	45
!	120/70 S 15	Roadtec-scoot.	56S	TL	ε	59	Angel-scoot.	56S	TL	ε	59					
!	120/70 S 15						ROSSO-scoot.	56S	TL	ε	62					
!	130/80 - 15						Angel-scoot.	63S	TL	ο	74	V224 sport	63P	TL	ο	59
!	140/70 - 15						Sport-Demon/rf.	69P	TL	ο	79					
16"	80/80 - 16						MT15-Mandrake/rf.	45J	TL	ε	38	V144/rf.	46J	TL	=	28
!	90/80 - 16						MT15-Mandrake/rf.	51J	TL	=	42	V144/rf.	52J	TL	=	33
!	90/80 - 16						Angel-scoot/rf.	51S	TL	=	42	V396-Manhattan /rf.	51S	TL	=	33
!	100/80 - 16	Roadtec-scoot.	50P	TL	ε	52	Angel-scoot.	50P	TL	ε	52	V396-Manhattan /rf.	50S	TL	=	40
!	110/70 P 16	Roadtec-scoot.	52P	TL	ε	65	Angel-scoot.	52P	TL	=	65					
!	110/70 S 16	Roadtec-scoot.	52S	TL	ε	66	Angel-scoot.	52S	TL	ε	66	V396-Manhattan	52S	TL	=	51
!	120/70 - 16						Sport-Demon	57P	TL	ε	69					
!	120/80 - 16	Roadtec-scoot.	60P	TL	ο	60	Angel-scoot.	60P	TL	ο	60	V396-Manhattan	60S	TL	=	46
!	130/70 - 16						Angel-scoot.	61P	TL	ο	74					
!	130/70 - 16	Roadtec-scoot.	61S	TL	ο	76	Angel-scoot.	61S	TL	ο	76	V396-Manhattan	61S	TL	=	59
!	130/80 - 16	Roadtec-scoot.	64P	TL	ο	79	Angel-scoot.	64P	TL	ο	79					
!	140/70 - 16	Roadtec-scoot.	65P	TL	ο	69	Angel-scoot.	65P	TL	ο	69	V396-Manhattan	65S	TL	=	56
13"	130/70 - 13	TOURANCEscoo.(xADV)	57P	TL	ο	60	HONDA {X-ADV 150}									
14"	110/80 - 14	TOURANCEscoo.(xADV)	53P	TL	ε	66										

SCOOTER (Hradial /// x-ADV)

S C O O T E R	14"	120/70 HR 14	Roadtec-scoot.(HR)	55HR	TL	ε	105	ROSSO-scoot. (HR)	55HR	TL	ε	111			
	!	160/60 HR 14	Roadtec-scoot.(HR)	65HR	TL	ο	124	ROSSO-scoot. (HR)	65HR	TL	ο	132			
	15"	120/70 HR 15	Roadtec-scoot.(HR)	56HR	TL	ε	107	ROSSO-scoot. (HR)	56HR	TL	ε	114			
	!	160/60 HR 15	Roadtec-scoot.(HR)	67HR	TL	ο	129	ROSSO-scoot. (HR)	67HR	TL	ο	137			
	16"	120/70 HR 16						ROSSO-scoot. (HR)	57HR	TL	ε	121			
	!	130/70 SR 16	Roadtec-scoot.(SR)	61SR	TL	ο	105	Angel-scoot. (SR)	61SR	TL	ο	105			
	17"	120/70 HR 17						ROSSO-scoot. (HR)	58HR	TL	ε	109			
	15"	160/60 HR 15	HONDA {X-ADV 750}						Sco-Rally{STR} (xADV)	67HR	TL	ο	155		
	17"	120/70 HR 17							Sco-Rally{STR} (xADV)	58HR	TL	ε	144		

Track--RACE (Slick) /// Super--Moto (SM)

R A C E	17"	100/70 R 17						SupBike-slick (moto3)	sc1	TL	ε	205		
	!	120/70 R 17						SupBike-slick (moto3)	sc1	TL	ο	226		
	!	110/70 R 17						SupBike-slick (ss300)	sc1	TL	ε	192		
	!	140/70 R 17						SupBike-slick (ss300)	sc1	TL	ο	215		
	!	120/70 R 17	Racetec-RR slick	κ1>2	TL	ε	210	SupBike-slick	sc1>3	TL	ε	232		
	!	125/70 R 17						SupBike-slick	sc1>3	TL	ε	247		
	!	180/60 R 17	Racetec-RR slick	κ1>2	TL	ο	275	SupBike-slick	sc1>3	TL	ο	302		
	!	190/60 R 17						SupBike-slick	sc0>1	TL	ο	329		
	!	200/60 R 17	Racetec-RR slick	κ0>2	TL	ο	315	SupBike-slick	sc0>3	TL	ο	349		
	!	200/65 R 17						SupBike-slick + SCX	sc1>3	TL	ο	351		
S M	16,5"	125/75 R 420	Racetec-SM (16,5')	κ1>2	TL	ε	177							
	17"	125/75 R 17	Racetec-SM	κ1>2	TL	ε	171							
	!	165/55 R 17	Racetec-SM	κ0>2	TL	ο	225							

Track--RACE (TD--Slick)

T R A C K - R A C E	17"	120/70 R 17	TD-slick (Track-Day)	NHS	TL	ε	177				
	!	180/55 R 17	TD-slick (Track-Day)	NHS	TL	ο	215				
	!	180/60 R 17	TD-slick (Track-Day)	NHS	TL	ο	218				
	!	190/55 R 17	TD-slick (Track-Day)	NHS	TL	ο	222				
	!	200/55 R 17	TD-slick (Track-Day)	NHS	TL	ο	229				

Track--RACE (Χαρακτά)

T R A C K - R A C E	17"	110/70 ZR 17						SuperCorsa-V3 (SC)	sc1	TL	ε	245		
	!	120/70 ZR 17	Racetec-RR	κ1>2	TL	ε	231	SuperCorsa-V3 (SC)	sc1>2	TL	ε	272		
	!	140/70 ZR 17						SuperCorsa-V3 (SC)	sc1	TL	ο	284		
	!	150/60 ZR 17						SuperCorsa-V3 (SC)	sc1>2	TL	ο	295		
	!	180/60 ZR 17	Racetec-RR	κ1>2	TL	ο	298	SuperCorsa-V3 (SC)	sc0>2	TL	ο	369		
	!	190/55 ZR 17	Racetec-RR	κ1>2	TL	ο	269	SuperCorsa-V3 (SC)	sc2	TL	ο	364		
	!	200/55 ZR 17	Racetec-RR	κ1>2	TL	ο	323	SuperCorsa-V3 (SC)	sc1>2	TL	ο	385		
	!	200/60 ZR 17						SuperCorsa-V3 (SC)	sc1	TL	ο	423		

Track--ROAD (SP-V3 // BSB-V1)

T R O A D	17"	120/70 ZR 17						SuperCorsa-V3 (SP)	(58W)	TL	ε	207	*SuperCorsa-V1 (BSB)	(58W)	TL	ε	155
	!	180/55 ZR 17						SuperCorsa-V3 (SP)	(73W)	TL	ο	238	*SuperCorsa-V1 (BSB)	(73W)	TL	ο	199
	!	190/50 ZR 17						SuperCorsa-V3 (SP)	(73W)	TL	ο	249					
	!	190/55 ZR 17						SuperCorsa-V3 (SP)	(75W)	TL	ο	256	*SuperCorsa-V1 (BSB)	(75W)	TL	ο	212
	!	200/55 ZR 17						SuperCorsa-V3 (SP)	(78W)	TL	ο	268					
	!	200/60 ZR 17						SuperCorsa-V3 (SP)	(80W)	TL	ο	274					



<ΔΙΑΣΤΑΣΕΙΣ>

METZLER

<ΠΕΛΜΑ>

index

TL

ε ο

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL

ε ο

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL

ε ο

TIMH

Track--ROAD /// HYPER--SPORT

H
Y
P
E
R
S
P
O
R
T

H
Y
P
E
R
S
P
O
R
T

17"	120/70 ZR 17								ROSSO-Corsa II	(58W)	TL	ε	142		
!	160/60 ZR 17								ROSSO-Corsa II	(69W)	TL	ο	181		
!	180/55 ZR 17								ROSSO-Corsa II	(73W)	TL	ο	192		
!	180/60 ZR 17								ROSSO-Corsa II	(75W)	TL	ο	202		
!	190/50 ZR 17								ROSSO-Corsa II	(73W)	TL	ο	202		
!	190/55 ZR 17								ROSSO-Corsa II	(75W)	TL	ο	204		
!	200/55 ZR 17								ROSSO-Corsa II	(78W)	TL	ο	216		
!	200/60 ZR 17								ROSSO-Corsa II	(80W)	TL	ο	219		

17"	120/70 ZR 17	M9 RR sportec	(58W)	TL	ε	158			Dia-ROSSO IV (new)	(58W)	TL	ε	173		
!	160/60 ZR 17	M9 RR sportec	(69W)	TL	ο	197			Dia-ROSSO IV (new)	(69W)	TL	ο	217		
!	180/55 ZR 17	M9 RR sportec	(73W)	TL	ο	209			Dia-ROSSO IV (new)	(73W)	TL	ο	229		
!	180/60 ZR 17	M9 RR sportec	(75W)	TL	ο	215									
!	190/50 ZR 17	M9 RR sportec	(73W)	TL	ο	218			Dia-ROSSO IV (new)	(73W)	TL	ο	238		
!	190/55 ZR 17	M9 RR sportec	(75W)	TL	ο	226			Dia-ROSSO IV (new)	(75W)	TL	ο	248		
!	200/55 ZR 17	M9 RR sportec	(78W)	TL	ο	229			Dia-ROSSO IV (new)	(78W)	TL	ο	252		
!	170/60 VR 17	M9 RR sportec	72V	TL	ο	189									
19"	120/70 VR 19	M9 RR sportec	60V	TL	ε	148									

17"	120/70 ZR 17								Diablo-ROSSO III / D	(58W)	TL	ε	149		
!	160/60 ZR 17								Diablo-ROSSO III	(69W)	TL	ο	185		
!	180/55 ZR 17								Diablo-ROSSO III	(73W)	TL	ο	195		
!	190/50 ZR 17								Diablo-ROSSO III	(73W)	TL	ο	205		
!	190/55 ZR 17								Diablo-ROSSO III	(75W)	TL	ο	213		
!	200/55 ZR 17								*Diablo-ROSSO III	(78W)	TL	ο	222		
!	240/45 ZR 17								Diablo-ROSSO III	(82W)	TL	ο	236		



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΜΑ>

index

TL ε ο
TT =

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL ε ο
TT =

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL ε ο
TT =

TIMH

SUPER--SPORT (ZR // H-R)

S
U
P
E
R
S
P
O
R
T

16"	130/70 ZR 16	M7 RR sportec (CBR)	(61W)	TL	ε	124					
17"	110/70 ZR 17	M7 RR sportec	54W	TL	ε	100	ROSSO-II (ZR)	54W	TL	ε	95
!	120/60 ZR 17	M7 RR sportec	(55W)	TL	ε	102	ROSSO-II (ZR)	(55W)	TL	ε	96
!	120/70 ZR 17	M7 RR sportec	(58W)	TL	ε	109	ROSSO-II (ZR) K / D	(58W)	TL	ε	104
!	150/60 ZR 17	M7 RR sportec	66W	TL	ο	125					
!	160/60 ZR 17	M7 RR sportec	(69W)	TL	ο	136	ROSSO-II (ZR)	(69W)	TL	ο	130
!	180/55 ZR 17	M7 RR sportec	(73W)	TL	ο	145	ROSSO-II (ZR)	(73W)	TL	ο	137
!	190/50 ZR 17	M7 RR sportec	(73W)	TL	ο	151	ROSSO-II (ZR)	(73W)	TL	ο	143
!	190/55 ZR 17	M7 RR sportec	(75W)	TL	ο	155	*ROSSO-II (ZR)	(75W)	TL	ο	146
!	200/50 ZR 17						ROSSO-II (ZR)	(75W)	TL	ο	150
!	240/45 ZR 17						*ROSSO-II (ZR)	(82W)	TL	ο	198

17"	110/70 <> 17	M5 sportec (HR/ZR)	54H/W	TL	ε	85/93	ROSSO-II (HR)	54H	TL	ε	92
!	120/60 HR 17						ROSSO-II (HR)	55H	TL	ε	93
!	120/70 <> 17	*M5 sportec (ZR)	(58W)	TL	ε	102	ROSSO-II (HR)	58H	TL	ε	99
!	140/70 HR 17						ROSSO-II (HR)	66H	TL	ο	103
!	150/60 HR 17	M5 sportec (HR)	66H	TL	ο	105	ROSSO-II (HR)	66H	TL	ο	113
!	160/60 <> 17	*M5 sportec (ZR)	(69W)	TL	ο	129	ROSSO-II (HR)	69H	TL	ο	125
!	180/55 ZR 17	*M5 sportec (ZR)	(73W)	TL	ο	137					
!	190/55 ZR 17	*M5 sportec (ZR)	(75W)	TL	ο	146					
!	200/50 ZR 17	*M5 sportec (ZR)	(75W)	TL	ο	149					

S
P
O
R
T

16"	130/70 ZR 16						*Diablo Sport (CBR-old)	(61W)	TL	ε	108
17"	120/70 ZR 17						*Diablo Sport	(58W)	TL	ε	99
!	160/60 ZR 17						*Diablo Sport	(69W)	TL	ο	125
!	180/55 ZR 17						*Diablo Sport	(73W)	TL	ο	133
!	190/50 ZR 17						*Diablo Sport	(73W)	TL	ο	139



<ΔΙΑΣΤΑΣΕΙΣ>

METZLER

<ΠΕΛΜΑ>

index

TL

ε ο

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL

ε ο

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL

ε ο

TIMH

HYPER--TOUR /// SUPER--TOUR

HYPER-TOUR	17"	120/70 ZR 17	Roadtec-01 {SE-sport} (58W)	TL	ε	ο	149	Angel-GT2 (58W)	TL	ε	ο	172	
	!	160/60 ZR 17	Roadtec-01 {SE-sport} (69W)	TL	ο		188	Angel-GT2 (69W)	TL	ο		215	
	!	180/55 ZR 17	Roadtec-01 {SE-sport} (73W)	TL	ο		198	Angel-GT2 (73W)	TL	ο		226	
	!	190/50 ZR 17	Roadtec-01 {SE-sport} (73W)	TL	ο		207						
	!	190/55 ZR 17	Roadtec-01 {SE-sport} (75W)	TL	ο		213						
	17"	120/70 ZR 17	Roadtec-01 (HWM) (58W)	TL	ε		156	Angel-GT2 (A) (58W)	TL	ε		179	
	!	180/55 ZR 17	Roadtec-01 (HWM) (73W)	TL	ο		206	Angel-GT2 (A) (73W)	TL	ο		235	
	!	190/50 ZR 17	Roadtec-01 (HWM) (73W)	TL	ο		215	Angel-GT2 (A) (73W)	TL	ο		247	
	!	190/55 ZR 17	Roadtec-01 (HWM) (75W)	TL	ο		224	Angel-GT2 (A) (75W)	TL	ο		254	
	17"	150/70 VR 17	Roadtec-01 (69V)	TL	ο		195						
	!	170/60 <> 17	Roadtec-01 (72W)	TL	ο		201	Angel-GT2 (72V)	TL	ο		224	
	19"	110/80 VR 19	Roadtec-01 (59V)	TL	ε		167						
	!	120/70 <> 19	Roadtec-01 (60W)	TL	ε		172	Angel-GT2 (60V)	TL	ε		192	
SUPER-TOUR	17"	120/70 ZR 17	Z8 Roadtec (Interact) (58W)	TL	ε		115	Angel-GT (58W)	TL	ε		142	
	!	120/70 ZR 17						Angel-GT (A) (58W)	TL	ε		147	
	!	160/60 ZR 17	Z8 Roadtec (Interact) (69W)	TL	ο		144	Angel-GT (69W)	TL	ο		175	
	!	170/60 ZR 17	Z8 Roadtec (Interact) (72W)	TL	ο		154						
	!	180/55 ZR 17	Z8 Roadtec (Interact) (73W)	TL	ο		154	Angel-GT (73W)	TL	ο		186	
	!	180/55 ZR 17						Angel-GT (A) (73W)	TL	ο		195	
	!	190/50 ZR 17	Z8 Roadtec (Interact) (73W)	TL	ο		159	Angel-GT (A) (73W)	TL	ο		205	
	!	190/55 ZR 17						Angel-GT (A) (75W)	TL	ο		209	
	18"	110/80 ZR 18	Z8 Roadtec (Interact) (58W)	TL	ε		125						
	!	120/70 ZR 18	Z8 Roadtec (Interact) (59W)	TL	ε		122	Angel-GT (59W)	TL	ε		149	
	!	160/60 ZR 18	Z8 Roadtec (Interact) (70W)	TL	ο		151						
	17"	150/70 <> 17	Z8 Roadtec (Interact) (69W)	TL	ο		148	Angel-GT (69V)	TL	ο		150	
	19"	110/80 VR 19						Angel-GT (59V)	TL	ε		129	

S - T O U R		SPOR--TOUR														
		17"	120/70 ZR 17	*Z6 Roadtec (SporTour) (58W)	TL	ε	ο	99	Angel-ST (SporTour) (58W)	TL	ε	ο	117			
			160/60 ZR 17	*Z6 Roadtec (SporTour) (69W)	TL	ο	125	Angel-ST (SporTour) (69W)	TL	ο	146					
			180/55 ZR 17	*Z6 Roadtec (SporTour) (73W)	TL	ο	133	Angel-ST (SporTour) (73W)	TL	ο	154					
			190/50 ZR 17	*Z6 Roadtec (SporTour) (73W)	TL	ο	139	Angel-ST (SporTour) (73W)	TL	ο	168					

C U S T O M		CUSTOM (15" εως 17")																
		15"	130/90 - 15	ME77-Perfect	66S	TL	ο	113	City-Demon	66S	TL	ο	110	V195 custom	66S	TT	ο	79
	!		140/90 - 15	ME888-Marathon	70HB	TL	ο	193	*MT66-Route	70H	TL	ο	142	V393R cruze	76H	TL	ο	99
	!		150/90 - 15	ME888-Marathon/rf.	80HB	TL	ο	208	*MT66-Route	74H	TL	ο	153	V393R cruze	80H	TL	ο	112
	!		170/80 - 15	ME888-Marathon	77HB	TL	ο	229	Night-Dragon GT	77HB	TL	ο	195	V393R cruze	77H	TL	ο	119
	!		130/90 - 16	ME888-Marathon	67H	TL	ε	176	Night-Dragon	67HB	TL	ε	159	V393F cruze	67H	TL	ε	94
	!		130/90 - 16	ME888-Marathon/rf.	73HB	TL	ο	225	Night-Dragon GT/rf.	73HB	TL	ο	198	V393R cruze	73H	TL	ο	105
	!		130/90 - 16	ME888 (White-Wall)	67H	TL	ε	209										
	!		130/90 - 16	ME888 (White-Wall/rf)	73HB	TL	ο	269										
	!		140/90 - 16	ME888-Marathon/rf.	77HB	TL	ο	234										
	!		150/80 - 16	ME888-Marathon	71H	TL	ε	216	Night-Dragon	71HB	TL	ε	192					
	!		150/80 - 16	ME888-Marathon/rf.	77HB	TL	ο	231	Night-Dragon GT/rf.	77HB	TL	ο	203					
	!		160/80 - 16	ME888-Marathon	75HB	TL	ο	263										
	!		170/70 - 16	ME888-Marathon	75HB	TL	ο	240										
	!		120/70 - 17	ME888-Marathon	58VB	TL	ε	164										
	!		120/80 - 17	*ME888-Marathon	61V	TL	ε	168										
	!		120/90 - 17	ME888-Marathon	64S	TT	ε	139	*MT66-Route	64S	TT	ε	108					
	!		160/70 - 17	ME888-Marathon/rf.	79VB	TL	ο	242										
	!		170/60 - 17	ME888-Marathon/rf.	78VR	TL	ο	308										

CUSTOM (18" εως 21")																	
C U S T O M	18"	3.00 - 18	ME77-Perfect	47S	TL	=	78	City-Demon	47S	TL	ε	74	V160 custom	47P	TL	=	45
	!	100/90 - 18	ME888-Marathon	56H	TL	ε	153	*MT66-Route	56H	TL	ε	107	V160 custom	62S	TL	=	65
	!	120/70 - 18	ME888-Marathon	(59W)	TL	ε	258										
	!	130/70 - 18	ME888-Marathon	63HB	TL	ε	166										
	19"	90/90 - 19						City-Demon	52S	TT	ε	69	V158 custom	52S	TT	ε	52
	!	100/90 - 19	ME888-Marathon	57H	TL	ε	161	Night-Dragon	57H	TL	ε	132	V393F cruze	57H	TL	ε	77
	21"	80/90 - 21	ME888-Marathon	48H	TL	ε	112	*MT66-Route	48H	TT	ε	89	V393F cruze	54H	TL	ε	65
	!	90/90 - 21	ME888-Marathon	54H	TL	ε	161										

CUSTOM (Special--ORDERS--only 15" εως 16")																	
C U S T O M	15"	160/80 - 15	ME888-Marathon	74S	TT	ο	169										
	!	170/80 - 15	ME888 (White-Wall)	77HB	TL	ο	273										
	!	180/70 - 15	ME888-Marathon	76HB	TL	ο	213										
	!	200/70 - 15	ME888-Marathon	82HB	TL	ο	240										
	16"	130/90 - 16	Cruisetec/rf.	73HB	TL	ε	225										
	!	130/90 - 16	Cruisetec/rf.	73HB	TL	ο	225										
	!	140/90 - 16	ME888 (White-Wall/rf)	77HB	TL	ο	268										
	!	150/80 - 16	Cruisetec	71H	TL	ε	217										
	!	150/80 - 16	Cruisetec/rf.	77HB	TL	ο	231										
	!	180/70 - 16	ME888-Marathon	77VR	TL	ο	286										
C U S T O M	!	180/65 - 16	Cruisetec/rf.	81HB	TL	ο	267										
	!	180/60 - 16	Cruisetec/rf.	80HR	TL	ο	297										
	!	200/60 - 16	ME888-Marathon	79VR	TL	ο	323										
	!	200/55 - 16	Cruisetec/rf.	77HR	TL	ο	412										
	!	240/50 - 16	ME888-Marathon	84VR	TL	ο	360										

CUSTOM (Special--ORDERS--only 17" εως 21")

C U S T O M	17"	130/80 - 17	Cruisetec	65HB	TL	ε	166				
	!	140/80 - 17	ME888-Marathon	69H	TL	ε	200				
	!	140/75 - 17	ME888-Marathon	67VR	TL	ε	250				
	!	150/80 - 17	ME888-Marathon	72VR	TL	ε	266				
	!	160/70 - 17	Cruisetec/rf.	79VB	TL	ο	242				
	!	200/55 - 17	Cruisetec	78VR	TL	ο	323				
	!	210/50 - 17	ME888-Marathon	(78W)	TL	ο	362				
C U S T O M	18"	130/70 - 18	ME888-Marathon	63VR	TL	ε	238				
	!	130/70 - 18	Cruisetec	63HR	TL	ε	246				
	!	140/70 - 18	ME888-Marathon/rf.	73HB	TL	ε	205				
	!	150/70 - 18	Cruisetec/rf.	76HB	TL	ο	257				
	!	180/55 - 18	Cruisetec/rf.	80HB	TL	ο	298				
	!	200/50 - 18	ME888-Marathon/rf.	82HR	TL	ο	341				
	!	210/40 - 18	ME888-Marathon	73HR	TL	ο	318				
	!	240/40 - 18	Cruisetec	(79VR)	TL	ο	347				
	!	260/40 - 18	Cruisetec	(84VR)	TL	ο	366				
	!	280/35 - 18	ME888-Marathon	(84VR)	TL	ο	387				
C U S T O M	!	300/35 - 18	ME888-Marathon	(87VR)	TL	ο	412				
	19"	100/90 - 19	Cruisetec	57H	TL	ε	161				
	!	100/90 - 19	ME888 (White-Wall)	57H	TL	ε	192				
	!	110/90 - 19	ME888 / Cruisetec	62H	TL	ε	173				
	!	120/70 - 19	ME888 / Cruisetec	(60W)	TL	ε	272				
	!	130/60 - 19	Cruisetec	61HB	TL	ε	272				
21"	120/70 - 21	Cruisetec/rf.	68HB	TL	ε	264					

STREET (S / H / V 15" εως 17" <100/90-17)

S T R E E T	15"	130/90 - 15	ME77-Perfect	66S	TL	ο	113	City-Demon	66S	TL	ο	110	V195 custom	66S	TT	ο	79
	!	140/90 - 15	ME77-Perfect	70S	TT	ο	115						V393R cruze	76H	TL	ο	99
	16"	3.50 - 16											V159	66P	TT	ο	44
	!	100/90 - 16	Roadtec-01	54H	TL	ε	106										
	!	110/90 - 16	ME77-Perfect	59S	TT	ε	79										
	!	110/90 - 16	ME77-Perfect	59S	TL	ο	93										
	!	120/90 - 16	ME77-Perfect	63H	TL	ο	104	City-Demon	63S	TL	ο	103	V195 custom	63S	TL	ο	77
	!	130/90 - 16	Roadtec-01	67H	TL	ε	126										
	!	130/90 - 16	Roadtec-01	67V	TL	ο	143										
	!	150/80 - 16	Roadtec-01	71H	TL	ο	139										

S U P E R	90/80 - 17	Sportec {STR-super@}	46S	TL	=	62	ANGEL-City (super@)	46S	TL	=	62					
	120/70 - 17	Sportec {STR-super@}	58S	TL	=	78	ANGEL-City (super@)	58S	TL	=	78					
	90/80 - 17	RossoSPORT {Super-@@}					RossoSPORT (super@)	46S	TL	=	72					
	120/70 - 17	RossoSPORT {Super-@@}					RossoSPORT (super@)	58S	TL	ο	99					

S T R E E T	17"	3.00 - 17	ME22-sport /rf.	50P	TT	=	43					V158	47P	TT	=	33	
	!	80/80 - 17						ANGEL-City/rf.	46S	TL	ε	70					
	!	80/90 - 17						ANGEL-City	44S	TL	=	71					
	!	80/100 - 17						ANGEL-City	46S	TL	ε	72					
	!	90/90 - 17						ANGEL-City	49S	TL	=	74					
	!	100/70 - 17						ANGEL-City	49S	TL	ο	76					
	!	100/80 <> 17	Roadtec-01	52H	TL	ε	82	ANGEL-City	52S	TL	ε/ο	80	V396-Manhattan	52P	TL	ε	54
	!	100/80 - 17						RossoSPORT	52S	TL	=	84					
	!	100/90 - 17						ANGEL-City	55S	TL	ο	84					

STREET (S / H / V 17" εως 18" <100/90-18)

S T R E E T	17"	110/70 - 17	Roadtec-01	54H	TL	ε	97	ANGEL-City	54S	TL	=	81					
	!	110/70 - 17						RossoSPORT	54S	TL	=	85					
	!	110/80 - 17	Roadtec-01	57H	TL	ε	105										
	!	130/70 - 17	Roadtec-01	62H	TL	ο	121	ANGEL-City	62S	TL	ο	89	V396-Manhattan	62P	TL	ο	65
	!	130/70 - 17						RossoSPORT	62S	TL	ο	95					
	!	130/80 - 17	Roadtec-01	65H	TL	ο	132										
	!	130/90 - 17	*Roadtec-01	68V	TL	ο	147										
	!	140/70 - 17	Roadtec-01	66H	TL	ο	137	ANGEL-City	66S	TL	ο	98					
	!	140/70 - 17						RossoSPORT	66S	TL	ο	105					
	!	140/80 - 17	Roadtec-01	69V	TL	ο	153										
	!	150/60 - 17						ANGEL-City	66S	TL	ο	109					
	!	150/60 - 17						RossoSPORT	66S	TL	ο	116					
	!	150/70 - 17	Roadtec-01	69H	TL	ο	145										
	S T R E E T	18"	2.75 - 18	ME22-sport /rf.	48P	TL	=	49					V160/rf.	48P	TL	=	37
		!	3.00 - 18	ME22-sport /rf.	52P	TL	=	62					V160	47P	TL	=	45
!		3.00 - 18	ME77-Perfect	47S	TL	=	78	City-Demon	47S	TL	ε	71					
!		3.25 - 18	ME22-sport /rf.	59P	TT	=	66										
!		3.50 - 18	ME22-sport /rf.	62P	TT	=	75										
!		3.50 - 18	ME77-Perfect	56S	TL	ε	87										
!		80/100 - 18	Roadtec-01 (new)	47P	TL	ε	72										
!		90/90 - 18	Roadtec-01 (new)	51P	TL	ο	82										
!		90/100 - 18						City-Demon	54S	TL	ε	83	V160 (90/90 - 18)	57P	TT	=	48
!		100/90 - 18	Roadtec-01	56H	TL	ε	112						V160 custom	62S	TL	=	65
!	100/90 - 18	Roadtec-01	56V	TL	ε	119											

STREET (S / H / V 18" εως 19")																	
S T R E E T	18"	110/90 - 18	Roadtec-01	61H	TL	ο	128										
	!	110/90 - 18	*Roadtec-01	61V	TL	ε	134										
	!	120/80 - 18	Roadtec-01	62H	TL	ο	132										
	!	120/90 - 18	*Roadtec-01	65V	TL	ο	142										
	!	130/80 - 18	Lasertec (new)	(66V)	TL	ο	157										
	19"	100/90 - 19	Lasertec (new)	57V	TL	ε	138										
	!	3.25 - 19	Roadtec-01	54H	TL	ε	102										
	!	3.50 - 19	ME77-Perfect	57S	TL	ε	113										
	!	90/90 <> 19	Roadtec-01	52H	TL	ε	106	City-Demon	52S	TT	ε	69	V158	52S	TT	ε	52
	!	100/90 - 19	Roadtec-01	57V	TL	ε	124						V393F cruze	57H	TL	ε	77

ENDURO (ST+) /// MT60-RS															
E N D U R O - S T +	17"	120/70 ZR 17						MT60-RS	(58W)	TL	ε	149			
	!	160/60 HR 17						MT60-RS	69HR	TL	ο	194			
	!	180/55 ZR 17						MT60-RS	(73W)	TL	ο	233			
	18"	110/80 HR 18						MT60-RS	58HR	TL	ε	185			
!	150/70 VR 17	TouranceNext2 (new)	69VR	TL	ο	154	Scorpion-Trail II	69VR	TL	ο	154				
!	170/60 VR 17	TouranceNext2 (new)	72VR	TL	ο	157	Scorpion-Trail II	72VR	TL	ο	157				
!	170/60 ZR 17	TouranceNext2 (new)	72W	TL	ο	162	Scorpion-Trail II K/D	72W	TL	ο	162				
18"	150/70 VR 18	TouranceNext2 (new)	70VR	TL	ο	154	Scorpion-Trail II	70VR	TL	ο	154				
19"	110/80 VR 19	TouranceNext2 (new)	59VR	TL	ε	123	Scorpion-Trail II	59VR	TL	ε	123				
!	120/70 VR 19	TouranceNext2 (new)	60VR	TL	ε	125	Scorpion-Trail II	60VR	TL	ε	125				
!	120/70 ZR 19	TouranceNext2 (new)	60W	TL	ε	127	Scorpion-Trail II K/D	60W	TL	ε	127				
21"	90/90 V 21	TouranceNext2 (new)	54V	TL	ε	119	Scorpion-Trail II	54V	TL	ε	119				



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL
TT

ε ο
=

TIMH

ENDURO (ST+)

ENDURO - ST

17"	130/80 VR 17	*Tourance-Next	65VR	TL	ο	132	Scorpion-Trail II	65VR	TL	ο	139
!	140/80 VR 17	*Tourance-Next	69VR	TL	ο	151	Scorpion-Trail II	69VR	TL	ο	157
!	150/70 VR 17	*Tourance-Next	69VR	TL	ο	149	Scorpion-Trail II	69VR	TL	ο	154
!	170/60 <> 17	*Tourance-Next	72V/W	TL	ο	153	Scorpion-Trail II	72VR	TL	ο	157
18"	100/90 V 18						Scorpion-Trail II	56V	TL	ε	109
!	150/70 VR 18	*Tourance-Next	70VR	TL	ο	151	Scorpion-Trail II	70VR	TL	ο	154
19"	100/90 V 19	*Tourance-Next	57V	TL	ε	117	Scorpion-Trail II	57V	TL	ε	119
!	110/80 VR 19	*Tourance-Next	59VR	TL	ε	121	Scorpion-Trail II	59VR	TL	ε	123
!	120/70 <> 19	*Tourance-Next	60V/W	TL	ε	123	Scorpion-Trail II	60VR	TL	ε	125
21"	90/90 V 21	*Tourance-Next / A	54V	TL	ε	117	Scorpion-Trail II	54V	TL	ε	119

ENDURO - ST

17"	120/70 ZR 17	Tourance-Next	(58W)	TL	ε	134	Scorpion-Trail II	(58W)	TL	ε	139
!	160/60 ZR 17	Tourance-Next	(69W)	TL	ο	147	Scorpion-Trail II	(69W)	TL	ο	151
!	180/55 ZR 17	Tourance-Next	(73W)	TL	ο	195	Scorpion-Trail II	(73W)	TL	ο	206
!	190/55 ZR 17	*Tourance-Next	(75W)	TL	ο	200	Scorpion-Trail II	(75W)	TL	ο	212

ENDURO (ST)

17"	120/90 - 17	Tourance	64S	TT	ο	99	Scorpion-Trail	64S	TT	ο	101
!	130/80 S 17	Tourance	65S	TT	ο	107	Scorpion-Trail	65S	TT	ο	109
!	130/80 SR 17	Tourance	65SR	TL	ο	110					
!	130/80 HR 17	Tourance	65HR	TL	ο	117					
!	140/80 HR 17	Tourance	69HR	TL	ο	135					
!	150/70 HR 17	Tourance	69HR	TL	ο	135					
!	150/70 VR 17	Tourance	69VR	TL	ο	139					

ENDURO (ST)																
E N D U R O - S T	18"	120/80 - 18	Tourance	62S	TT	ο	99									
	19"	100/90 S 19	Tourance	57S	TT	ε	95									
	!	100/90 H 19	Tourance	57H	TL	ε	102									
	!	110/80 HR 19	Tourance	59HR	TL	ε	103									
	!	110/80 VR 19	Tourance	59VR	TL	ε	107									
	21"	90/90 S 21	Tourance	54S	TT	ε	95	Scorpion-Trail	54S	TT	ε	97				
	!	90/90 H 21	Tourance	54H	TL	ε	102									

ENDURO (STR)																
E N D U R O - S T R	15"	160/60 HR 15						Scorp. Rally {STR}	67HR	TL	ο	155				
	17"	110/70 <> 17	Karoo {STR} <u>new</u>	54S	TL	ε	147	Scorp. Rally {STR}	54HR	TL	ε	142				
	!	120/70 <> 17	Karoo {STR}	58VR	TL	ε	154	Scorp. Rally {STR}	58HR	TL	ε	144				
	!	130/80 VR 17	Karoo {STR}	65VR	TL	ο	182	Scorp. Rally {STR}	65VR	TL	ο	176				
	!	140/70 S 17	Karoo {STR} <u>new</u>	66S	TL	ο	152									
	!	140/80 VR 17	Karoo {STR}	69VR	TL	ο	185	Scorp. Rally {STR}	69VR	TL	ο	179				
	!	150/60 HR 17						Scorp. Rally {STR}	66HR	TL	ο	165				
	!	150/70 VR 17	Karoo {STR}	69VR	TL	ο	185	Scorp. Rally {STR}	69VR	TL	ο	179				
	!	170/60 VR 17	Karoo {STR}	72VR	TL	ο	209	Scorp. Rally {STR}	72VR	TL	ο	202				
	!	180/55 VR 17	Karoo {STR}	73VR	TL	ο	248									
	18"	150/70 VR 18	Karoo {STR}	70VR	TL	ο	181	Scorp. Rally {STR}	70VR	TL	ο	175				
	19"	100/90 V 19	Karoo {STR}	57V	TL	ε	151	Scorp. Rally {STR}	57V	TL	ε	148				
	!	110/80 VR 19	Karoo {STR}	59VR	TL	ε	165	Scorp. Rally {STR}	59VR	TL	ε	159				
	!	120/70 VR 19	Karoo {STR}	60VR	TL	ε	165	Scorp. Rally {STR}	60VR	TL	ε	159				
	21"	90/90 V 21	Karoo {STR}	54V	TL	ε	133	Scorp. Rally {STR}	54V	TL	ε	129				



<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

<ΠΕΛΜΑ>

index

TL ε ο
TT =

TIMH

PIRELLI

<ΠΕΛΜΑ>

index

TL ε ο
TT =

TIMH

VeeMoto

<ΠΕΛΜΑ>

index

TL ε ο
TT =

TIMH

ENDURO (A/T)

18"	150/70 VR 18									Sco-MT90 (A/T VR)	70VR	TL	ο	175					
21"	90/90 V 21									Sco-MT90 (A/T V)	54V	TL	ε	125					
14"	180/80 - 14														V275 (A/T)	78P	TT	ο	92
16"	120/90 - 16														V163 (A/T)	63P	TL	ο	74
17"	3.00 - 17														V022 (A/T)	48R	TT	=	36
!	4.60 - 17														V022 (A/T)	62R	TT	ο	65
!	110/90 - 17									MT60 (A/T)	60P	TT	ο	105	V307 (A/T)	60P	TL	ο	78
!	120/90 - 17	Sahara-3 (A/T)	64S	TT	ο	121				MT60 (A/T)	64S	TT	ο	121	V163 (A/T)	64T	TT	ο	82
!	130/80 - 17	Sahara-3 (A/T) MST	65S	TT	ο	125									V163 (A/T)	65S	TL	ο	87
!	130/80 - 17	Sahara-3 (A/T)	65T	TL	ο	131				MT60 (A/T) MST	65H	TL	ο	125					
!	140/80 - 17	Sahara-3 (A/T) MST	69H	TT	ο	134				MT60 (A/T) MST	69H	TL	ο	134					
18"	3.00 - 18														V022 (A/T)	52R	TT	=	41
!	4.10 - 18														V221 (A/T)	60P	TT	ο	62
!	4.60 - 18														V221 (A/T)	63P	TT	ο	75
!	120/80 - 18	Sahara-3 (A/T) MST	62S	TT	ο	121													
!	130/80 - 18														V274 (A/T)	66P	TT	ε	71
!	140/80 - 18	Sahara-3 (A/T) MST	70S	TT	ο	134													
19"	2.75 - 19														V022 (A/T)	49R	TT	=	35
!	90/90 - 19									MT60 (A/T)	52P	TT	ε	84	V307 (A/T)	52P	TL	ε	62
!	90/100 - 19														V163 (A/T)	55P	TL	ε	65
!	100/90 - 19									MT60 (A/T)	57H	TL	ε	102					
21"	2.75 - 21														V221 (A/T)	45P	TT	ε	44
!	3.00 - 21														V221 (A/T)	51P	TT	ε	52
!	90/90 - 21	Sahara-3 (A/T) MST	54S	TT	ε	102									V163 (A/T)	54S	TL	ε	69
!	90/90 - 21	Sahara-3 (A/T) MST	54H	TL	ε	107				MT60 (A/T) MST	54H	TL	ε	102					

E
N
D
U
R
O
-
A
T

E
N
D
U
R
O
-
A
T

KAROO-3 (Adventure) /// Enduro-FIM /// XC-Enduro

KAROO-3	17"	130/80 - 17	Karoo-3 Adventure	65R	TL	ο	146									
								index	TL	ε	ο	TIMH	index	TL	ε	ο
	!	140/80 - 17	Karoo-3 Adventure	69R	TL	ο	149									
	!	150/70 - 17	Karoo-3 Adventure	69R	TL	ο	163									
	!	170/60 - 17	Karoo-3 Advent. (Rad)	72T	TL	ο	186									
	18"	140/80 - 18	Karoo-3 Adventure	70R	TL	ο	154									
	!	150/70 - 18	Karoo-3 Adventure	70R	TL	ο	167									
	19"	110/80 - 19	Karoo-3 Adventure	59R	TL	ε	123									
	!	120/70 - 19	Karoo-3 Advent. (Rad)	60T	TL	ε	146									
	21"	90/90 - 21	Karoo-3 Adventure	54R	TL	ε	121									
ENDURO-FIM	18"	110/80 - 18	MCE6days m+s	58R	TT	ο	94									
	!	120/90 - 18	MCE6days m+s	65R	TT	ο	96					V211 (FIM)	65R	TT	ο	68
	!	130/90 - 18	MCE6days m+s	69R	TT	ο	100									
	!	140/80 - 18	MCE6days (SuperSOFT)	70M	TT	ο	111									
	!	140/80 - 18	MCE6days m+s (SOFT)	70M	TT	ο	105									
	!	140/80 - 18	MCE6days m+s	70M	TT	ο	99					V211 (FIM)	70R	TT	ο	70
	21"	80/90 - 21	MCE6days m+s	48R	TT	ε	67									
	!	90/90 - 21	MCE6days m+s	54M	TT	ε	70					V211 (FIM)	54R	TT	ε	50
	!	90/90 - 21	MCE6days m+s (HARD)	54M	TT	ε	76									
	!	90/100 - 21	MCE6days (SuperSOFT)	57R	TT	ε	87									
!	90/100 - 21	MCE6days MST (SOFT)	57R	TT	ε	85										
XC	18"	100/100 - 18						Scorp. XC (midHARD)	59R	TT	ο	84				
	!	110/100 - 18						Scorp. XC (midHARD)	64M	TT	ο	89				
	!	120/100 - 18						Scorp. XC (midHARD)	68M	TT	ο	95				
	!	140/80 - 18						Scorp. XC (midHARD)	70M	TT	ο	95				
	21"	80/100 - 21						Scorp. XC (midHARD)	51R	TT	ε	68				

Enduro--Cross (Rally-Cross)

R A L L Y	17"	4.10 - 17							V147 Rally	67P	TT	ο	49				
	!	120/90 - 17				MT21 RallyCross	m+s	64R	TT	ο		95					
	!	130/90 - 17				MT21 RallyCross		68P	TT	ο		97	V147 Rally	68P	TT	ο	75
	18"	110/80 - 18				MT21 RallyCross	m+s	58P	TT	ο		74					
	!	120/80 - 18				MT21 RallyCross	m+s	62R	TT	ο		93					
	!	120/90 - 18				MT21 RallyCross	m+s	65R	TT	ο		99	V147 Rally	69R	TT	ο	75
	!	130/90 - 18				MT21 RallyCross		69R	TT	ο		103					
	!	140/80 - 18				MT21 RallyCross	m+s	70R	TT	ο		103	V147 Rally	70R	TT	ο	78
	21"	80/90 - 21				MT21 RallyCross	m+s	48P	TT	ε		58					
	!	90/90 - 21				MT21 RallyCross	m+s	54R	TT	ε		67	V147 Rally	54R	TT	ε	52

CROSS (Junior)

J U N I O R	10"	2.50 - 10				MX-32race (mid-SOFT)		33J	TT	ε		40	V140 Junior	33J	TT	=	20
	!	2.75 - 10				MX-32race (mid-SOFT)		37J	TT	ο		62					
	12"	60/100 - 12				MX-32race (mid-SOFT)		36M	TT	ε		45					
	!	80/100 - 12				MX-32race (mid-SOFT)		50M	TT	ο		69	V140 Junior	41M	TT	ο	42
	14"	60/100 - 14				MX-32race (mid-SOFT)		29M	TT	ε		46					
	!	80/100 - 14											V140 Junior	49M	TT	=	44
	!	90/100 - 14				MX-32race (mid-SOFT)		49M	TT	ο		77					
	16"	90/100 - 16				MX-32race (mid-SOFT)		51M	TT	ο		81	V140 Junior	51M	TT	ο	48
	17"	70/100 - 17				MX-32race (mid-SOFT)		40M	TT	ε		58	V140 Junior	40M	TT	=	36
	19"	70/100 - 19				MX-32race (mid-SOFT)		42M	TT	ε		66	V140 Junior	42M	TT	ε	39

CROSS (Mid-HARD /// Race)

MID-HARD	18"	100/100 - 18	MC-360 (mid-HARD)	59M	TT	o	81	MXextraX (mid-HARD)	59M	TT	o	83	V500 (mid-HARD)	59M	TT	o	59
	!	110/100 - 18	MC-360 (mid-HARD)	64M	TT	o	85	MXextraX (mid-HARD)	64M	TT	o	88	V500 (mid-HARD)	64M	TT	o	62
	!	120/100 - 18	MC-360 (mid-HARD)	68M	TT	o	87					V500 (mid-HARD)	68M	TT	o	65	
	!	140/80 - 18	MC-360 (mid-HARD)	70M	TT	o	92										
	19"	100/90 - 19	MC-360 (mid-HARD)	57M	TT	o	83	MXextraX (mid-HARD)	57M	TT	o	85	V500 (mid-HARD)	57M	TT	o	61
	!	110/90 - 19	MC-360 (mid-HARD)	62M	TT	o	87	MXextraX (mid-HARD)	62M	TT	o	89	V500 (mid-HARD)	62M	TT	o	64
	!	120/80 - 19	MC-360 (mid-HARD)	63M	TT	o	91										
	21"	80/100 - 21	MC-360 (mid-HARD)	51M	TT	ε	68	MXextraX (mid-HARD)	51M	TT	ε	68	V500 (mid-HARD)	51M	TT	ε	50
	!	90/90 - 21	MC-360 (mid-HARD)	54M	TT	ε	70										

RACE	19"	100/90 - 19	360race (mid-HARD)	57M	TT	o	88	MX-32race (mid-HARD)	57M	TT	o	99				
	!	110/90 - 19	360race (mid-HARD)	62M	TT	o	92	MX-32race (mid-HARD)	62M	TT	o	102				
	!	120/80 - 19	360race (mid-HARD)	63M	TT	o	95									
	21"	80/100 - 21	360race (mid-HARD)	51M	TT	ε	72	MX-32race (mid-HARD)	51M	TT	ε	79				

CROSS (Mid-SOFT)

MID-SOFT	18"	100/100 - 18	MC-360 (mid-SOFT)	59M	TT	o	81									
	!	110/100 - 18	MC-360 (mid-SOFT)	64M	TT	o	85									
	!	120/80 - 18	MC-360 (mid-SOFT)	62R	TT	o	85									
	!	120/100 - 18	MC-360 (mid-SOFT)	68M	TT	o	87									
	!	140/80 - 18	MC-360 (mid-SOFT)	70M	TT	o	92									
	19"	100/90 - 19	MC-360 (mid-SOFT)	57M	TT	o	83									
	!	110/90 - 19	MC-360 (mid-SOFT)	62M	TT	o	87									
	!	120/80 - 19	MC-360 (mid-SOFT)	63M	TT	o	91									
	21"	80/100 - 21	MC-360 (mid-SOFT)	51M	TT	ε	68									
!	90/90 - 21	MC-360 (mid-SOFT)	54M	TT	ε	70										

CROSS (Mid-SOFT--Race)

R A C E	19"	100/90 - 19	360race (mid-SOFT)	57M	TT	o	88	MX-32race (mid-SOFT)	57M	TT	o	99		
	!	110/85 - 19						MX-32race (mid-SOFT)	61M	TT	o	99		
	!	110/90 - 19	360race (mid-SOFT)	62M	TT	o	92	MX-32race (mid-SOFT)	62M	TT	o	102		
	!	120/80 - 19	360race (mid-SOFT)	63M	TT	o	95	MX-32race (mid-SOFT)	63M	TT	o	106		
	!	120/90 - 19						MX-32race (mid-SOFT)	66M	TT	o	108		
	21"	80/100 - 21	360race (mid-SOFT)	51M	TT	ε	72	MX-32race (mid-SOFT)	51M	TT	ε	79		
	!	90/100 - 21						MX-32race (mid-SOFT)	57M	TT	ε	84		

ATV (ROAD 80/20)

R O A D	8"	19 x 8 - 8					V323-Road (205/70 - 8)	4PR	TL	=	65
	!	18 x 10 - 8					V323-Road (255/50 - 8)	4PR	TL	=	75
	10"	20 x 6 - 10					V323-Road (155/80 -10)	4PR	TL	=	67
	!	21 x 10 - 10					V332-Road (240/60 -10)	4PR	TL	=	89

ATV (ON/OFF)

O N - O F F	6"	145/70 - 6					V196 WorkHorse	2PR	TL	=	26
	7"	16 x 8 - 7					V196 WorkHorse	2PR	TL	=	35
	8"	20 x 7 - 8					V196 WorkHorse	2PR	TL	=	49
	!	22 x 11 - 8					V196 WorkHorse	2PR	TL	=	59
	8"	22 x 11 - 8					V337 enduro	2PR	TL	=	73
	9"	22 x 11 - 9					V337 enduro	2PR	TL	=	91
	12"	24 x 8 - 12					V326F enduro	4PR	TL	ε	79
	!	24 x 10 - 12					V326R enduro	4PR	TL	o	83

ATV (ON/OFF)

O N - O F F	8"	20 x 7 - 8				V208	Speedway	4PR	TL	=	47
	10"	21 x 7 - 10				V208	Speedway	4PR	TL	=	55
	!	22 x 8 - 10				V208	Speedway	4PR	TL	=	58
	8"	20 x 11 - 8				V260	Venom	4PR	TL	o	82
	9"	20 x 10 - 9				V260	Venom	4PR	TL	o	86
	10"	21 x 7 - 10				V259	Venom	4PR	TL	ε	55
	!	20 x 11 - 10				V260	Venom	4PR	TL	o	93
	10"	22 x 11 - 10				V189	Grizzly	4PR	TL	=	102
	!	25 x 12 - 10				V189	Grizzly	4PR	TL	=	119
	12"	25 x 8 - 12				V189	Grizzly	4PR	TL	=	93
!	25 x 10 - 12				V189	Grizzly	4PR	TL	=	104	

MOUSSE

M O U S S E	18"	140/80 - 18	Mousse--Enduro (E-18H1) METZ	o	138				
	21"	90/90 - 21	Mousse--Enduro (E-21C1) METZ	ε	138				
	19"	110/90 - 19				Mousse--Cross (X-19E1) PIR	o	138	
	!	120/80 - 19				Mousse--Cross (X-19F1) PIR	o	138	
	21"	110/90 - 19				Mousse--Cross (X-21B1) PIR	ε	138	
	*	GEL--Mousse	Mousse--GEL (Can x 1 kg.)		41				

Φακαρόλες (VeeMoto) { 25 εως 35 mm πλάτος & 15 εως 21 inch. Ζάντα } Ποσότητα Minimum (BOX x 5 τεμ.) **TIMH--BOX x 5 >> 12,0**

	∅	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>			PIRELLI <ΠΕΛΜΑ>			VeeMoto <ΠΕΛΜΑ>			
			ΒΑΛΒΙΔΑ	ΤΙΜΗ	ΒΑΛΒΙΔΑ	ΤΙΜΗ	ΒΑΛΒΙΔΑ	ΤΙΜΗ				
ΑΕΡΟΘΑΛΑΜΟΙ												
C R O S S	18"	100/100 - 18								Αερ/μος Vee-CROSS	TR4 HD+ ο	13,3
	!	110/100 - 18	Αερθ. METZELER-Cross (CR 18 F) NHS	19,0	Αερθ. PIRELLI-Cross (21 B 18) NHS	19,0	Αερ/μος Vee-CROSS	TR4 HD+ ο	14,0			
	!	120/100 - 18					Αερ/μος Vee-CROSS	TR4 HD+ ο	15,2			
	19"	100/90 - 19					Αερ/μος Vee-CROSS	TR4 HD+ ο	13,3			
	!	110/90 - 19	Αερθ. METZELER-Cross (CR 19 E) NHS	19,0	Αερθ. PIRELLI-Cross (21 B 19) NHS	19,0	Αερ/μος Vee-CROSS	TR4 HD+ ο	14,5			
	!	120/80 - 19					Αερ/μος Vee-CROSS	TR4 HD+ ο	15,2			
	21"	80/100 - 21	Αερθ. METZELER-Cross (CR 21 D) NHS	17,0	Αερθ. PIRELLI-Cross (10 B 21) NHS	17,0	Αερ/μος Vee-CROSS	TR4 HD+ ε	12,8			
S A M S O N	10"	3.00/3.50 - 10	ME-D10 (Offset 8mm) TR4 ίσια	8,5	10 C 10 (Offset 5mm) TR87 (90°)	8,5	Samson (bag)	TR87 (90°)	4,5			
	17"	2.00/2.25 - 17					Samson (bag)	TR4 ίσια	3,9			
	!	2.25/2.50 - 17			7 A 17 TR4 ίσια	8,5	Samson (bag)	TR4 ίσια	4,1			
	!	2.50/2.75 - 17	ME-C/D17 TR4 ίσια	9,8			Samson (bag)	TR4 ίσια	4,3			
A E P O Θ A Λ A M O I	6"	5.4 - 6					VeeMoto (box)	TR87 (90°)	8,9			
	8"	2.50 - 8					VeeMoto (box)	TR87 (90°)	5,0			
	!	3.00 - 8					VeeMoto (box)	TR87 (90°)	5,2			
	!	3.50/4.00 - 8					VeeMoto (box)	TR87 (90°)	6,0			
	10"	2.50/2.75 - 10			MA 10 TR4 ίσια	8,5	VeeMoto (box)	TR87 (90°)	5,2			
	!	3.00/3.50 - 10	ME-D10 (Offset 8mm) TR4 ίσια	8,5	10 C 10 (Offset 5mm) TR87 (90°)	8,5	VeeMoto (box)	TR87 (90°)	5,5			
	!	3.50/4.00 - 10					VeeMoto (box)	TR87 (90°)	7,0			
	!	120/130 - 10					VeeMoto (box)	TR87 (90°)	7,6			
	12"	60/100 - 12			MH 12 TR4 ίσια	10,7						
	!	80/100 - 12			MA 12 TR4 ίσια	10,7						
	!	3.00/3.25 - 12					VeeMoto (box)	TR4 ίσια	6,1			
	!	120/130 - 12					VeeMoto (box)	TR87 (90°)	8,0			
13"	130/60 - 13					VeeMoto (box)	TR87 (90°)	7,7				



Ø

<ΔΙΑΣΤΑΣΕΙΣ>

METZLER
<ΠΕΛΜΑ>

ΒΑΛΒΙΔΑ

ΤΙΜΗ

PIRELLI
<ΠΕΛΜΑ>

ΒΑΛΒΙΔΑ

ΤΙΜΗ

VeeMoto
<ΠΕΛΜΑ>

ΒΑΛΒΙΔΑ

ΤΙΜΗ

ΑΕΡΟΘΑΛΑΜΟΙ

Α
Ε
Ρ
Ο
Θ
Α
Λ
Α
Μ
Ο
ΙΑ
Ε
Ρ
Ο
Θ
Α
Λ
Α
Μ
Ο
Ι

14"	2.00/2.25 - 14				MA 14 (60/100-14)	TR4 ίσια	10,7	VeeMoto (box)	TR4 ίσια	4,7		
!	2.75/3.00 - 14				6 M 14 (80/80-14)	TR4 ίσια	8,5	VeeMoto (box)	TR4 ίσια	5,8		
!	4.10 - 14				MB 14 (90/110-14)	TR4 ίσια	10,7	VeeMoto (box)	TR4 ίσια	7,0		
!	180/80 - 14							VeeMoto (box)	TR4 ίσια	17,5		
15"	130/140 -15+16	ME-F16 (Offset 18mm)	TR4	(15+16)	10,7	MD 16 (15+16)	TR4	(15+16)	10,7	VeeMoto (box)	TR87/TR4	8,7
!	170/80 - 15	ME-15	TR4	ίσια	18,5					VeeMoto (box)	TR87 (90°)	17,5
16"	2.00/2.25 - 16					7 A 16 (225/250-16)	TR4	ίσια	8,5	VeeMoto (box)	TR4 ίσια	4,9
!	2.50/2.75 - 16									VeeMoto (box)	TR4 ίσια	5,3
!	3.00/3.25 - 16									VeeMoto (box)	TR4 ίσια	6,4
!	3.25/3.50 - 16	ME-C16	TR4	ίσια	10,7	MB 16	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	6,4
!	450/510 -16+15	ME-F16 (Offset 18mm)	TR4	(15+16)	10,7	MD 16 (15+16)	TR4	(15+16)	10,7	VeeMoto (box)	TR4 ίσια	9,5
17"	45/90 - 17									VeeMoto (box)	TR4 ίσια	4,3
!	2+2.1/2 -16+17									VeeMoto (box)	TR4 (16+17)	4,6
!	2.00/2.25 - 17									VeeMoto (box)	TR4 ίσια	4,9
!	2.25/2.50 - 17					7 A 17	TR4	ίσια	8,5	VeeMoto (box)	TR4 ίσια	5,1
!	2.50/2.75 - 17	ME-C/D17	TR4	ίσια	9,8					VeeMoto (box)	TR4 ίσια	5,4
!	2.75/3.00 - 17	ME-C/D17	TR4	ίσια	9,8	MA 17	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	6,2
!	120/80+90 - 17	ME-E17*	TR4	ίσια	10,7	MC 17	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	8,6
!	4.50/5.10 - 17	ME-F17(B)	TR4	ίσια	10,7	MD 17	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	9,5
18"	2.50/2.75 - 18	ME-C18	TR4	ίσια	10,7					VeeMoto (box)	TR4 ίσια	5,7
!	3.00/3.25 - 18					MA 18	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	6,6
!	3.25/4.10 - 18	ME-E18 Y	TR4	ίσια	10,7	MB 18	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	6,7
!	4.00/4.50 - 18	ME-F18 Y	TR4	ίσια	10,7	MD 18	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	9,3
19"	2.75/3.00 - 19	ME-D19	TR4	ίσια	10,7	MA 19	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	6,4
!	3.25/4.10 - 19	ME-E19	TR4	ίσια	10,7	MC 19	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	7,1
21"	2.75/3.00 - 21	ME-C/D21	TR4	ίσια	10,7	MA 21	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	6,8
!	90/90 - 21	ME-C/D21	TR4	ίσια	10,7	MA 21	TR4	ίσια	10,7	VeeMoto (box)	TR4 ίσια	6,9

LOAD index

SPEED index (Kmh)

L
O
A
D

LOAD index

Kg.

LOAD index

Kg.

15

69

53

206

16

71

54

212

17

73

55

218

18

75

56

224

19

77,5

57

230

20

80

58

236

21

82,5

59

243

22

85

60

250

L
O
A
D

23

87,5

61

257

24

90

62

265

25

92,5

63

272

26

95

64

280

27

97,5

65

290

28

100

66

300

29

103

67

307

30

106

68

315

L
O
A
D

31

109

69

325

32

112

70

335

33

115

71

345

34

118

72

355

35

121

73

365

36

125

74

375

S
P
E
E
D

SPEED symbol

Max. Speed

F

80

G

90

J

100

K

110

S
P
E
E
D

L

120

M

130

N

140

P

150

S
P
E
E
D

Q

160

R

170

S

180

LOAD index

L
O
A
D

L
O
A
D

LOAD index	Kg.	LOAD index	Kg.
37	128	75	387
38	132	76	400
39	136	77	412
40	140	78	425
41	145	79	437
42	150	80	450
43	155	81	462
44	160	82	475
45	165	83	487
46	170	84	500
47	175	85	515
48	180	86	530
49	185	87	545
50	190	88	560
51	195	89	580
52	200	90	600

SPEED index (Kmh)

S
P
E
E
D

S
P
E
E
D

SPEED symbol	Max. Speed
T	190
U	200
H	210
V/VB	240
(V/VB)	over 240
ZR	270
W	270
(W/ZR)	over 270

Intramoto AE

Σ. Βέμπο 21 & Ιάσωνος 1 (165 61) Γλυφάδα

Τηλ: 210-9603961 έως 3

Fax: 210-9640201

VIVA-Wallet (ΑΦΜ--Intramoto 094334000)

E-mail : intramoto@intramoto.gr (www.intramoto.gr)

ALPHA-bank Λογ. 386 00 2320000355

ALPHA-bank IBAN : GR 8501 4038 6038 6002 3200 00355

ΕΘΝΙΚΗ Λογ. 121 / 47030063

ΕΘΝΙΚΗ IBAN : GR 5801 1012 1000 0012 1470 30063

ΠΕΙΡΑΙΩΣ Λογ. 5019 01578 4513

ΠΕΙΡΑΙΩΣ IBAN : GR 1601 7201 9000 5019 0157 84513

EURO-bank Λογ. 0026 0004 50 0200363766

EURO-bank IBAN : GR 8202 6000 4000 0500 2003 63766