

## METZELER

METZELER  
<ΠΕΛΜΑ>

index

TL  
TT

ε ο  
=

TIMH

## PIRELLI

PIRELLI  
<ΠΕΛΜΑ>

index

TL  
TT

ε ο  
=

TIMH

## VeeMoto

VeeMoto  
<ΠΕΛΜΑ>

index

TL  
TT

ε ο  
=

TIMH

## ΠΑΠΙΑ

ΠΑΠΙΑ

17"	60/100 - 17	ME22 sport	33L	TT	ε	28,5			V359	33P	TT	ε	21,0			
!	2.50 - 17	ME22 sport /rf. (4PR)	43P	TT	=	29,5	Angel-CiTy/rf.	43P	TT	=	29,5	V359	38P	TT	=	22,0
!	2.75 - 17	ME22 sport /rf. (6PR)	47P	TT	=	31,5	Angel-CiTy/rf.	47P	TT	o	31,5	V359	41P	TT	=	24,0
!	2.50 - 17						City-Cross	38P	TT	=	29,5	V022 enduro	43R	TT	=	24,0
!	2.75 - 17						City-Cross/rf.	47P	TT	=	31,5	V022 enduro	47R	TT	=	27,0
!	70/90 - 17	SportecStreet	38S	TL	=	30,0	Angel-CiTy	38S	TL	ε	30,0	Manhattan (WAVE)	43P	TT	ε	24,0
!	80/90 - 17	SportecStreet	44S	TL	=	33,0	Angel-CiTy	44S	TL	o	33,0	Manhattan (WAVE)	50P	TT	o	27,0

ΠΑΠΙΑ

SPORT	70/90 - 17	RossoSPORT {Sport@παπιά}	RossoSPORT (sport@)		38S	TL	=	35,0					
	80/90 - 17		RossoSPORT (sport@)		44S	TL	=	41,0					
SPORT	90/80 - 17	SportecStreet (super@)	46S	TL	=	66,0	ANGEL-City (super@)	46S	TL	=	66,0		
	120/70 - 17	SportecStreet (super@)	58S	TL	=	82,0	ANGEL-City (super@)	58S	TL	=	82,0		
	90/80 - 17	RossoSPORT {Super@παπιά}	RossoSPORT (super@)		46S	TL	=	76,0					
	120/70 - 17		RossoSPORT (super@)		58S	TL	o	105,0					

ΠΑΠΙΑ

14"	2.25 - 14								V020	24B	TT	=	16,0
16"	2.1/4 - 16								V099/rf.	38J	TT	=	16,0
!	2.1/2 - 16								V099/rf.	42J	TT	=	19,0
!	2.3/4 - 16								V099/rf.	46J	TT	=	26,0
17"	50/45 - 17								V165tiger / V223magic	22P	TT	=	19,0
!	60/45 - 17								V165tiger / V223magic	29P	TT	=	21,0
!	70/45 - 17								V165tiger / V223magic	39P	TT	=	23,0
!	45/90 - 17								V360 satan	19S	TT	=	19,0
!	65/75 - 17								V266 Dragster-slick	35S	TT	o	38,0

## SCOOTER (6" εως 11")

SCOOTER	6"	5.4 - 6										V213	4PR	TT	ο	47,0		
	8"	3.00 - 8										V113	37J	TT	=	17,0		
	!	3.50 - 8										V108 / V164 enduro	45J	TT	=	22,0		
	!	4.00 - 8										V108	55J	TT	=	23,0		
	10"	2.50 - 10										V018	39J	TT	=	19,0		
	!	2.75 - 10										V119B	40J	TT	=	20,0		
	!	3.00 - 10										Samson-054	50J	TT	=	19,0		
	!	3.00 - 10	Roadtec-scoot/rf.	50J	TL	=	31,0		Angel-scoot/rf.	50J	TL	=	31,0	V396-Manhattan	42J	TL	=	23,0
	!	3.50 - 10											Samson-054	59J	TT	=	21,0	
	!	3.50 - 10	*ME1/rf.	59J	TL	=	36,0						V219 enduro	51J	TT	=	23,0	
	!	3.50 - 10	Roadtec-scoot/rf.	59J	TL	=	36,0		Angel-scoot/rf. (6PR)	59J	TL	=	36,0	V396-Manhattan /rf.	59J	TL	=	28,5
	!	80/90 - 10							Angel-scoot.	44J	TL	=	32,0					
	!	90/90 - 10	Roadtec-scoot.	50J	TL	=	36,0		Angel-scoot.	50J	TL	=	36,0	V134	50J	TL	=	27,5
	!	100/80 - 10	Roadtec-scoot.	53L	TL	=	36,0		Angel-scoot.	53L	TL	=	36,0	V144	53L	TL	=	27,5
	!	100/90 - 10	Roadtec-scoot/rf.	61J	TL	=	37,0		Angel-scoot.	56J	TL	=	37,0	V396-Manhattan	56J	TL	=	28,5
!	110/80 - 10	Roadtec-scoot.	58L	TL	=	41,0		Angel-scoot.	58J	TL	=	41,0						
SCOOTER	!	120/70 - 10										V144	54L	TL	ο	35,0		
	!	120/70 - 10	Roadtec-scoot/rf.	54L	TL	=	43,0		Angel-scoot/rf.	54L	TL	=	43,0	V396-Manhattan /rf.	54P	TL	=	35,0
	!	120/90 - 10	Roadtec-scoot.	66L	TL	=	41,0		Angel-scoot.	66J	TL	=	41,0	V119B	66L	TL	=	33,5
	!	120/90 - 10						*SL60 enduro	57J	TL	=	41,0	V137 enduro	66M	TL	=	33,5	
	!	130/90 - 10	Roadtec-scoot.	61L	TL	=	43,0		Angel-scoot.	61J	TL	=	43,0	V137 enduro	66M	TL	=	36,0
	!	130/90 - 10						*SL60 enduro	61J	TL	=	43,0						
	!	130/70 - 10	Roadtec-scoot/rf.	59L	TL	ο	43,0		Angel-scoot/rf.	59L	TL	=	43,0					
	!	130/70 - 10							Angel-scoot.	45L	TL	=	42,0	V396-Manhattan	45L	TL	=	33,0
	!	120/70 - 11							Angel-scoot/rf.	56L	TL	=	42,0	V396-Manhattan /rf.	56L	TL	=	33,5
	!	130/70 - 11	Roadtec-scoot/rf.	60L	TL	=	48,0		Angel-scoot/rf.	60L	TL	=	48,0	V134	60L	TL	=	39,0

## SCOOTER (12" εως 13")

SCOOTER

12"	3.00 - 12										V094	43J	TT	=	25,0	
!	90/90 - 12					Angel-scoot.	44J	TL	=	49,0	V396-Manhattan	44J	TL	=	35,0	
!	110/70 - 12	Roadtec-scoot.	47P	TL	=	43,0	Angel-scoot.	47P	TL	=	43,0	V396-Manhattan	47P	TL	=	33,0
!	110/70 - 12					ROSSO-scoot.	48P	TL	ε	45,0						
!	110/90 - 12	Roadtec-scoot.	64P	TL	ε	54,0	Angel-scoot.	64P	TL	=	54,0	V396-Manha. / *V119	64P	TL	=	42,0
!	110/100 - 12					Angel-scoot.	67J	TL	=	55,0						
!	120/70 - 12					Angel-scoot.	51L	TL	=	45,0						
!	120/70 - 12	Roadtec-scoot.	51P	TL	ο	47,5	Angel-scoot/rf.	58P	TL	ο	47,5					
!	120/70 - 12	Roadtec-scoot.	51P	TL	=	47,5	Angel-scoot.	51P	TL	=	47,5	V396-Manhattan /rf.	58P	TL	=	38,0
!	120/70 - 12					Angel-scoot.	51S	TL	ε	48,5						
!	130/70 - 12	Roadtec-scoot/rf.	62L	TL	ο	48,0	Angel-scoot.	56L	TL	=	47,0					
!	130/70 - 12	Roadtec-scoot/rf.	62P	TL	ο	51,5	Angel-scoot/rf.	62P	TL	=	51,5	V396-Manhattan /rf.	62P	TL	=	41,0
!	120/80 - 12					SL60 enduro	55J	TL	=	45,0	V133 enduro	65J	TL	ε	37,0	
!	130/80 - 12					SL60 enduro	60J	TL	=	48,0	V133 enduro	69J	TL	ο	40,0	
!	140/70 - 12	Roadtec-scoot.	60L	TL	=	57,0	Angel-scoot/rf.	65P	TL	ο	57,0					

SCOOTER

G P	100/90 - 12	<b>ROSSO-SC {Race Mini-GP}</b>					ROSSO-SC=Race/rf.	64P	TL	ε	63,0				
	120/80 - 12						ROSSO-SC=Race	55P	TL	ο	75,0				

13"	110/70 P 13	Roadtec-scoot.	48P	TL	ε	48,0	Angel-scoot.	48P	TL	ε	48,0					
!	110/70 S 13					Angel-scoot.	48S	TL	ε	49,0						
!	110/70 P 13					ROSSO-scoot.	48P	TL	ε	51,0						
!	110/90 - 13	Roadtec-scoot.	56P	TL	ε	54,0	Angel-scoot.	56P	TL	ε	54,0	V119B	56P	TL	ε	40,0
!	120/70 - 13	Roadtec-scoot.	53L	TL	=	49,0	Angel-scoot.	53P	TL	ε	49,0	V342	53P	TL	ε	39,0
!	120/70 - 13					ROSSO-scoot.	53P	TL	ε	51,0						
!	130/60 - 13	Roadtec-scoot.	53P	TL	=	51,0	Angel-scoot/rf.	60P	TL	=	51,0	V396-Manhattan /rf.	60P	TL	=	40,0

### SCOOTER (13" εως 14")

S C O O T E R	13"	130/70 - 13	Roadtec-scoot/rf.	63P	TL	ο	56,0	Angel-scoot/rf.	63P	TL	ο	56,0	V119C/rf.	63P	TL	ο	44,0		
		!	130/70 - 13						ROSSO-scoot/rf.	63P	TL	ο	58,0						
		!	140/60 - 13	Roadtec-scoot.	57L	TL	=	60,0	Angel-scoot/rf.	63P	TL	ο	60,0	V342	57P	TL	ο	46,0	
		!	140/70 - 13						Angel-scoot.	61P	TL	ο	62,0						
		!	140/70 - 13						ROSSO-scoot.	61P	TL	ο	64,0						
		!	150/70 - 13	Roadtec-scoot.	64S	TL	ο	66,0	Angel-scoot.	64S	TL	ο	66,0						
		!	150/70 - 13						ROSSO-scoot.	64S	TL	ο	68,0						
	S C O O T E R	14"	70/90 - 14	SportecStreet	34S	TL	ε	27,5											
			!	80/80 - 14	SportecStreet /rf.	43S	TL	=	29,5	Angel-scoot/rf.	43S	TL	ε	34,0	V087/rf.	43J	TT	=	23,0
			!	80/90 - 14	SportecStreet	40S	TL	ε	29,5	Rosso-SPORT	40S	TL	=	35,0	V396-Manhattan /rf.	46P	TL	=	26,0
			!	90/80 - 14	SportecStreet /rf.	49S	TL	ε	31,5	Angel-scoot/rf.	49S	TL	=	35,0	V396-Manhattan	43P	TL	=	29,0
			!	90/80 - 14	Roadtec-scoot/rf.	49S	TL	ε	36,0	Rosso-SPORT /rf.	49S	TL	=	39,0					
			!	90/90 - 14	SportecStreet	46S	TL	ε/ο	39,0						V396-Manhattan	46P	TL	=	34,0
			!	90/90 - 14	Roadtec-scoot.	46P	TL	ε	49,0	Rosso-SPORT	46S	TL	=	51,0					
			!	100/80 - 14	SportecStreet	48S	TL	ο	48,5	Angel-scoot/rf.	54S	TL	=	51,0	V396-Manhattan /rf.	54P	TL	=	38,0
!			100/80 - 14	Roadtec-scoot/rf.	54S	TL	=	51,0	ROSSO-scooter/rf.	54S	TL	=	51,5	V144/rf.	54J	TL	=	38,0	
!			100/80 - 14						Rosso-SPORT	48S	TL	=	52,0						
!			100/90 - 14	SportecStreet /rf.	57P	TL	ο	50,0	Angel-scoot/rf.	57P	TL	ο	59,0	V396-Manhattan /rf.	57P	TL	=	43,0	
!			100/90 - 14	Roadtec-scoot/rf.	57P	TL	ο	59,0	Rosso-SPORT /rf.	57S	TL	ο	63,0						
!			110/70 - 14						Angel-scoot/rf.	56S	TL	ο	65,0						
!			110/80 - 14	SportecStreet /rf.	59S	TL	ο	46,0	MT15-Mandrake/rf.	59J	TL	ο	49,0						
!			110/80 - 14	Roadtec-scoot/rf.	59S	TL	ε	49,0	Angel-scoot/rf.	59S	TL	=	49,0	V396-Manhattan /rf.	59S	TL	=	39,0	
!	120/70 - 14	Roadtec-scoot.	55S	TL	=	57,0	Angel-scoot.	55P	TL	=	57,0	V396-Manhattan	55S	TL	=	45,0			
!	120/70 - 14						ROSSO-scoot.	55S	TL	ε	59,0								
!	120/80 - 14	Roadtec-scoot.	58S	TL	=	62,0	Angel-scoot.	58P	TL	=	62,0	V119B	58S	TL	=	48,0			

## SCOOTER (14" εως 16")

SCOOTER	14"	120/80 - 14						ROSSO-scoot.	58S	TL	=	64,0						
	!	140/60 P 14	Roadtec-scoot/rf.	64P	TL	o	67,0	Angel-scoot/rf.	64P	TL	o	67,0						
	!	140/60 S 14						Angel-scoot/rf.	64S	TL	o	69,0	V319	64S	TL	o	54,0	
	!	140/70 P 14	Roadtec-scoot/rf.	68P	TL	o	69,0	Angel-scoot/rf.	68P	TL	o	69,0						
	!	140/70 S 14						Angel-scoot/rf.	68S	TL	o	71,0	V319	62S	TL	o	56,0	
	!	150/70 P 14						Angel-scoot.	66P	TL	o	76,0						
	!	150/70 S 14	Roadtec-scoot.	66S	TL	o	78,0	Angel-/B Beverly 350	66S	TL	o	78,0						
	!	150/70 S 14						ROSSO-scoot.	66S	TL	o	80,0						
SCOOTER	15"	80/90 - 15											V144	51J	TL	ε	39,0	
	!	120/70 P 15						Angel-scoot.	56P	TL	ε	62,0	V224 sport	56P	TL	ε	48,0	
	!	120/70 S 15	Roadtec-scoot.	56S	TL	ε	63,0	Angel-scoot.	56S	TL	ε	63,0						
	!	120/70 S 15						ROSSO-scoot.	56S	TL	ε	65,0						
	!	130/80 - 15						Angel-scoot.	63S	TL	o	78,0	V224 sport	63P	TL	o	62,0	
	!	140/70 - 15						Sport-Demon/rf.	69P	TL	o	83,0						
	SCOOTER	16"	80/80 - 16						MT15-Mandrake/rf.	45J	TL	ε	40,0	V144/rf.	46J	TL	=	29,5
		!	90/80 - 16						MT15-Mandrake/rf.	51J	TL	=	44,0	V144/rf.	52J	TL	=	35,0
		!	90/80 - 16						Angel-scoot/rf.	51S	TL	=	44,0	V396-Manhattan /rf.	51S	TL	=	35,0
		!	100/80 - 16	Roadtec-scoot.	50P	TL	ε	55,0	Angel-scoot.	50P	TL	ε	55,0	V396-Manhattan /rf.	50S	TL	=	42,0
!		110/70 P 16	Roadtec-scoot.	52P	TL	ε	68,0	Angel-scoot.	52P	TL	=	68,0						
!		110/70 S 16	Roadtec-scoot.	52S	TL	ε	69,0	Angel-scoot.	52S	TL	ε	69,0	V396-Manhattan	52S	TL	=	53,0	
!		120/70 - 16						Sport-Demon	57P	TL	ε	72,0						
!		120/80 - 16	Roadtec-scoot.	60P	TL	o	63,0	Angel-scoot.	60P	TL	o	63,0	V396-Manhattan	60S	TL	=	49,0	
!		130/70 - 16						Angel-scoot.	61P	TL	o	78,0						
!		130/70 - 16	Roadtec-scoot.	61S	TL	o	80,0	Angel-scoot.	61S	TL	o	80,0	V396-Manhattan	61S	TL	=	62,0	
!	130/80 - 16	Roadtec-scoot.	64P	TL	o	83,0	Angel-scoot.	64P	TL	o	83,0							
!	140/70 - 16	Roadtec-scoot.	65P	TL	o	74,0	Angel-scoot.	65P	TL	o	74,0	V396-Manhattan	65S	TL	=	59,0		

### SCOOTER (13" + 14") Tourance xADV-150

13"	130/70 - 13	TOURANCEscoo.(xADV)	57P	TL	ο	64,0			
14"	110/80 - 14	TOURANCEscoo.(xADV)	53P	TL	ε	71,0			

### SCOOTER (HRadial)

SCOOTER - HR	14"	120/70 HR 14	Roadtec-scoot.(HR)	55HR	TL	ε	110,0	ROSSO-scoot. (HR)	55HR	TL	ε	117,0			
	!	160/60 HR 14	Roadtec-scoot.(HR)	65HR	TL	ο	130,0	ROSSO-scoot. (HR)	65HR	TL	ο	138,0			
	15"	120/70 HR 15	Roadtec-scoot.(HR)	56HR	TL	ε	112,0	ROSSO-scoot. (HR)	56HR	TL	ε	120,0			
	!	160/60 HR 15	Roadtec-scoot.(HR)	67HR	TL	ο	135,0	ROSSO-scoot. (HR)	67HR	TL	ο	144,0			
	16"	120/70 HR 16						ROSSO-scoot. (HR)	57HR	TL	ε	127,0			
	!	130/70 SR 16	Roadtec-scoot.(SR)	61SR	TL	ο	110,0	Angel-scoot. (SR)	61SR	TL	ο	110,0			
	17"	120/70 HR 17						ROSSO-scoot. (HR)	58HR	TL	ε	114,0			
	15"	160/60 HR 15	<b>HONDA {X-ADV 750}</b>						Sco-Rally{STR} (xADV)	67HR	TL	ο	169,0		
	17"	120/70 HR 17							Sco-Rally{STR} (xADV)	58HR	TL	ε	149,0		

### Track--RACE (Slick)

RACE	17"	110/70 R 17					SupBike-slick (ss300)	sc1	TL	ε	205,0			
	!	140/70 R 17					SupBike-slick (ss300)	sc1	TL	ο	231,0			
	!	120/70 R 17	Racetec-RR slick	κ1>2	TL	ε	224,0	SupBike-slick	sc1>3	TL	ε	247,0		
	!	125/70 R 17					SupBike-slick	sc1>3	TL	ε	265,0			
	!	180/60 R 17	Racetec-RR slick	κ1>2	TL	ο	292,0	SupBike-slick	sc1>3	TL	ο	323,0		
	!	190/60 R 17					SupBike-slick	sc0>1	TL	ο	351,0			
	!	200/60 R 17	Racetec-RR slick	κ0>2	TL	ο	335,0	SupBike-slick	sc0>3	TL	ο	373,0		
	!	200/65 R 17					SupBike-slick + SCX	sc1>3	TL	ο	377,0			

↕	∅	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>			
			index	TL	ε	ο	index	TL	ε	ο	index	TL	ε	ο
			<u>TIMH</u>				<u>TIMH</u>				<u>TIMH</u>			
<b>Track--RACE (TD) /// (SM) /// (ΧΑΡΑΚΤΑ)</b>														
T D	17"	120/70 R 17	TD- <i>slick</i> (Track-Day)		NHS	TL	ε	194,0						
	!	180/55 R 17	TD- <i>slick</i> (Track-Day)		NHS	TL	ο	227,0						
	!	180/60 R 17	TD- <i>slick</i> (Track-Day)		NHS	TL	ο	231,0						
	!	190/55 R 17	TD- <i>slick</i> (Track-Day)		NHS	TL	ο	236,0						
	!	200/55 R 17	TD- <i>slick</i> (Track-Day)		NHS	TL	ο	243,0						
S M	16,5"	125/75 R 420	Racetec-SM (16,5")		κ1>2	TL	ε	185,0						
	17"	125/75 R 17	Racetec-SM		κ1>2	TL	ε	180,0						
	!	165/55 R 17	Racetec-SM		κ0>2	TL	ο	237,0						
X A P A K T A	17"	110/70 ZR 17							SuperCorsa-V3 (SC)	sc1	TL	ε	263,0	
	!	120/70 ZR 17	Racetec-RR		κ1>2	TL	ε	245,0	SuperCorsa-V3 (SC)	sc1>2	TL	ε	292,0	
	!	140/70 ZR 17							SuperCorsa-V3 (SC)	sc1	TL	ο	305,0	
	!	150/60 ZR 17							SuperCorsa-V3 (SC)	sc1>2	TL	ο	315,0	
	!	180/60 ZR 17	Racetec-RR		κ1>2	TL	ο	316,0	SuperCorsa-V3 (SC)	sc0>2	TL	ο	396,0	
	!	190/55 ZR 17	Racetec-RR		κ1>2	TL	ο	288,0	SuperCorsa-V3 (SC)	sc2	TL	ο	392,0	
	!	200/55 ZR 17	Racetec-RR		κ1>2	TL	ο	344,0	SuperCorsa-V3 (SC)	sc1>2	TL	ο	413,0	
	!	200/60 ZR 17							SuperCorsa-V3 (SC)	sc1	TL	ο	454,0	

<b>Track--ROAD (SP--V2 /// SPV3)</b>																		
T - R O A D	17"	120/70 ZR 17	<b>SuperCorsa "SP-V2" Special-Edition {Track + Road}</b>						SuperCorsa-V3 (SP)	(58W)	TL	ε	221,0	SuperCorsa-V2 (SP)	(58W)	TL	ε	169,0
	!	180/55 ZR 17							SuperCorsa-V3 (SP)	(73W)	TL	ο	252,0	SuperCorsa-V2 (SP)	(73W)	TL	ο	198,0
	!	190/50 ZR 17							SuperCorsa-V3 (SP)	(73W)	TL	ο	265,0					
	!	190/55 ZR 17							SuperCorsa-V3 (SP)	(75W)	TL	ο	271,0	SuperCorsa-V2 (SP)	(75W)	TL	ο	211,0
	!	200/55 ZR 17							SuperCorsa-V3 (SP)	(78W)	TL	ο	285,0					
	!	200/60 ZR 17							SuperCorsa-V3 (SP)	(80W)	TL	ο	291,0					

### Track--ROAD (Rosso-Corsa II /// BSB-V1)

T - R O A D	17"	120/70 ZR 17	<b>SuperCorsa "BSB-V1"</b> <b>Last-Stock {Track + Road}</b>	ROSSO-Corsa II (58W)	TL	ε	148,0	SuperCorsa-V1 (BSB) (58W)	TL	ε	119,0
	!	160/60 ZR 17		ROSSO-Corsa II (69W)	TL	ο	189,0				
	!	180/55 ZR 17		ROSSO-Corsa II (73W)	TL	ο	199,0				
	!	180/60 ZR 17		ROSSO-Corsa II (75W)	TL	ο	209,0				
	!	190/50 ZR 17		ROSSO-Corsa II (73W)	TL	ο	209,0				
	!	190/55 ZR 17		ROSSO-Corsa II (75W)	TL	ο	212,0	SuperCorsa-V1 (BSB) (58W)	TL	ε	161,0
	!	200/55 ZR 17		ROSSO-Corsa II (78W)	TL	ο	225,0				
	!	200/60 ZR 17		ROSSO-Corsa II (80W)	TL	ο	228,0				

### HYPER--SPORT

H Y P E R S P O R T	17"	120/70 ZR 17	M9 RR sportec (58W)	TL	ε	167,0	Dia-ROSSO IV (new) (58W)	TL	ε	184,0		
	!	160/60 ZR 17	M9 RR sportec (69W)	TL	ο	207,0	Dia-ROSSO IV (new) (69W)	TL	ο	229,0		
	!	180/55 ZR 17	M9 RR sportec (73W)	TL	ο	219,0	Dia-ROSSO IV (new) (73W)	TL	ο	242,0		
	!	180/60 ZR 17	M9 RR sportec (75W)	TL	ο	226,0						
	!	190/50 ZR 17	M9 RR sportec (73W)	TL	ο	229,0	Dia-ROSSO IV (new) (73W)	TL	ο	253,0		
	!	190/55 ZR 17	M9 RR sportec (75W)	TL	ο	237,0	Dia-ROSSO IV (new) (75W)	TL	ο	264,0		
	!	200/55 ZR 17	M9 RR sportec (78W)	TL	ο	241,0	Dia-ROSSO IV (new) (78W)	TL	ο	267,0		
	!	120/70 ZR 17					Diablo-ROSSO III / D (58W)	TL	ε	158,0		
	!	160/60 ZR 17					Diablo-ROSSO III (69W)	TL	ο	196,0		
	!	180/55 ZR 17					Diablo-ROSSO III (73W)	TL	ο	207,0		
	!	190/50 ZR 17					Diablo-ROSSO III (73W)	TL	ο	218,0		
	!	190/55 ZR 17					Diablo-ROSSO III (75W)	TL	ο	226,0		
	!	200/55 ZR 17					*Diablo-ROSSO III (78W)	TL	ο	237,0		
	!	240/45 ZR 17					Diablo-ROSSO III (82W)	TL	ο	251,0		



### SUPER--SPORT (ZR / H-R)

S U P E R S P O R T	16"	130/70 ZR 16	M7 RR sportec (CBR)	(61W)	TL	ε	131,0					
	17"	110/70 ZR 17	M7 RR sportec	54W	TL	ε	104,0	ROSSO-II (ZR)	54W	TL	ε	95,0
	!	120/60 ZR 17	M7 RR sportec	(55W)	TL	ε	106,0	ROSSO-II (ZR)	(55W)	TL	ε	97,0
	!	120/70 ZR 17	M7 RR sportec	(58W)	TL	ε	113,0	ROSSO-II (ZR) K / D	(58W)	TL	ε	104,0
	!	150/60 ZR 17	M7 RR sportec	66W	TL	ο	129,0					
	!	160/60 ZR 17	M7 RR sportec	(69W)	TL	ο	142,0	ROSSO-II (ZR)	(69W)	TL	ο	131,0
	!	180/55 ZR 17	M7 RR sportec	(73W)	TL	ο	151,0	ROSSO-II (ZR)	(73W)	TL	ο	139,0
	!	190/50 ZR 17	M7 RR sportec	(73W)	TL	ο	157,0	ROSSO-II (ZR)	(73W)	TL	ο	145,0
	!	190/55 ZR 17	M7 RR sportec	(75W)	TL	ο	161,0	*ROSSO-II (ZR)	(75W)	TL	ο	150,0
	!	200/50 ZR 17						ROSSO-II (ZR)	(75W)	TL	ο	152,0
S U P E R S P O R T	17"	110/70 HR 17	M5 sportec (HR)	54H	TL	ε	89,0	ROSSO-II (HR)	54H	TL	ε	94,0
	!	120/60 HR 17						ROSSO-II (HR)	55H	TL	ε	96,0
	!	120/70 <> 17	*M5 sportec (ZR)	(58W)	TL	ε	104,0	ROSSO-II (HR)	58H	TL	ε	103,0
	!	140/70 HR 17						ROSSO-II (HR)	66H	TL	ο	107,0
	!	150/60 HR 17	M5 sportec (HR)	66H	TL	ο	109,0	ROSSO-II (HR)	66H	TL	ο	116,0
	!	160/60 <> 17	*M5 sportec (ZR)	(69W)	TL	ο	131,0	ROSSO-II (HR)	69H	TL	ο	128,0
	!	180/55 ZR 17	*M5 sportec (ZR)	(73W)	TL	ο	139,0					
	!	190/55 ZR 17	*M5 sportec (ZR)	(75W)	TL	ο	150,0					
	!	200/50 ZR 17	*M5 sportec (ZR)	(75W)	TL	ο	152,0					

### HYPER--TOUR (HEAVY)

T O U R	17"	120/70 ZR 17	Roadtec-01 (HWM)	(58W)	TL	ε	167,0	Angel-GT2 (A)	(58W)	TL	ε	192,0
	!	180/55 ZR 17	Roadtec-01 (HWM)	(73W)	TL	ο	219,0	Angel-GT2 (A)	(73W)	TL	ο	253,0
	!	190/50 ZR 17	Roadtec-01 (HWM)	(73W)	TL	ο	230,0	Angel-GT2 (A)	(73W)	TL	ο	265,0
	!	190/55 ZR 17	Roadtec-01 (HWM)	(75W)	TL	ο	239,0	Angel-GT2 (A)	(75W)	TL	ο	272,0

↕	∅	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΑΜΑ>				PIRELLI <ΠΕΛΑΜΑ>				VeeMoto <ΠΕΛΑΜΑ>			
			index	TL	εο	TIMH	index	TL	εο	TIMH	index	TL	εο	TIMH
<b>HYPER--TOUR (SE-sport)</b>														
H Y P E R - T O U R	17"	120/70 ZR 17	Roadtec-01 {SE-sport}	(58W)	TL	ε	160,0	Angel-GT2	(58W)	TL	ε	185,0		
	!	150/70 VR 17	Roadtec-01	69V	TL	ο	208,0							
	!	160/60 ZR 17	Roadtec-01 {SE-sport}	(69W)	TL	ο	201,0	Angel-GT2	(69W)	TL	ο	231,0		
	!	170/60 <> 17	Roadtec-01	72W	TL	ο	216,0	Angel-GT2	72V	TL	ο	239,0		
	!	180/55 ZR 17	Roadtec-01 {SE-sport}	(73W)	TL	ο	212,0	Angel-GT2	(73W)	TL	ο	242,0		
	!	190/50 ZR 17	Roadtec-01 {SE-sport}	(73W)	TL	ο	222,0							
	!	190/55 ZR 17	Roadtec-01 {SE-sport}	(75W)	TL	ο	229,0							
	19"	110/80 VR 19	Roadtec-01	59V	TL	ε	179,0							
	!	120/70 <> 19	Roadtec-01	60W	TL	ε	186,0	Angel-GT2	60V	TL	ε	206,0		

<b>SUPER--TOUR (GRAN-Turismo)</b>														
S U P E R - T O U R	17"	120/70 ZR 17	Z8 Roadtec (Interact)	(58W)	TL	ε	120,0	Angel-GT	(58W)	TL	ε	150,0		
	!	120/70 ZR 17						Angel-GT (A)	(58W)	TL	ε	156,0		
	!	160/60 ZR 17	Z8 Roadtec (Interact)	(69W)	TL	ο	150,0	Angel-GT	(69W)	TL	ο	188,0		
	!	170/60 ZR 17	Z8 Roadtec (Interact)	(72W)	TL	ο	160,0							
	!	180/55 ZR 17	Z8 Roadtec (Interact)	(73W)	TL	ο	159,0	Angel-GT	(73W)	TL	ο	197,0		
	!	180/55 ZR 17						Angel-GT (A)	(73W)	TL	ο	207,0		
	!	190/50 ZR 17	Z8 Roadtec (Interact)	(73W)	TL	ο	166,0	Angel-GT (A)	(73W)	TL	ο	216,0		
	!	190/55 ZR 17						Angel-GT (A)	(75W)	TL	ο	222,0		
	18"	110/80 ZR 18	Z8 Roadtec (Interact)	(58W)	TL	ε	130,0							
	!	120/70 ZR 18	Z8 Roadtec (Interact)	(59W)	TL	ε	127,0	Angel-GT	(59W)	TL	ε	160,0		
	!	160/60 ZR 18	Z8 Roadtec (Interact)	(70W)	TL	ο	158,0							
	17"	150/70 <> 17	Z8 Roadtec (Interact)	(69W)	TL	ο	153,0	Angel-GT	69V	TL	ο	159,0		
19"	110/80 VR 19						Angel-GT	59V	TL	ε	137,0			

## SPOR--TOUR /// SUPER--TOUR

<b>17"</b>	<b>120/70 ZR 17</b>	*Z6 Roadtec (SporTour) (58W) TL ε <b>104,0</b>	Angel-ST (SuperTour) (58W) TL ε <b>122,0</b>
	<b>160/60 ZR 17</b>	*Z6 Roadtec (SporTour) (69W) TL ο <b>131,0</b>	Angel-ST (SuperTour) (69W) TL ο <b>153,0</b>
	<b>180/55 ZR 17</b>	*Z6 Roadtec (SporTour) (73W) TL ο <b>139,0</b>	Angel-ST (SuperTour) (73W) TL ο <b>161,0</b>
	<b>190/50 ZR 17</b>	*Z6 Roadtec (SporTour) (73W) TL ο <b>145,0</b>	Angel-ST (SuperTour) (73W) TL ο <b>173,0</b>

## CUSTOM (15" εως 17")

<b>C U S T O M</b>	<b>15"</b>	<b>130/90 - 15</b>	ME77-Perfect 66S TL ο <b>118,0</b>	City-Demon 66S TL ο <b>115,0</b>	V195 custom 66S TT ο <b>82,0</b>
	!	<b>140/90 - 15</b>	ME888-Marathon 70HB TL ο <b>205,0</b>		V393R cruze 76H TL ο <b>103,0</b>
	!	<b>150/90 - 15</b>	ME888-Marathon/rf. 80HB TL ο <b>221,0</b>		V393R cruze 80H TL ο <b>115,0</b>
	!	<b>170/80 - 15</b>	ME888-Marathon 77HB TL ο <b>243,0</b>	Night-Dragon GT 77HB TL ο <b>202,0</b>	V393R cruze 77H TL ο <b>125,0</b>
	<b>16"</b>	<b>130/90 - 16</b>	ME888-Marathon 67H TL ε <b>187,0</b>	Night-Dragon 67HB TL ε <b>166,0</b>	V393F cruze 67H TL ε <b>99,0</b>
	!	<b>130/90 - 16</b>	ME888-Marathon/rf. 73HB TL ο <b>239,0</b>	Night-Dragon GT/rf. 73HB TL ο <b>209,0</b>	V393R cruze 73H TL ο <b>110,0</b>
	!	<b>130/90 - 16</b>	ME888 (White-Wall) 67H TL ε <b>223,0</b>		
	!	<b>130/90 - 16</b>	ME888 (White-Wall/rf) 73HB TL ο <b>286,0</b>		
	!	<b>140/90 - 16</b>	ME888-Marathon/rf. 77HB TL ο <b>249,0</b>		
	!	<b>150/80 - 16</b>	ME888-Marathon 71H TL ε <b>231,0</b>	Night-Dragon 71HB TL ε <b>202,0</b>	
<b>C U S T O M</b>	!	<b>150/80 - 16</b>	ME888-Marathon/rf. 77HB TL ο <b>246,0</b>	Night-Dragon GT/rf. 77HB TL ο <b>213,0</b>	
	!	<b>160/80 - 16</b>	ME888-Marathon 75HB TL ο <b>279,0</b>		
	!	<b>170/70 - 16</b>	ME888-Marathon 75HB TL ο <b>266,0</b>		
	<b>17"</b>	<b>120/70 - 17</b>	ME888-Marathon 58VB TL ε <b>173,0</b>		
	!	<b>120/90 - 17</b>	ME888-Marathon 64S TT ε <b>148,0</b>		
!	<b>160/70 - 17</b>	ME888-Marathon/rf. 79VB TL ο <b>257,0</b>			
!	<b>170/60 - 17</b>	ME888-Marathon/rf. 78VR TL ο <b>326,0</b>			

## CUSTOM (18" εως 21")

C U S T O M	18"	3.00 - 18	ME77-Perfect	47S	TL =	82,0	City-Demon	47S	TL ε	75,0	V160 custom	47P	TL =	47,0
	!	100/90 - 18	ME888-Marathon	56H	TL ε	163,0					V160 custom	62S	TL =	68,0
	!	120/70 - 18	ME888-Marathon	(59W)	TL ε	274,0								
	!	130/70 - 18	ME888-Marathon	63HB	TL ε	176,0								
	19"	90/90 - 19					City-Demon	52S	TT ε	72,0	V158 custom	52S	TT ε	55,0
	!	100/90 - 19	ME888-Marathon	57H	TL ε	169,0	Night-Dragon	57H	TL ε	139,0	V393F cruze	57H	TL ε	81,0
	21"	80/90 - 21	ME888-Marathon	48H	TL ε	120,0					V393F cruze	54H	TL ε	68,0
	!	90/90 - 21	ME888-Marathon	54H	TL ε	169,0								

## CUSTOM "SPECIAL--ORDERS" (15" εως 16")

C U S T O M - O R D E R S	15"	160/80 - 15	ME888-Marathon	74S	TT o	179,0							
	!	170/80 - 15	ME888 (White-Wall)	77HB	TL o	288,0							
	!	180/70 - 15	ME888-Marathon	76HB	TL o	225,0							
	!	200/70 - 15	ME888-Marathon	82HB	TL o	254,0							
	16"	130/90 - 16	Cruisetec/rf.	73HB	TL ε	239,0							
	!	130/90 - 16	Cruisetec/rf.	73HB	TL o	239,0							
	!	140/90 - 16	ME888 (White-Wall/rf)	77HB	TL o	284,0							
	!	150/80 - 16	Cruisetec	71H	TL ε	230,0							
	!	150/80 - 16	Cruisetec/rf.	77HB	TL o	245,0							
	!	180/70 - 16	ME888-Marathon	77VR	TL o	303,0							
	!	180/65 - 16	Cruisetec/rf.	81HB	TL o	283,0							
	!	180/60 - 16	Cruisetec/rf.	80HR	TL o	314,0							
	!	200/60 - 16	ME888-Marathon	79VR	TL o	343,0							
	!	200/55 - 16	Cruisetec/rf.	77HR	TL o	430,0							
	!	240/50 - 16	ME888-Marathon	84VR	TL o	380,0							

**CUSTOM "SPECIAL--ORDERS" (17" εως 21")**

<b>CUSTOM - SPECIAL - ORDERS</b>	17"	130/80 - 17	Cruisetec	65HB	TL	€	176,0		
	!	140/80 - 17	ME888-Marathon	69H	TL	€	212,0		
	!	140/75 - 17	ME888-Marathon	67VR	TL	€	265,0		
	!	150/80 - 17	ME888-Marathon	72VR	TL	€	282,0		
	!	160/70 - 17	Cruisetec/rf.	79VB	TL	o	256,0		
	!	200/55 - 17	Cruisetec	78VR	TL	o	342,0		
	!	210/50 - 17	ME888-Marathon	(78W)	TL	o	385,0		
	18"	130/70 - 18	ME888-Marathon	63VR	TL	€	253,0		
	!	130/70 - 18	Cruisetec	63HR	TL	€	261,0		
	!	140/70 - 18	ME888-Marathon/rf.	73HB	TL	€	217,0		
	!	150/70 - 18	Cruisetec/rf.	76HB	TL	o	273,0		
	!	180/55 - 18	Cruisetec/rf.	80HB	TL	o	316,0		
	!	200/50 - 18	ME888-Marathon/rf.	82HR	TL	o	362,0		
	!	210/40 - 18	ME888-Marathon	73HR	TL	o	337,0		
	!	240/40 - 18	Cruisetec	(79VR)	TL	o	368,0		
	!	260/40 - 18	Cruisetec	(84VR)	TL	o	389,0		
	!	280/35 - 18	ME888-Marathon	(84VR)	TL	o	409,0		
	!	300/35 - 18	ME888-Marathon	(87VR)	TL	o	437,0		
	19"	100/90 - 19	Cruisetec	57H	TL	€	170,0		
	!	100/90 - 19	ME888 (White-Wall)	57H	TL	€	203,0		
	!	110/90 - 19	ME888 / Cruisetec	62H	TL	€	184,0		
	!	120/70 - 19	ME888 / Cruisetec	(60W)	TL	€	288,0		
	!	130/60 - 19	Cruisetec	61HB	TL	€	288,0		
	21"	120/70 - 21	Cruisetec/rf.	68HB	TL	€	280,0		

**STREET "S / H / V" (15" εως 17")**

S  
T  
R  
E  
E  
T

!	15"	130/90 - 15	ME77-Perfect	66S	TL	ο	118,0	City-Demon	66S	TL	ο	115,0	V195 custom	66S	TT	ο	82,0
	!	140/90 - 15	ME77-Perfect	70S	TT	ο	121,0						V393R cruze	76H	TL	ο	103,0
	16"	3.50 - 16											V159	66P	TT	ο	46,0
	!	100/90 - 16	Roadtec-01	54H	TL	ε	112,0										
	!	110/90 - 16	ME77-Perfect	59S	TT	ε	82,0										
	!	110/90 - 16	ME77-Perfect	59S	TL	ο	98,0										
	!	120/90 - 16	ME77-Perfect	63H	TL	ο	109,0	City-Demon	63S	TL	ο	108,0	V195 custom	63S	TL	ο	80,0
	!	130/90 - 16	Roadtec-01	67H	TL	ε	131,0										
	!	130/90 - 16	Roadtec-01	67V	TL	ο	149,0										
!	150/80 - 16	Roadtec-01	71H	TL	ο	145,0											

S U P E R	90/80 - 17	SportecStreet (super@)	46S	TL	=	66,0	ANGEL-City (super@)	46S	TL	=	66,0					
	120/70 - 17	SportecStreet (super@)	58S	TL	=	82,0	ANGEL-City (super@)	58S	TL	=	82,0					
	90/80 - 17	<b>RossoSPORT</b> {Super@παπιά}					RossoSPORT (super@)	46S	TL	=	76,0					
	120/70 - 17		RossoSPORT (super@)	58S	TL	ο	105,0									

S  
T  
R  
E  
E  
T

!	17"	3.00 - 17	ME22-sport /rf.	50P	TT	=	45,0					V158	47P	TT	=	35,0	
	!	80/80 - 17						ANGEL-City/rf.	46S	TL	ε	73,0					
	!	80/90 - 17						ANGEL-City	44S	TL	=	75,0					
	!	80/100 - 17						ANGEL-City	46S	TL	ε	76,0					
	!	90/90 - 17						ANGEL-City	49S	TL	=	77,0					
	!	100/70 - 17						ANGEL-City	49S	TL	ο	79,0					
	!	100/80 <> 17	Roadtec-01	52H	TL	ε	87,0	ANGEL-City	52S	TL	ε/ο	84,0	V396-Manhattan	52P	TL	ε	57,0
	!	100/80 - 17						RossoSPORT	52S	TL	=	87,0					
	!	100/90 - 17						ANGEL-City	55S	TL	ο	88,0					
	!	110/70 - 17	Roadtec-01	54H	TL	ε	102,0	ANGEL-City	54S	TL	=	84,0					

## STREET "S / H / V" (17" ΕΩΣ 18")

S T R E E T	17"	110/70 - 17							RossoSPORT	54S	TL =	88,0					
	!	110/80 - 17	Roadtec-01	57H	TL	ε	110,0										
	!	130/70 - 17	Roadtec-01	62H	TL	ο	127,0	ANGEL-City	62S	TL	ο	95,0	V396-Manhattan	62P	TL ο	68,0	
	!	130/70 - 17						RossoSPORT	62S	TL	ο	99,0					
	!	130/80 - 17	Roadtec-01	65H	TL	ο	138,0										
	!	140/70 - 17	Roadtec-01	66H	TL	ο	144,0	ANGEL-City	66S	TL	ο	103,0					
	!	140/70 - 17						RossoSPORT	66S	TL	ο	110,0					
	!	140/80 - 17	Roadtec-01	69V	TL	ο	161,0										
	!	150/60 - 17						ANGEL-City	66S	TL	ο	115,0					
	!	150/60 - 17						RossoSPORT	66S	TL	ο	121,0					
	!	150/70 - 17	Roadtec-01	69H	TL	ο	152,0										
	S T R E E T	18"	2.75 - 18	ME22-sport /rf.	48P	TL	=	52,0						V160/rf.	48P	TL =	39,0
		!	3.00 - 18	ME22-sport /rf.	52P	TL	=	65,0						V160	47P	TL =	47,0
!		3.00 - 18	ME77-Perfect	47S	TL	=	82,0	City-Demon	47S	TL	ε	75,0					
!		3.25 - 18	ME22-sport /rf.	59P	TT	=	69,0										
!		3.50 - 18	ME22-sport /rf.	62P	TT	=	78,0										
!		3.50 - 18	ME77-Perfect	56S	TL	ε	92,0										
!		80/100 - 18	Roadtec-01 (new)	47P	TL	ε	75,0										
!		90/90 - 18	Roadtec-01 (new)	51P	TL	ο	84,0							V160	57P	TT =	50,0
!		90/100 - 18						City-Demon	54S	TL	ε	87,0					
!		100/90 - 18	Roadtec-01	56H	TL	ε	118,0							V160 custom	62S	TL =	68,0
!		100/90 - 18	Roadtec-01	56V	TL	ε	125,0										
!		110/90 - 18	Roadtec-01	61H	TL	ο	135,0										
!		110/90 - 18	Roadtec-01	61V	TL	ε	141,0										

### STREET "S / H / V" (18" εως 19")

S T R E E T	18"	120/80 - 18	Roadtec-01	62H	TL	ο	139,0										
	!	130/80 - 18	Lasertec (new)	(66V)	TL	ο	165,0										
	19"	100/90 - 19	Lasertec (new)	57V	TL	ε	145,0										
	!	3.25 - 19	Roadtec-01	54H	TL	ε	107,0										
	!	3.50 - 19	ME77-Perfect	57S	TL	ε	119,0										
	!	90/90 <> 19	Roadtec-01	52H	TL	ε	111,0	City-Demon	52S	TT	ε	72,0	V158	52S	TT	ε	55,0
	!	100/90 - 19	Roadtec-01	57V	TL	ε	129,0						V393F cruze	57H	TL	ε	81,0

### MT60-RS

M T 6 0	17"	120/70 ZR 17						MT60-RS	(58W)	TL	ε	158,0					
	!	160/60 HR 17						MT60-RS	69HR	TL	ο	205,0					
	!	180/55 ZR 17						MT60-RS	(73W)	TL	ο	245,0					
	18"	110/80 HR 18						MT60-RS	58HR	TL	ε	197,0					

### ENDURO (ST+)

E N D - S T +	17"	150/70 VR 17	TouranceNext2 (new)	69V	TL	ο	163,0	Scorpion-Trail II	69V	TL	ο	163,0					
	!	170/60 VR 17	TouranceNext2 (new)	72V	TL	ο	167,0	Scorpion-Trail II	72V	TL	ο	167,0					
	!	170/60 ZR 17	TouranceNext2 (new)	72W	TL	ο	171,0	Scorpion-Trail II K/D	72W	TL	ο	171,0					
	18"	150/70 VR 18	TouranceNext2 (new)	70V	TL	ο	167,0	Scorpion-Trail II	70V	TL	ο	162,0					
	19"	110/80 VR 19	TouranceNext2 (new)	59V	TL	ε	132,0	Scorpion-Trail II	59V	TL	ε	132,0					
	!	120/70 VR 19	TouranceNext2 (new)	60V	TL	ε	132,0	Scorpion-Trail II	60V	TL	ε	132,0					
	!	120/70 ZR 19	TouranceNext2 (new)	60W	TL	ε	134,0	Scorpion-Trail II K/D	60W	TL	ε	134,0					
	21"	90/90 V 21	TouranceNext2 (new)	54V	TL	ε	127,0	Scorpion-Trail II	54V	TL	ε	123,0					



### ENDURO (ST+)

E N D U R O - S T +	17"	130/80 VR 17	*Tourance-Next	65V	TL	ο	139,0	Scorpion-Trail II	65V	TL	ο	145,0		
	!	140/80 VR 17	*Tourance-Next	69V	TL	ο	159,0	Scorpion-Trail II	69V	TL	ο	164,0		
	!	150/70 VR 17	*Tourance-Next	69V	TL	ο	157,0	Scorpion-Trail II	69V	TL	ο	163,0		
	!	170/60 VR 17	*Tourance-Next B	72V	TL	ο	159,0	Scorpion-Trail II	72V	TL	ο	167,0		
	!	170/60 VR 17	*Tourance-Next E	72V	TL	ο	159,0							
	!	170/60 ZR 17	*Tourance-Next	72W	TL	ο	163,0	Scorpion-Trail II K/D	72W	TL	ο	171,0		
	18"	100/90 V 18						Scorpion-Trail II	56V	TL	ε	113,0		
	!	150/70 VR 18	*Tourance-Next	70V	TL	ο	158,0	Scorpion-Trail II	70V	TL	ο	162,0		
	19"	100/90 V 19	*Tourance-Next	57V	TL	ε	125,0	Scorpion-Trail II	57V	TL	ε	127,0		
	!	110/80 VR 19	*Tourance-Next	59V	TL	ε	127,0	Scorpion-Trail II	59V	TL	ε	132,0		
	!	120/70 VR 19	*Tourance-Next B	60V	TL	ε	127,0	Scorpion-Trail II	60V	TL	ε	132,0		
		120/70 VR 19	*Tourance-Next E	60V	TL	ε	127,0							
		120/70 ZR 19	*Tourance-Next	60W	TL	ε	129,0	Scorpion-Trail II K/D	60W	TL	ε	134,0		
	21"	90/90 V 21	*Tourance-Next	54V	TL	ε	123,0	Scorpion-Trail II	54V	TL	ε	124,0		
	17"	120/70 ZR 17	Tourance-Next	(58W)	TL	ε	139,0	Scorpion-Trail II	(58W)	TL	ε	147,0		
!	160/60 ZR 17	Tourance-Next	(69W)	TL	ο	153,0	Scorpion-Trail II	(69W)	TL	ο	158,0			
!	180/55 ZR 17	Tourance-Next	(73W)	TL	ο	203,0	Scorpion-Trail II	(73W)	TL	ο	217,0			
!	190/55 ZR 17	*Tourance-Next	(75W)	TL	ο	210,0	Scorpion-Trail II	(75W)	TL	ο	223,0			

### ENDURO (ST)

S T	17"	120/90 - 17	Tourance	64S	TT	ο	102,0	Scorpion-Trail	64S	TT	ο	104,0		
	!	130/80 S 17	Tourance	65S	TT	ο	113,0	Scorpion-Trail	65S	TT	ο	115,0		
	!	130/80 SR 17	Tourance	65S	TL	ο	115,0							
	!	130/80 HR 17	Tourance	65H	TL	ο	123,0							
	!	140/80 HR 17	Tourance	69H	TL	ο	141,0							

ENDURO (ST)													
E N D U R O - S T	17"	150/70 HR 17	Tourance	69H	TL	ο	143,0						
	!	150/70 VR 17	Tourance	69V	TL	ε	148,0						
	18"	120/80 - 18	Tourance	62S	TT	ο	101,0						
	19"	100/90 S 19	Tourance	57S	TT	ε	98,0						
	!	100/90 H 19	Tourance	57H	TL	ε	107,0						
	!	110/80 HR 19	Tourance	59H	TL	ε	106,0						
	!	110/80 VR 19	Tourance	59V	TL	ε	112,0						
	21"	90/90 S 21	Tourance	54S	TT	ε	99,0	Scorpion-Trail	54S	TT	ε	101,0	
	!	90/90 H 21	Tourance	54H	TL	ε	107,0						

ENDURO (STR)												
E N D U R O - S T R	15"	160/60 HR 15						Scorp. Rally {STR}	67H	TL	ο	169,0
	17"	110/70 <> 17	KAROO-Street	54S	TL	ε	156,0	Scorp. Rally {STR}	54H	TL	ε	149,0
	!	120/70 <> 17	KAROO-Street	58V	TL	ε	164,0	Scorp. Rally {STR}	58H	TL	ε	149,0
	!	130/80 VR 17	KAROO-Street	65V	TL	ο	193,0	Scorp. Rally {STR}	65V	TL	ο	186,0
	!	140/70 S 17	KAROO-Street	66S	TL	ο	158,0					
	!	140/80 VR 17	KAROO-Street	69V	TL	ο	195,0	Scorp. Rally {STR}	69V	TL	ο	188,0
	!	150/60 HR 17						Scorp. Rally {STR}	66H	TL	ο	172,0
	!	150/70 VR 17	KAROO-Street	69V	TL	ο	195,0	Scorp. Rally {STR}	69V	TL	ο	188,0
	!	170/60 VR 17	KAROO-Street	72V	TL	ο	219,0	Scorp. Rally {STR}	72V	TL	ο	213,0
	!	180/55 VR 17	KAROO-Street	73V	TL	ο	265,0					
	18"	150/70 VR 18	KAROO-Street		TL	ο	193,0	Scorp. Rally {STR}	70VR	TL	ο	184,0
	19"	100/90 V 19	KAROO-Street	57V	TL	ε	161,0	Scorp. Rally {STR}	57V	TL	ε	156,0
	!	110/80 VR 19	KAROO-Street	59V	TL	ε	172,0	Scorp. Rally {STR}	59V	TL	ε	168,0
	!	120/70 VR 19	KAROO-Street	60V	TL	ε	173,0	Scorp. Rally {STR}	60V	TL	ε	169,0
21"	90/90 V 21	KAROO-Street	54V	TL	ε	139,0	Scorp. Rally {STR}	54V	TL	ε	137,0	

### ENDURO--AT

E N D U R O - A T	14"	180/80 - 14								V275 (A/T)	78P	TT	o	97,0					
	16"	120/90 - 16								V163 (A/T)	63P	TL	o	78,0					
	17"	3.00 - 17								V022 (A/T)	48R	TT	=	38,0					
	!	4.60 - 17								V022 (A/T)	62R	TT	o	69,0					
	!	110/90 - 17							MT60 (A/T)	60P	TT	o	111,0						
	!	120/90 - 17	Sahara-3 (A/T)	64S	TT	o	125,0		MT60 (A/T)	64S	TT	o	125,0						
	!	130/80 - 17	Sahara-3 (A/T) MST	65S	TT	o	129,0							V163 (A/T)	64T	TT	o	82,0	
	!	130/80 - 17	Sahara-3 (A/T)	65T	TL	o	138,0		MT60 (A/T) MST	65H	TL	o	129,0		V163 (A/T)	65S	TL	o	89,0
	!	140/80 - 17	Sahara-3 (A/T) MST	69H	TT	o	141,0		MT60 (A/T) MST	69H	TL	o	141,0						
	18"	3.00 - 18													V022 (A/T)	52R	TT	=	43,0
!	4.10 - 18													V221 (A/T)	60P	TT	o	65,0	
!	4.60 - 18													V221 (A/T)	63P	TT	o	79,0	
!	120/80 - 18	Sahara-3 (A/T) MST	62S	TT	o	125,0													
!	130/80 - 18													V274 (A/T)	66P	TT	ε	75,0	
!	140/80 - 18	Sahara-3 (A/T) MST	70S	TT	o	141,0													
!	150/70 VR 18							Sco-MT90 (A/T VR)	70V	TL	o	182,0							
E N D U R O - A T	19"	2.75 - 19												V022 (A/T)	49R	TT	=	37,0	
	!	90/90 - 19						MT60 (A/T)	52P	TT	ε	89,0		V307 (A/T)	52P	TL	ε	65,0	
	!	90/100 - 19												V163 (A/T)	55P	TL	ε	67,0	
	!	100/90 - 19						MT60 (A/T)	57H	TL	ε	105,0							
	21"	2.75 - 21												V221 (A/T)	45P	TT	ε	47,0	
	!	3.00 - 21												V221 (A/T)	51P	TT	ε	54,0	
	!	90/90 - 21	Sahara-3 (A/T) MST	54S	TT	ε	107,0		MT60 (A/T) MST	54H	TL	ε	107,0		V163 (A/T)	54S	TL	ε	72,0
	!	90/90 <> 21	Sahara-3 (A/T) MST	54H	TL	ε	113,0		Sco-MT90 (A/T V)	54V	TL	ε	129,0						

KAROO-3 (Adventure)																						
K A R O O - 3	17"	130/80 - 17	Karoo-3 Adventure	65R	TL	ο	153,0															
	!	140/80 - 17	Karoo-3 Adventure	69R	TL	ο	156,0															
	!	150/70 - 17	Karoo-3 Adventure	69R	TL	ο	171,0															
	!	170/60 - 17	Karoo-3 Advent. (Rad)	72T	TL	ο	196,0															
	18"	140/80 - 18	Karoo-3 Adventure	70R	TL	ο	162,0															
	!	150/70 - 18	Karoo-3 Adventure	70R	TL	ο	175,0															
	19"	110/80 - 19	Karoo-3 Adventure	59R	TL	ε	127,0															
	!	120/70 - 19	Karoo-3 Advent. (Rad)	60T	TL	ε	155,0															
	21"	90/90 - 21	Karoo-3 Adventure	54R	TL	ε	127,0															

Enduro (FIM)																							
E N D U R O - F I M	18"	110/80 - 18	MCE6days m+s	58R	TT	ο	101,0																
	!	120/90 - 18	MCE6days m+s	65R	TT	ο	102,0											V211 (FIM)	65R	TT	ο	71,0	
	!	130/90 - 18	MCE6days m+s	69R	TT	ο	106,0																
	!	140/80 - 18	MCE6days (SuperSOFT]	70M	TT	ο	118,0																
	!	140/80 - 18	MCE6days m+s (SOFT)	70M	TT	ο	111,0																
		140/80 - 18	MCE6days (Medium]	70M	TT	ο	105,0																
	!	140/80 - 18	MCE6days m+s	70M	TT	ο	104,0												V211 (FIM)	70R	TT	ο	73,0
	21"	80/90 - 21	MCE6days m+s	48R	TT	ε	71,0																
		90/90 - 21	MCE6days m+s (SOFT)	54M	TT	ε	81,0																
	!	90/90 - 21	MCE6days m+s	54M	TT	ε	75,0												V211 (FIM)	54R	TT	ε	52,0
	!	90/90 - 21	MCE6days m+s (HARD)	54M	TT	ε	81,0																
	!	90/100 - 21	MCE6days (SuperSOFT]	57R	TT	ε	96,0																
	!	90/100 - 21	MCE6days MST	57R	TT	ε	88,0																

## ENDURO--Cross (XC) /// (Rally) /// (CROSS--Junior)

ΚΑΤΗΓΟΡΙΑ	ΜΗΤΡΗΣ	ΔΙΑΣΤΑΣΕΙΣ	METZELER				PIRELLI				VeeMoto					
			index	TL	εο	TT	index	TL	εο	TT	index	TL	εο	TT		
XC	18"	100/100 - 18					Scorp. XC (midHARD)	59R	TT	o	89,0					
	!	110/100 - 18					Scorp. XC (midHARD)	64M	TT	o	95,0					
	!	120/100 - 18					Scorp. XC (midHARD)	68M	TT	o	101,0					
	!	140/80 - 18					Scorp. XC (midHARD)	70M	TT	o	101,0					
	21"	80/100 - 21					Scorp. XC (midHARD)	51R	TT	ε	73,0					
RALLY	17"	4.10 - 17										V147 Rally	67P	TT	o	51,0
	!	120/90 - 17					MT21 RallyCross m+s	64R	TT	o	95,0					
	!	130/90 - 17					MT21 RallyCross	68P	TT	o	99,0	V147 Rally	68P	TT	o	78,0
	18"	110/80 - 18					MT21 RallyCross m+s	58P	TT	o	77,0					
	!	120/80 - 18					MT21 RallyCross m+s	62R	TT	o	97,0					
	!	120/90 - 18					MT21 RallyCross m+s	65R	TT	o	103,0	V147 Rally	69R	TT	o	77,0
	!	130/90 - 18					MT21 RallyCross	69R	TT	o	109,0					
	!	140/80 - 18					MT21 RallyCross m+s	70R	TT	o	111,0	V147 Rally	70R	TT	o	80,0
	21"	80/90 - 21					MT21 RallyCross m+s	48P	TT	ε	59,0					
!	90/90 - 21					MT21 RallyCross m+s	54R	TT	ε	69,0	V147 Rally	54R	TT	ε	54,0	
JUNIOR	10"	2.50 - 10					MX-32race (mid-SOFT)	33J	TT	ε	42,0	V140 Junior	33J	TT	=	20,0
	!	2.75 - 10					MX-32race (mid-SOFT)	37J	TT	o	65,0					
	12"	60/100 - 12					MX-32race (mid-SOFT)	36M	TT	ε	48,0					
	!	80/100 - 12					MX-32race (mid-SOFT)	50M	TT	o	73,0	V140 Junior	41M	TT	o	39,0
	14"	60/100 - 14					MX-32race (mid-SOFT)	29M	TT	ε	48,0					
	!	80/100 - 14										V140 Junior	49M	TT	=	45,0
	!	90/100 - 14					MX-32race (mid-SOFT)	49M	TT	o	81,0					
	16"	90/100 - 16					MX-32race (mid-SOFT)	51M	TT	o	85,0	V140 Junior	51M	TT	o	50,0
	17"	70/100 - 17					MX-32race (mid-SOFT)	40M	TT	ε	61,0	V140 Junior	40M	TT	=	38,0
19"	70/100 - 19					MX-32race (mid-SOFT)	42M	TT	ε	69,0	V140 Junior	42M	TT	ε	42,0	

### CROSS (Mid-HARD)

M I D - H A R D	18"	100/100 - 18	MC-360 (mid-HARD)	59M	TT	o	86,0	MXextraX (mid-HARD)	59M	TT	o	89,0	V500 (mid-HARD)	59M	TT	o	61,0
	!	110/100 - 18	MC-360 (mid-HARD)	64M	TT	o	90,0	MXextraX (mid-HARD)	64M	TT	o	95,0	V500 (mid-HARD)	64M	TT	o	65,0
	!	120/100 - 18	MC-360 (mid-HARD)	68M	TT	o	93,0					V500 (mid-HARD)	68M	TT	o	69,0	
	!	140/80 - 18	MC-360 (mid-HARD)	70M	TT	o	98,0										
	19"	100/90 - 19	MC-360 (mid-HARD)	57M	TT	o	89,0	MXextraX (mid-HARD)	57M	TT	o	89,0	V500 (mid-HARD)	57M	TT	o	65,0
	!	110/90 - 19	MC-360 (mid-HARD)	62M	TT	o	93,0	MXextraX (mid-HARD)	62M	TT	o	95,0	V500 (mid-HARD)	62M	TT	o	68,0
	!	120/80 - 19	MC-360 (mid-HARD)	63M	TT	o	96,0										
	21"	80/100 - 21	MC-360 (mid-HARD)	51M	TT	ε	73,0	MXextraX (mid-HARD)	51M	TT	ε	69,0	V500 (mid-HARD)	51M	TT	ε	52,0
	!	90/90 - 21	MC-360 (mid-HARD)	54M	TT	ε	75,0										
	R A C E	19"	100/90 - 19						MX-32race (mid-HARD)	57M	TT	o	106,0				
!		110/90 - 19						MX-32race (mid-HARD)	62M	TT	o	110,0					
!		120/80 - 19						MX-32race (mid-HARD)	63M	TT	o	114,0					
21"		80/100 - 21						MX-32race (mid-HARD)	51M	TT	ε	84,0					

### CROSS (Mid-SOFT)

M I D - S O F T	18"	100/100 - 18	MC-360 (mid-SOFT)	59M	TT	o	86,0										
	!	110/100 - 18	MC-360 (mid-SOFT)	64M	TT	o	90,0										
	!	120/80 - 18	MC-360 (mid-SOFT)	62R	TT	o	93,0										
	!	120/100 - 18	MC-360 (mid-SOFT)	68M	TT	o	91,0										
	!	140/80 - 18	MC-360 (mid-SOFT)	70M	TT	o	98,0										
	19"	100/90 - 19	MC-360 (mid-SOFT)	57M	TT	o	89,0										
	!	110/90 - 19	MC-360 (mid-SOFT)	62M	TT	o	93,0										
	!	120/80 - 19	MC-360 (mid-SOFT)	63M	TT	o	96,0										
	21"	80/100 - 21	MC-360 (mid-SOFT)	51M	TT	ε	73,0										
	!	90/90 - 21	MC-360 (mid-SOFT)	54M	TT	ε	75,0										

### CROSS (Mid-SOFT)

R A C E	19"	100/90 - 19	360race (mid-SOFT)	57M	TT	o	91,0	MX-32race (mid-SOFT)	57M	TT	o	106,0		
	!	110/85 - 19						MX-32race (mid-SOFT)	61M	TT	o	106,0		
	!	110/90 - 19	360race (mid-SOFT)	62M	TT	o	95,0	MX-32race (mid-SOFT)	62M	TT	o	110,0		
	!	120/80 - 19	360race (mid-SOFT)	63M	TT	o	98,0	MX-32race (mid-SOFT)	63M	TT	o	114,0		
	!	120/90 - 19						MX-32race (mid-SOFT)	66M	TT	o	116,0		
	21"	80/100 - 21	360race (mid-SOFT)	51M	TT	ε	74,0	MX-32race (mid-SOFT)	51M	TT	ε	84,0		
	!	90/100 - 21						MX-32race (mid-SOFT)	57M	TT	ε	89,0		

### ATV (ROAD 80/20)

R O A D	8"	19 x 8 - 8						V323-Road (205/70 - 8)	4PR	TL	=	68,0		
	!	18 x 10 - 8						V323-Road (255/50 - 8)	4PR	TL	=	79,0		
	10"	20 x 6 - 10						V323-Road (155/80 -10)	4PR	TL	=	71,0		
	!	21 x 10 - 10						V332-Road (240/60 -10)	4PR	TL	=	94,0		

### ATV (ON/OFF)

O N - O F F	6"	145/70 - 6						V196 WorkHorse	2PR	TL	=	27,0		
	7"	16 x 8 - 7						V196 WorkHorse	2PR	TL	=	37,0		
	8"	20 x 7 - 8						V196 WorkHorse	2PR	TL	=	51,0		
	!	22 x 11 - 8						V196 WorkHorse	2PR	TL	=	63,0		
	8"	22 x 11 - 8						V337 enduro	2PR	TL	=	74,0		
	9"	22 x 11 - 9						V337 enduro	2PR	TL	=	93,0		
	12"	24 x 8 - 12						V326F enduro	4PR	TL	ε	82,0		
	!	24 x 10 - 12						V326R enduro	4PR	TL	o	86,0		

### ATV (ON/OFF)

O N - O F F	8"	20 x 7 - 8					V208	Speedway	4PR	TL	=	49,0
	10"	21 x 7 - 10					V208	Speedway	4PR	TL	=	57,0
	!	22 x 8 - 10					V208	Speedway	4PR	TL	=	60,0
	8"	20 x 11 - 8					V260	Venom	4PR	TL	ο	85,0
	9"	20 x 10 - 9					V260	Venom	4PR	TL	ο	89,0
	10"	21 x 7 - 10					V259	Venom	4PR	TL	ε	57,0
	!	20 x 11 - 10					V260	Venom	4PR	TL	ο	97,0
	10"	22 x 11 - 10					V189	Grizzly	4PR	TL	=	105,0
	!	25 x 12 - 10					V189	Grizzly	4PR	TL	=	123,0
	12"	25 x 8 - 12					V189	Grizzly	4PR	TL	=	97,0
	!	25 x 10 - 12					V189	Grizzly	4PR	TL	=	108,0

### MOUSSE

M O U S S E	18"	140/80 - 18	Mousse--Enduro (E-18H1) METZ	ο	147,0				
	21"	90/90 - 21	Mousse--Enduro (E-21C1) METZ	ε	147,0				
	19"	110/90 - 19				Mousse--Cross (X-19E1) PIR	ο	147,0	
	!	120/80 - 19				Mousse--Cross (X-19F1) PIR	ο	147,0	
	21"	110/90 - 19				Mousse--Cross (X-21B1) PIR	ε	147,0	
	*	GEL--Mousse	Mousse--GEL (Can x 1 kg.)		45,0				

**Φακαρόλες (VeeMoto)** { 25 εως 35 mm πλάτος & 15 εως 21 inch. Ζάντα } **Ποσότητα Minimum (BOX x 5 τεμ.)** **ΤΙΜΗ--BOX x 5 >: 12,5**



↕	Ø	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER		TIMH	PIRELLI		TIMH	VeeMoto		TIMH			
			<ΤΥΠΟΣ>	VALVE		<ΤΥΠΟΣ>	VALVE		<ΤΥΠΟΣ>	VALVE				
<b>ΑΕΡΟΘΑΛΑΜΟΙ</b>														
C R O S S	18"	100/100 - 18							Αερ/μος Vee-CROSS	TR4	HD+	14,0		
	!	110/100 - 18	Αερθ. METZELER-Cross	(CR-18F)	NHS	21,0	Αερθ. PIRELLI-Cross	(21-B-18)	NHS	21,0	Αερ/μος Vee-CROSS	TR4	HD+	15,0
	!	120/100 - 18							Αερ/μος Vee-CROSS	TR4	HD+	16,0		
	19"	100/90 - 19							Αερ/μος Vee-CROSS	TR4	HD+	14,0		
	!	110/90 - 19	Αερθ. METZELER-Cross	(CR-19E)	NHS	21,0	Αερθ. PIRELLI-Cross	(21-B-19)	NHS	21,0	Αερ/μος Vee-CROSS	TR4	HD+	15,0
	!	120/80 - 19							Αερ/μος Vee-CROSS	TR4	HD+	16,0		
	21"	80/100 - 21	Αερθ. METZELER-Cross	(CR-21D)	NHS	19,0	Αερθ. PIRELLI-Cross	(10-B-21)	NHS	19,0	Αερ/μος Vee-CROSS	TR4	HD+	13,0
S A M S O N	10"	3.00/3.50 - 10	MeD-10 (Offset 8mm)	TR4	ίσια	8,9	10-C10 (Offset 5mm)	TR87 (90°)	8,9	Samson (bag)	TR87 (90°)	4,9		
	17"	2.00/2.25 - 17								Samson (bag)	TR4	ίσια	4,3	
	!	2.25/2.50 - 17					7A-17	TR4	ίσια	8,9	Samson (bag)	TR4	ίσια	4,5
	!	2.50/2.75 - 17	ME-CD17	TR4	ίσια	10,7					Samson (bag)	TR4	ίσια	4,8
A E P O Θ A Λ A M O I	6"	5.4 - 6								VeeMoto (box)	TR87 (90°)	9,6		
	8"	2.50 - 8								VeeMoto (box)	TR87 (90°)	5,5		
	!	3.00 - 8								VeeMoto (box)	TR87 (90°)	5,7		
	!	3.50/4.00 - 8								VeeMoto (box)	TR87 (90°)	6,6		
	10"	2.50/2.75 - 10					MA-10	TR4	ίσια	8,9	VeeMoto (box)	TR87 (90°)	5,7	
	!	3.00/3.50 - 10	MeD-10 (Offset 8mm)	TR4	ίσια	8,9	10 C10 (Offset 5mm)	TR87 (90°)	8,9	VeeMoto (box)	TR87 (90°)	6,0		
	!	3.50/4.00 - 10								VeeMoto (box)	TR87 (90°)	7,7		
	!	120/130 - 10								VeeMoto (box)	TR87 (90°)	8,3		
	12"	60/100 - 12					MH-12	TR4	ίσια	11,2				
	!	80/100 - 12					MA-12	TR4	ίσια	11,2				
	!	3.00/3.25 - 12									VeeMoto (box)	TR4	ίσια	6,7
	!	120/130 - 12									VeeMoto (box)	TR87 (90°)	8,8	
	13"	130/60 - 13									VeeMoto (box)	TR87 (90°)	8,5	
14"	2.00/2.25 - 14					MA-14 (60/100-14)	TR4	ίσια	11,2	VeeMoto (box)	TR4	ίσια	5,2	

### ΑΕΡΟΘΑΛΑΜΟΙ

↑	Ø	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER		TIMH	PIRELLI		TIMH	VeeMoto		TIMH
			<ΤΥΠΟΣ>	VALVE		<ΤΥΠΟΣ>	VALVE		<ΤΥΠΟΣ>	VALVE	
Α Ε Ρ Ο Θ Α Λ Α Μ Ο Ι	14"	2.75/3.00 - 14				6M-14 (80/80-14)	TR4 ίσια	8,9	VeeMoto (box)	TR4 ίσια	6,4
	!	4.10 - 14				MB-14 (90/110-14)	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	7,7
	!	180/80 - 14							VeeMoto (box)	TR4 ίσια	18,5
	15"	130/140 -15+16				MD-16 (15+16)	TR4 (15+16)	11,2	VeeMoto (box)	TR87/TR4	9,4
	!	170/80 - 15	MeE-15	TR4 ίσια	18,5				VeeMoto (box)	TR87 (90°)	16,9
	16"	2.00/2.25 - 16				7 A-16 (225/250-16)	TR4 ίσια	8,9	VeeMoto (box)	TR4 ίσια	5,3
	!	2.50/2.75 - 16							VeeMoto (box)	TR4 ίσια	5,9
	!	3.00/3.25 - 16							VeeMoto (box)	TR4 ίσια	7,0
	!	3.25/3.50 - 16	MeC-16	TR4 ίσια	11,2	MB-16	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	7,2
	!	450/510 -16+15	MeF-16 (Offset 18mm)	TR4 (15+16)	11,2	MD-16 (15+16)	TR4 (15+16)	11,2	VeeMoto (box)	TR4 ίσια	9,8
	17"	45/90 - 17							VeeMoto (box)	TR4 ίσια	4,8
	!	2+2.1/2 -16+17							VeeMoto (box)	TR4 (16+17)	5,1
	!	2.00/2.25 - 17							VeeMoto (box)	TR4 ίσια	5,4
	!	2.25/2.50 - 17				7A-17	TR4 ίσια	8,9	VeeMoto (box)	TR4 ίσια	5,7
	!	2.50/2.75 - 17	MeCD-17	TR4 ίσια	10,7				VeeMoto (box)	TR4 ίσια	6,0
	!	2.75/3.00 - 17	MeCD-17	TR4 ίσια	10,7	MA-17	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	6,9
	!	120/80+90 - 17	MeE-17*	TR4 ίσια	11,2	MC-17	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	9,5
	!	4.50/5.10 - 17	MeF-17B	TR4 ίσια	11,2	MD-17	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	9,8
	18"	2.50/2.75 - 18	MeC-18	TR4 ίσια	11,2				VeeMoto (box)	TR4 ίσια	6,4
	!	3.00/3.25 - 18				MA-18	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	7,3
	!	3.25/4.10 - 18	MeE-18Y	TR4 ίσια	11,2	MB-18	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	7,5
!	4.00/4.50 - 18	MeF-18Y	TR4 ίσια	11,2	MD-18	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	9,8	
19"	2.75/3.00 - 19	MeD-19	TR4 ίσια	11,2	MA-19	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	7,0	
!	3.25/4.10 - 19	MeE-19	TR4 ίσια	11,2	MC-19	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	7,8	
21"	2.75/3.00 - 21	MeC/D-21	TR4 ίσια	11,2	MA-21	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	7,4	
!	90/90 - 21	MeC/D-21	TR4 ίσια	11,2	MA-21	TR4 ίσια	11,2	VeeMoto (box)	TR4 ίσια	7,5	

**Intramoto AE**

Σ. Βέμπο 21 &amp; Ιάσωνος 1 (165 61) Γλυφάδα

Τηλ: 210-9603961 έως 3

Fax: 210-9640201

VIVA-Wallet

( ΑΦΜ--Intramoto 094334000 )

E-mail : [intramoto@intramoto.gr](mailto:intramoto@intramoto.gr) ( [www.intramoto.gr](http://www.intramoto.gr) )ALPHA-bank

Λογ. 386 00 2320000355

ALPHA-bank

IBAN : GR 8501 4038 6038 6002 3200 00355

ΕΘΝΙΚΗ

Λογ. 121 / 47030063

ΕΘΝΙΚΗ

IBAN : GR 5801 1012 1000 0012 1470 30063

ΠΕΙΡΑΙΩΣ

Λογ. 5019 01578 4513

ΠΕΙΡΑΙΩΣ

IBAN : GR 1601 7201 9000 5019 0157 84513

EURO-bank

Λογ. 0026 0004 50 0200363766

EURO-bank

IBAN : GR 8202 6000 4000 0500 2003 63766