

V

R
I
M

<ΔΙΑΣΤΑΣΕΙΣ>

METZELER
<ΠΕΛΑΜΑ>

index

TL

ε 0

=

TIMH

PIRELLI
<ΠΕΛΑΜΑ>

index

TL

ε 0

=

TIMH

VeeMoto
<ΠΕΛΑΜΑ>

index

TL

ε 0

=

TIMH

Ιούλιος 2023

METZELER



Sportec M9 RR



RoadTec 01



Tourance Next 2

PIRELLI



Rosso 4 Corsa



Angel GT II



Scorpion Trail II

VeeMoto



V-396 Manhattan



V-359 Πατιά



V-221 Enduro

Τ
Ι
Μ
Ο
Κ
Α
Τ
Α
Λ
Ο
Γ
Ο
Σ

Γ-23

3/6/2023

intramoto

METZELER

PIRELLI

VeeMoto

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto		
			index	TL	εο =	index	TL	εο =	index	TL	εο =
			<ΠΕΛΜΑ>			<ΠΕΛΜΑ>			<ΠΕΛΜΑ>		
					<u>ΤΙΜΗ</u>			<u>ΤΙΜΗ</u>			<u>ΤΙΜΗ</u>

ΠΑΠΙΑ

ΠΑΠΙΑ	17"	60/100 - 17							V359-sport	33P	TT	ε	25,0					
	!	2.50 - 17	ME22-sport/rf. (4PR)	43P	TT	=	39,0	ANGEL-City/rf.	43P	TT	=	39,0	V359-sport	38P	TT	=	27,0	
	!	2.75 - 17	ME22-sport/rf. (6PR)	47P	TT	=	42,0	ANGEL-City/rf.	47P	TT	ο	42,0	V359-sport	41P	TT	=	30,0	
	!	2.50 - 17											V022-enduro	43R	TT	=	29,0	
	!	2.75 - 17							*City-Cross/rf.	47P	TT	=	42,0	V022-enduro	47R	TT	=	33,0
	!	70/90 - 17	*SPORTEC-Street 2	38S	TL	=	40,0	ANGEL-City	38S	TL	ε	40,0						
	!	80/90 - 17	*SPORTEC-Street 2	44S	TL	=	44,0	ANGEL-City	44S	TL	ο	44,0						
ΠΑΠΙΑ	S	70/90 - 17	"SUPERSPORT--Παπιά"			>	ROSSO-Sport	38S	TL	=	48,0							
	P	80/90 - 17	"SUPERSPORT--Παπιά"			>	ROSSO-Sport	44S	TL	=	56,0							
	P	90/80 - 17					ANGEL-City	46S	TL	=	79,0							
	P	120/70 - 17					ANGEL-City	58S	TL	=	101,0							
	P	90/80 - 17	"SUPERSPORT--Παπιά"			>	ROSSO-Sport	46S	TL	=	95,0							
	T	120/70 - 17	"SUPERSPORT--Παπιά"			>	ROSSO-Sport	58S	TL	ο	132,0							
ΠΑΠΙΑ	14"	2.25 - 14											V020	24B	TT	=	19,0	
	16"	2.1/4 - 16											V099/rf.	38J	TT	=	18,0	
	!	2.1/2 - 16											V099/rf.	42J	TT	=	22,0	
	!	2.3/4 - 16											V099/rf.	46J	TT	=	29,0	
	17"	50/45 - 17											V223-magic	22P	TT	=	22,0	
	!	60/45 - 17											V223-magic	29P	TT	=	25,0	
	!	70/45 - 17											V223-magic	39P	TT	=	29,0	
	!	45/90 - 17											V360-satan	19S	TT	=	22,0	
!	65/75 - 17											V266-Dragster	35S	TT	ο	44,0		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>			PIRELLI <ΠΕΛΜΑ>			VeeMoto <ΠΕΛΜΑ>								
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH			
SCOOTER (6" εως 11")																	
SCOOTER	6"	5.4 - 6									V213	4PR	TT	ο	53,0		
	8"	3.00 - 8									V113	37J	TT	=	20,0		
	!	3.50 - 8									V108 / 164-enduro	45J	TT	=	27,0		
	!	4.00 - 8									V108	55J	TT	=	28,0		
	10"	2.50 - 10									V018	39J	TT	=	22,0		
	!	2.75 - 10									V119B	40J	TT	=	23,0		
	!	3.00 - 10									Samson-054	50J	TT	=	26,0		
	!	3.00 - 10	ROADTEC-scoot/rf.	50J	TL	=	39,0	ANGEL-scoot/rf.	50J	TL	=	39,0	V396-Manhattan	42J	TL	=	28,0
	!	3.50 - 10										Samson-054	59J	TT	=	26,0	
	!	3.50 - 10										V219-enduro	51J	TT	=	29,0	
	!	3.50 - 10	ROADTEC-scoot/rf.	59J	TL	=	46,0	ANGEL-scoot/rf. (6PR)	59J	TL	=	46,0	V396-Manhattan/rf.	59J	TL	=	33,0
	!	80/90 - 10															
	!	90/90 - 10	ROADTEC-scoot.	50J	TL	=	45,0	ANGEL-scoot.	44J	TL	=	40,0	V134	50J	TL	=	33,0
	!	100/80 - 10	ROADTEC-scoot.	53L	TL	=	46,0	ANGEL-scoot.	50J	TL	=	45,0	V396-Manh. /*V144	53L	TL	=	33,0
	!	100/90 - 10	ROADTEC-scoot/rf.	61J	TL	=	46,0	ANGEL-scoot.	53L	TL	=	46,0	V396-Manhattan	56J	TL	=	33,0
	!	110/80 - 10	ROADTEC-scoot.	58L	TL	=	51,0	ANGEL-scoot.	56J	TL	=	46,0					
	!	120/70 - 10	ROADTEC-scoot/rf.	54L	TL	=	54,0	ANGEL-scoot.	58J	TL	=	51,0	V396-Manh.rf./*V144	54P/L	TL	=	39,0
	!	120/90 - 10	ROADTEC-scoot.	66L	TL	=	52,0	ANGEL-scoot/rf.	54L	TL	=	54,0	V119B	66L	TL	=	38,0
!	120/90 - 10										V137-enduro	66M	TL	=	38,0		
!	130/70 - 10	ROADTEC-scoot/rf.	59L	TL	=	54,0	ANGEL-scoot.	66J	TL	=	52,0						
!	130/90 - 10	ROADTEC-scoot.	61L	TL	=	55,0	ANGEL-scoot/rf.	59L	TL	=	54,0	V137-enduro	66M	TL	=	41,0	
11"	110/70 - 11										V396-Manhattan	45L	TL	=	40,0		
!	120/70 - 11										V396-Manhattan/rf.	56L	TL	=	41,0		
!	130/70 - 11	ROADTEC-scoot/rf.	60L	TL	=	59,0	ANGEL-scoot/rf.	45L	TL	=	54,0	*V134	60L	TL	=	48,0	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>			PIRELLI <ΠΕΛΜΑ>			VeeMoto <ΠΕΛΜΑ>								
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
SCOOTER (12" & 13")																	
SCOOTER	12"	3.00 - 12															
	!	90/90 - 12	ROADTEC-scoot.	44J	TL	=	63,0	ANGEL-scoot.	44J	TL	=	63,0	V094	43J	TT	=	30,0
	!	100/90 - 12	ROADTEC-scoot.	59J	TL	=	65,0	ANGEL-scoot.	59J	TL	=	65,0	V396-Manhattan	44J	TL	=	44,0
	!	110/70 - 12	ROADTEC-scoot.	47P	TL	=	54,0	ANGEL-scoot.	47P	TL	=	54,0	V396-Manhattan	47P	TL	=	40,0
	!	110/90 - 12	ROADTEC-scoot.	64P	TL	ε	70,0	ANGEL-scoot.	64P	TL	=	70,0	V396-Manhattan	64P	TL	=	52,0
	!	120/70 L 12						ANGEL-scoot.	51L	TL	=	55,0					
	!	120/70 P 12	ROADTEC-scoot.	51P	TL	ο	61,0	ANGEL-scoot/rf.	58P	TL	ο	61,0					
	!	120/70 P 12	ROADTEC-scoot.	51P	TL	=	61,0	ANGEL-scoot.	51P	TL	=	61,0	V396-Manhattan/rf.	58P	TL	=	45,0
	!	120/70 S 12						ANGEL-scoot.	51S	TL	ε	62,0					
	!	130/70 L 12	ROADTEC-scoot/rf.	62L	TL	ο	59,0	ANGEL-scoot.	56L	TL	=	58,0					
	!	130/70 P 12	ROADTEC-scoot/rf.	62P	TL	ο	65,0	ANGEL-scoot/rf.	62P	TL	=	65,0	V396-Manhattan/rf.	62P	TL	=	49,0
	!	140/70 - 12	ROADTEC-scoot.	60L	TL	=	69,0	ANGEL-scoot/rf.	65P	TL	ο	74,0					
	!	120/80 - 12											V133-enduro	65J	TL	=	49,0
	!	130/80 - 12											V133-enduro	69J	TL	=	55,0
SCOOTER	13"	110/70 P 13	ROADTEC-scoot.	48P	TL	ε	61,0	ANGEL-scoot.	48P	TL	ε	61,0					
	!	110/70 S 13	ROADTEC-scoot/rf.	54S	TL	=	62,0	ANGEL-scoot. / *Rosso	48S	TL	ε	62,0					
	!	110/90 - 13	ROADTEC-scoot.	56P	TL	ε	71,0	ANGEL-scoot.	56P	TL	ε	71,0	V119B	56P	TL	ε	49,0
	!	120/70 - 13	ROADTEC-scoot.	53L	TL	=	60,0	ANGEL-scoot.	53P	TL	ε	62,0					
	!	130/60 - 13	ROADTEC-scoot.	53L	TL	=	57,0	ANGEL-scoot/rf.	60P	TL	=	62,0	V396-Manhattan/rf.	60P	TL	=	48,0
	!	130/70 - 13	ROADTEC-scoot/rf.	63P	TL	ο	71,0	ANGEL-scoot/rf.	63P	TL	ο	71,0	V119C/rf.	63P	TL	ο	51,0
	!	130/70 - 13	*TOURANCE-sco. (xADV)	57P	TL	ο	75,0	*ROSSO-scoot/rf.	63P	TL	ο	73,0					
	!	140/60 - 13	ROADTEC-scoot/rf.	63P	TL	ο	77,0	ANGEL-scoot/rf.	63P	TL	ο	77,0					
	!	140/70 - 13						ANGEL-scoot.	61P	TL	ο	79,0					
	!	150/70 - 13	ROADTEC-scoot.	64S	TL	ο	87,0	ANGEL-scoot.	64S	TL	ο	87,0					
!	150/70 - 13						ROSSO-scoot.	64S	TL	ο	89,0						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				VeeMoto <ΠΕΛΜΑ>				
			index	TL	ε ο	TIMH	index	TL	ε ο	TIMH	index	TL	ε ο	TIMH	
SCOOTER (14")															
SCOOTER	14"	80/80 - 14	ROADTEC-scoot/rf.	43S	TL	=	42,0	ANGEL-scoot/rf.	43S	TL	ε	42,0			
	!	80/90 - 14						ROSSO-Sport	40S	TL	=	44,0	V396-Manhattan/rf.	46P	TL = 32,0
	!	90/80 - 14	ROADTEC-scoot/rf.	49S	TL	ε	45,0	ANGEL-scoot/rf.	49S	TL	=	45,0			
	!	90/90 - 14	ROADTEC-scoot.	46P	TL	ε	55,0	ROSSO-Sport	46S	TL	=	57,0	V396-Manhattan	46P	TL = 43,0
	!	100/80 - 14	ROADTEC-scoot/rf.	54S	TL	=	62,0	ANGEL-scoot/rf.	54S	TL	=	62,0	V396-Manhattan/rf.	54P	TL = 47,0
	!	100/80 - 14						ROSSO-Sport	48S	TL	=	63,0			
	!	100/90 - 14	ROADTEC-scoot/rf.	57P	TL	ο	73,0	ANGEL-scoot/rf.	57P	TL	ο	73,0	V396-Manhattan/rf.	57P	TL = 55,0
	!	100/90 - 14						ROSSO-Sport/rf.	57S	TL	ο	76,0			
	!	110/70 - 14						ANGEL-scoot/rf.	56S	TL	=	78,0			
	!	110/80 - 14	ROADTEC-scoot/rf.	59S	TL	ε	61,0	ANGEL-scoot/rf.	59S	TL	=	61,0	V396-Manhattan/rf.	59S	TL = 47,0
	!	110/80 - 14	*TOURANCE-sco. (xADV)	53P	TL	ε	79,0	MT15-Mandrake/rf.	59J	TL	ο	61,0			
	!	120/70 - 14	ROADTEC-scoot.	55S	TL	=	73,0	ANGEL-scoot.	55P	TL	=	72,0	V396-Manhattan	55S	TL = 54,0
	!	120/70 - 14						ROSSO-scoot.	55S	TL	ε	74,0			
	!	120/80 - 14	ROADTEC-scoot.	58S	TL	=	79,0	ANGEL-scoot.	58P	TL	=	78,0	V119B	58S	TL = 57,0
	!	120/80 - 14						ROSSO-scoot.	58S	TL	=	80,0			
SCOOTER	!	140/60 P 14	ROADTEC-scoot/rf.	64P	TL	ο	84,0	ANGEL-scoot/rf.	64P	TL	ο	84,0			
	!	140/60 S 14						ANGEL-scoot/rf.	64S	TL	ο	86,0			
	!	140/70 P 14	ROADTEC-scoot/rf.	68P	TL	ο	89,0	ANGEL-scoot/rf.	68P	TL	ο	89,0			
	!	140/70 S 14	ROADTEC-scoot/rf.	68S	TL	ο	91,0	ANGEL-scoot/rf.	68S	TL	ο	91,0			
	!	150/70 P 14						ANGEL-scoot.	66P	TL	ο	96,0			
	!	150/70 S 14	ROADTEC-scoot.	66S	TL	ο	98,0	ANGEL-scoot.	66S	TL	ο	98,0			
	!	150/70 S 14						ANGEL-sco. Beverly-350	66S	TL	ο	98,0			
!	150/70 S 14						ROSSO-scoot.	66S	TL	ο	100,0				

SCOOTER (15" & 16")

SCOOTER

15"	80/90 - 15									V396-Manh.rf./*V144	47P/J	TL	ε	49,0
!	120/70 P 15									V224	56P	TL	ε	58,0
!	120/70 S 15	ROADTEC-scoot.	56S	TL	ε	80,0								
!	120/70 S 15													
!	130/80 - 15									V224	63P	TL	ο	73,0
!	140/70 - 15													
16"	80/80 - 16									V144/rf.	46J	TL	=	35,0
!	90/80 - 16									V144/rf.	52J	TL	=	40,0
!	90/80 - 16									V396-Manhattan/rf.	51S	TL	=	43,0
!	100/80 - 16	ROADTEC-scoot.	50P	TL	ε	70,0				V396-Manhattan/rf.	50S	TL	=	50,0
!	110/70 P 16	ROADTEC-scoot.	52P	TL	=	86,0								
!	110/70 S 16	ROADTEC-scoot.	52S	TL	ε	87,0				V396-Manhattan	52S	TL	=	62,0
!	120/70 - 16													
!	120/80 - 16	ROADTEC-scoot.	60P	TL	ο	83,0				V396-Manhattan	60S	TL	=	59,0
!	130/70 P 16													
!	130/70 S 16	ROADTEC-scoot.	61S	TL	ο	102,0				V396-Manhattan	61S	TL	=	75,0
!	130/80 - 16	ROADTEC-scoot.	64P	TL	ο	107,0								
!	140/70 - 16	ROADTEC-scoot.	65P	TL	ο	98,0				V396-Manhattan	65S	TL	=	74,0

SCOOTER

SCOOTER (Race / Karoo--Street)

12"	100/90 - 12								> ROSSO-SC/rf. (+RACE)	64P	TL	ε	83,0	<p>< RACE ></p> <p><u>SCOOTER</u></p>
!	120/80 - 12								> ROSSO-SC (+RACE)	55P	TL	ο	99,0	
14"	140/70 P 14	KAROO-Street m+s	62P	TL	ο	156,0			> ROSSO-SC (+RACE)	62S	TL	ο	103,0	
15"	120/70 P 15	KAROO-Street m+s	56P	TL	ε	133,0			> ROSSO-SC (+RACE)	56S	TL	ε	91,0	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>						
			index	TL	€	o	TIMH	index	TL	€	o	TIMH	index	TL	€	o	TIMH
SCOOTER (HRadial / SRadial / Rally-STR)																	
H R - S R	14"	120/70 HR 14	Feel-Free (HR)	55HR	TL	€	121,0	ROSSO-scoot. (HR)	55HR	TL	€	149,0					
	!	160/60 HR 14	Feel-Free (HR)	65HR	TL	o	142,0	ROSSO-scoot. (HR)	65HR	TL	o	176,0					
	15"	120/70 HR 15	Feel-Free (HR)	56HR	TL	€	123,0	ROSSO-scoot. (HR)	56HR	TL	€	152,0					
	!	160/60 HR 15	Feel-Free (HR)	67HR	TL	o	148,0	ROSSO-scoot. (HR)	67HR	TL	o	184,0	Sco.-Rally-STR m+s	67HR	TL	o	207,0
	16"	120/70 HR 16						ROSSO-scoot. (HR)	57HR	TL	€	159,0					
	!	130/70 SR 16	ROADTEC-scooter (SR)	61SR	TL	o	137,0	ANGEL-scooter (SR)	61SR	TL	o	137,0					
	17"	120/70 HR 17						ROSSO-scoot. (HR)	58HR	TL	€	143,0	Sco.-Rally-STR m+s	58HR	TL	€	185,0

Track--RACE (Slick)																	
S L I C K	17"	110/70 R 17						> SBKslick SC1 (RACE)	NHS	TL	€	246,0					
	!	140/70 R 17						> SBKslick SC1>2 (RACE)	NHS	TL	o	275,0					
	!	120/70 R 17	> RR slick K1>2 (RACE)	NHS	TL	€	267,0	> SBKslick SC1>2 (RACE)	NHS	TL	€	296,0					
	!	125/70 R 17	> RR slick K1 (RACE)	NHS	TL	€	292,0	> SBKslick SC1>2 (RACE)	NHS	TL	€	312,0					
	!	180/60 R 17	> RR slick K1>2 (RACE)	NHS	TL	o	348,0	> SBKslick SC1>2 (RACE)	NHS	TL	o	387,0					
	!	190/60 R 17						> SBKslick SCX>1 (RACE)	NHS	TL	o	420,0					
	!	200/60 R 17	> RR slick K0>2 (RACE)	NHS	TL	o	402,0	> SBKslick SC0>2 (RACE)	NHS	TL	o	448,0					
	!	200/65 R 17	> RR slick K0 (RACE)	NHS	TL	o	438,0	> SBKslick SCX>2 (RACE)	NHS	TL	o	452,0					

< RACE >
SLICK

Track--RACE (SM--Supermoto)																	
S M	17"	125/75 R 420	> SM slick K1>2 (RACE)	NHS	TL	€	215,0	> SM-RAIN (RACE)	NHS	TL	€	246,0					
	!	125/75 R 17	> SM slick K1>2 (RACE)	NHS	TL	€	211,0	> SM-RAIN (RACE)	NHS	TL	€	246,0					
	!	165/55 R 17	> SM slick K1>2 (RACE)	NHS	TL	o	275,0	> SM-RAIN (RACE)	NHS	TL	o	322,0					

< RACE >
SuperMoto

Track--DAYS (TD--Slick)																	
T D	17"	120/70 R 17	>	TD slick (RACE)	NHS	TL	ε	232,0									
	!	180/55 R 17	>	TD slick (RACE)	NHS	TL	ο	267,0									
	!	180/60 R 17	>	TD slick (RACE)	NHS	TL	ο	272,0									
	!	190/55 R 17	>	TD slick (RACE)	NHS	TL	ο	275,0									
	!	200/55 R 17	>	TD slick (RACE)	NHS	TL	ο	285,0									
< RACE > <u>TD--SLICK</u>																	

Track--RACE (Χαραχτά)																	
R A C E	12"	100/90 - 12							>	ROSSO-SC/rf. (+RACE 64P	TL	ε	83,0				
	!	120/80 - 12							>	ROSSO-SC (+RACE) 55P	TL	ο	99,0				
	17"	110/70 ZR 17	>	RR χαρ. K1 (RACE)	54V	TL	ε	274,0	>	Scorsa-V4 SC1 (RACE) 54V	TL	ε	315,0				
	!	120/70 ZR 17	>	RR χαρ. K1>2 (RACE)	(58W)	TL	ε	293,0	>	Scorsa-V4 SC1>2 (RACE) 58V	TL	ε	349,0				
	!	140/70 ZR 17	>	RR χαρ. K1 (RACE)	66V	TL	ο	314,0	>	Scorsa-V4 SC1 (RACE) 66V	TL	ο	363,0				
	!	150/60 ZR 17							>	Scorsa-V4 SC3 (RACE) 66V	TL	ο	377,0				
	!	180/60 ZR 17	>	RR χαρ. K1>2 (RACE)	(75W)	TL	ο	379,0	>	Scorsa-V4 SC0>2 (RACE) 75V	TL	ο	474,0				
	!	190/55 ZR 17	>	RR χαρ. K1>2 (RACE)	(75W)	TL	ο	343,0	>	Scorsa-V4 SC2 (RACE) 75V	TL	ο	469,0				
	!	200/55 ZR 17	>	RR χαρ. K1>2 (RACE)	(78W)	TL	ο	411,0	>	Scorsa-V4 SC1>2 (RACE) 78V	TL	ο	495,0				
	!	200/60 ZR 17							>	Scorsa-V4 SC1 (RACE) 80V	TL	ο	544,0				
< RACE > <u>ΧΑΡΑΧΤΑ</u>																	

Track--ROAD (SP-V2 / SP-V4)																	
T - R O A D	17"	120/70 ZR 17		SuperCorsa-V2 {SP}	(58W)	TL	ε	157,0		SuperCorsa--V4 {SP}	(58W)	TL	ε	278,0			
	!	180/55 ZR 17		SuperCorsa-V2 {SP}	(73W)	TL	ο	202,0		SuperCorsa--V4 {SP}	(73W)	TL	ο	322,0			
	!	190/50 ZR 17								SuperCorsa--V4 {SP}	(73W)	TL	ο	338,0			
	!	190/55 ZR 17		SuperCorsa-V2 {SP}	(75W)	TL	ο	215,0		SuperCorsa--V4 {SP}	(75W)	TL	ο	346,0			
	!	200/55 ZR 17								SuperCorsa--V4 {SP}	(78W)	TL	ο	362,0			
	!	200/60 ZR 17								SuperCorsa--V4 {SP}	(80W)	TL	ο	418,0			
SP-V2 Special-Edition {Track + Road} {-30%}																	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>						
			index	TL	€	ο	TIMH	index	TL	€	ο	TIMH	index	TL	€	ο	TIMH
Track--ROAD / HYPERSPORT																	
T R A C K - R O A D	17"	120/70 ZR 17	M9 RR Sportec	(58W)	TL	€	204,0	Diablo-ROSSO IV	(58W)	TL	€	215,0	ROSSO IV Corsa	(58W)	TL	€	238,0
	!	160/60 ZR 17	M9 RR Sportec	(69W)	TL	ο	255,0	Diablo-ROSSO IV	(69W)	TL	ο	269,0					
	!	180/55 ZR 17	M9 RR Sportec	(73W)	TL	ο	269,0	Diablo-ROSSO IV	(73W)	TL	ο	283,0	ROSSO IV Corsa	(73W)	TL	ο	312,0
	!	180/60 ZR 17	M9 RR Sportec	(75W)	TL	ο	278,0					ROSSO IV Corsa	(75W)	TL	ο	322,0	
	!	190/50 ZR 17	M9 RR Sportec	(73W)	TL	ο	283,0	Diablo-ROSSO IV	(73W)	TL	ο	295,0	ROSSO IV Corsa	(73W)	TL	ο	327,0
	!	190/55 ZR 17	M9 RR Sportec	(75W)	TL	ο	292,0	Diablo-ROSSO IV	(75W)	TL	ο	306,0	ROSSO IV Corsa	(75W)	TL	ο	334,0
	!	200/55 ZR 17	M9 RR Sportec	(78W)	TL	ο	297,0	Diablo-ROSSO IV	(78W)	TL	ο	312,0	ROSSO IV Corsa	(78W)	TL	ο	352,0
	!	200/60 ZR 17						Diablo-ROSSO IV	(80W)	TL	ο	322,0	ROSSO IV Corsa	(80W)	TL	ο	395,0
	19"	120/70 ZR 19	M9 RR Sportec	60W	TL	€	195,0										
	17"	170/60 ZR 17	M9 RR Sportec	72W	TL	ο	250,0										

SUPERSPORT (ZR)																
S U P E R S P O R T	16"	130/70 ZR 16	M7 RR Sportec(CBR-old)	(61W)	TL	€	163,0									
	17"	110/70 ZR 17	M7 RR Sportec	54W	TL	€	123,0									
	!	120/60 ZR 17	M7 RR Sportec	(55W)	TL	€	125,0									
	!	120/70 ZR 17	M7 RR Sportec	(58W)	TL	€	133,0	Diablo-ROSSO III / D	(58W)	TL	€	183,0				
	!	150/60 ZR 17	M7 RR Sportec	66W	TL	ο	153,0									
	!	160/60 ZR 17	M7 RR Sportec	(69W)	TL	ο	168,0	Diablo-ROSSO III	(69W)	TL	ο	230,0				
	!	180/55 ZR 17	M7 RR Sportec	(73W)	TL	ο	177,0	Diablo-ROSSO III	(73W)	TL	ο	242,0				
	!	190/50 ZR 17	M7 RR Sportec	(73W)	TL	ο	184,0	Diablo-ROSSO III	(73W)	TL	ο	253,0				
	!	190/55 ZR 17	M7 RR Sportec	(75W)	TL	ο	191,0	Diablo-ROSSO III	(75W)	TL	ο	263,0				
	!	240/45 ZR 17						Diablo-ROSSO III	(82W)	TL	ο	292,0				

SUPERSPORT (HR / ZR)

S U P E R S P O R T	17"	110/70 <> 17	M5 Sportec (HR)	54H	TL	ε	111,0							
	!	120/70 <> 17	M5 Sportec (ZR)	(58W)	TL	ε	123,0	ROSSO II (ZR) K/D	(58W)	TL	ε	129,0	*ROSSO II (HR)	58H TL ε 127,0
	!	150/60 HR 17	M5 Sportec (HR)	66H	TL	ο	137,0							
	!	160/60 <> 17	M5 Sportec (ZR)	(69W)	TL	ο	157,0	ROSSO II (ZR)	(69W)	TL	ο	162,0	*ROSSO II (HR)	69H TL ο 159,0
	!	180/55 ZR 17	M5 Sportec (ZR)	(73W)	TL	ο	166,0	ROSSO II (ZR)	(73W)	TL	ο	170,0		
	!	190/50 ZR 17						ROSSO II (ZR)	(73W)	TL	ο	178,0		
	!	190/55 ZR 17						ROSSO II (ZR)	(75W)	TL	ο	183,0		
	!	200/50 ZR 17						ROSSO II (ZR)	(75W)	TL	ο	208,0		

HYPERTOUR (Heavy)

H Y P E R T O U R	17"	120/70 ZR 17	RoadTec-01 (HWM)	(58W)	TL	ε	199,0	Angel-GT2 (A)	(58W)	TL	ε	229,0		
	!	180/55 ZR 17	RoadTec-01 (HWM)	(73W)	TL	ο	262,0	Angel-GT2 (A)	(73W)	TL	ο	302,0		
	!	190/50 ZR 17	RoadTec-01 (HWM)	(73W)	TL	ο	275,0	Angel-GT2 (A)	(73W)	TL	ο	316,0		
	!	190/55 ZR 17	RoadTec-01 (HWM)	(75W)	TL	ο	286,0	Angel-GT2 (A)	(75W)	TL	ο	324,0		

HYPERTOUR (Sport)

H Y P E R T O U R	17"	120/70 ZR 17	RoadTec-01 (SE-sport)	(58W)	TL	ε	191,0	Angel-GT2	(58W)	TL	ε	220,0		
	!	160/60 ZR 17	RoadTec-01 (SE-sport)	(69W)	TL	ο	240,0	Angel-GT2	(69W)	TL	ο	276,0		
	!	180/55 ZR 17	RoadTec-01 (SE-sport)	(73W)	TL	ο	254,0	Angel-GT2	(73W)	TL	ο	289,0		
	!	190/50 ZR 17	RoadTec-01 (SE-sport)	(73W)	TL	ο	266,0							
	!	190/55 ZR 17	RoadTec-01 (SE-sport)	(75W)	TL	ο	274,0							
	19"	110/80 VR 19	RoadTec-01 (SE-sport)	59V	TL	ε	212,0							
	17"	150/70 VR 17	RoadTec-01 (SE-sport)	69V	TL	ο	249,0							
	19"	120/70 <> 19	RoadTec-01 (SE-sport)	60W	TL	ε	220,0	Angel-GT2	60V	TL	ε	246,0		
17"	170/60 <> 17	RoadTec-01 (SE-sport)	72W	TL	ο	257,0	Angel-GT2	72V	TL	ο	287,0			

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				VeeMoto <ΠΕΛΜΑ>			
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH
SUPERTOUR														
S U P E R T O U R	17"	120/70 ZR 17	Z8-RoadTec (Interact)	(58W)	TL	ε	143,0	Angel-GT	(58W)	TL	ε	177,0		
	!	120/70 ZR 17						Angel-GT (A)	(58W)	TL	ε	185,0		
	!	160/60 ZR 17	Z8-RoadTec (Interact)	(69W)	TL	ο	178,0	Angel-GT	(69W)	TL	ο	227,0		
	!	170/60 ZR 17	Z8-RoadTec (Interact)	(72W)	TL	ο	192,0							
	!	180/55 ZR 17	Z8-RoadTec (Interact)	(73W)	TL	ο	192,0	Angel-GT	(73W)	TL	ο	234,0		
	!	180/55 ZR 17						Angel-GT (A)	(73W)	TL	ο	243,0		
	!	190/50 ZR 17	Z8-RoadTec (Interact)	(73W)	TL	ο	198,0	Angel-GT (A)	(73W)	TL	ο	255,0		
	!	190/55 ZR 17						Angel-GT (A)	(75W)	TL	ο	262,0		
	18"	110/80 ZR 18	Z8-RoadTec (Interact)	(58W)	TL	ε	156,0							
	!	120/70 ZR 18	Z8-RoadTec (Interact)	(59W)	TL	ε	152,0	Angel-GT	(59W)	TL	ε	192,0		
	!	160/60 ZR 18	Z8-RoadTec (Interact)	(70W)	TL	ο	189,0							
	19"	110/80 VR 19						Angel-GT	59V	TL	ε	165,0		
	17"	150/70 <> 17	Z8-RoadTec (Interact)	(69W)	TL	ο	186,0	Angel-GT	69V	TL	ο	192,0		

SPORTOUR														
S T O U R	17"	120/70 ZR 17	Z6-RoadTec (Sportour)	(58W)	TL	ε	119,0	Angel-ST	(58W)	TL	ε	148,0		
	!	160/60 ZR 17	Z6-RoadTec (Sportour)	(69W)	TL	ο	149,0	Angel-ST	(69W)	TL	ο	185,0		
	!	180/55 ZR 17	Z6-RoadTec (Sportour)	(73W)	TL	ο	156,0	Angel-ST	(73W)	TL	ο	195,0		
	!	190/50 ZR 17	Z6-RoadTec (Sportour)	(73W)	TL	ο	163,0	Angel-ST	(73W)	TL	ο	203,0		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				VeeMoto <ΠΕΛΜΑ>						
			index	TL	ε ο	=	TIMH	index	TL	ε ο	=	TIMH	index	TL	ε ο	=	TIMH
CUSTOM																	
C U S T O M	15"	130/90 - 15	ME77-Perfect	66S	TL	ο	143,0	MT66-TT / City-DEMON	66S	TL	ο	139,0	V195 Custom	66S	TT	ο	97,0
	!	140/90 - 15	ME888-Marathon	70HB	TL	ο	260,0	MT66-Route	70H	TL	ο	167,0	V393R Cruze	76H	TL	ο	119,0
	!	150/90 - 15	ME888-Marathon/rf.	80HB	TL	ο	280,0										
	!	170/80 - 15	ME888-Marathon	77HB	TL	ο	307,0	Night-DRAGON GT	77HB	TL	ο	239,0	V393R Cruze	77H	TL	ο	146,0
	16"	130/90 - 16	ME888-Marathon	67H	TL	ε	238,0	Night-DRAGON	67HB	TL	ε	196,0					
	!	130/90 - 16	ME888-Marathon/rf.	73HB	TL	ο	302,0	Night-DRAGON GT/rf.	73HB	TL	ο	247,0	V393R Cruze	73H	TL	ο	123,0
	!	130/90 - 16	ME888-Marath(WW)	67H	TL	ε	291,0										
	!	130/90 - 16	ME888-Marath(WW)/rf	73HB	TL	ο	362,0										
	!	140/90 - 16	ME888-Marathon/rf.	77HB	TL	ο	315,0										
	!	150/80 - 16	ME888-Marathon	71H	TL	ε	292,0	Night-DRAGON	71HB	TL	ε	239,0					
C U S T O M	!	150/80 - 16	ME888-Marathon/rf.	77HB	TL	ο	311,0	Night-DRAGON GT/rf.	77HB	TL	ο	251,0					
	!	160/80 - 16	ME888-Marathon	75HB	TL	ο	353,0										
	!	170/70 - 16	ME888-Marathon	75HB	TL	ο	337,0										
	17"	120/70 - 17	ME888-Marathon	58VB	TL	ε	220,0										
	!	120/90 - 17	ME888-Marathon	64S	TT	ε	188,0	MT66-Route	64S	TT	ε	123,0					
	!	160/70 - 17	ME888-Marathon/rf.	79VB	TL	ο	324,0										
	!	170/60 - 17	ME888-Marathon/rf.	78VR	TL	ο	402,0										
	18"	3.00 - 18	ME77-Perfect	47S	TL	=	99,0	City-DEMON	47S	TL	ε	92,0					
	!	100/90 - 18	ME888-Marathon	56H	TL	ε	206,0										
	!	120/70 - 18	ME888-Marathon	(59W)	TL	ε	337,0										
C U S T O M	!	130/70 - 18	ME888-Marathon	63HB	TL	ε	223,0										
	19"	90/90 - 19															
	!	100/90 - 19	ME888-Marathon	57H	TL	ε	214,0	Night-DRAGON	57H	TL	ε	164,0	V393F Cruze	57H	TL	ε	89,0
	21"	80/90 - 21	ME888-Marathon	48H	TL	ε	201,0						V393F Cruze	54H	TL	ε	74,0
	!	90/90 - 21	ME888-Marathon	54H	TL	ε	214,0										

CUSTOM "SPECIAL--ORDERS" (15" εως 150/70--18")

C
U
S
T
O
M
-
S
P
E
C
I
A
L
-
O
R
D
E
R
S

15"	160/80 - 15	ME888-Marathon	74S	TT	o	226,0						
!	170/80 - 15	ME888-Marath.(WW)	77HB	TL	o	365,0						
!	180/70 - 15	ME888-Marathon	76HB	TL	o	285,0						
!	200/70 - 15	ME888-Marathon	82HB	TL	o	323,0						
16"	130/90 - 16	Cruisetec/rf.	73HB	TL	ε	301,0						
!	130/90 - 16	Cruisetec/rf.	73HB	TL	o	301,0						
!	140/90 - 16	ME888-Marath(WW)/rf	77HB	TL	o	378,0						
!	150/80 - 16	Cruisetec	71H	TL	ε	291,0						
!	150/80 - 16	Cruisetec/rf.	77HB	TL	o	310,0						
!	180/60 - 16	Cruisetec/rf.	80HR	TL	o	386,0						
!	180/65 - 16	Cruisetec/rf.	81HB	TL	o	357,0						
!	180/70 - 16	ME888 / Cruisetec	77VR	TL	o	374,0						
!	200/55 - 16	Cruisetec/rf.	77HR	TL	o	555,0						
!	200/60 - 16	ME888-Marathon	79VR	TL	o	421,0						
!	240/50 - 16	ME888-Marathon	84VR	TL	o	469,0						
17"	130/80 - 17	ME888 / Cruisetec	65HB	TL	ε	222,0						
!	140/75 - 17	ME888-Marathon	67VR	TL	ε	324,0						
!	140/80 - 17	ME888-Marathon	69H	TL	ε	268,0						
!	150/80 - 17	ME888-Marathon	72VR	TL	ε	347,0						
!	160/70 - 17	Cruisetec/rf.	79VB	TL	o	323,0						
!	200/55 - 17	Cruisetec	78VR	TL	o	420,0						
!	210/50 - 17	ME888-Marathon	(78W)	TL	o	474,0						
18"	130/70 - 18	ME888-Marathon	63VR	TL	ε	311,0						
!	130/70 - 18	Cruisetec	63HR	TL	ε	320,0						
!	140/70 - 18	ME888-Marathon/rf.	73HB	TL	ε	274,0						
!	150/70 - 18	Cruisetec/rf.	76HB	TL	o	346,0						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				VeeMoto <ΠΕΛΜΑ>					
			index	TL	€ ο	=	TIMH	index	TL	€ ο	=	TIMH	index	TL	€ ο	=
CUSTOM "SPECIAL--ORDERS" (18" εως 21")																
S P E C I A L - O R D E R S	18"	180/55 - 18	Cruisetec/rf.	80HB	TL	ο	399,0									
	!	200/50 - 18	ME888-Marathon/rf.	82HR	TL	ο	443,0									
	!	210/40 - 18	ME888-Marathon	73HR	TL	ο	413,0									
	!	240/40 - 18	ME888 / Cruisetec	(79VR)	TL	ο	451,0									
	!	260/40 - 18	Cruisetec	(84VR)	TL	ο	477,0									
	!	280/35 - 18	ME888-Marathon	(84VR)	TL	ο	502,0									
	!	300/35 - 18	ME888-Marathon	(87VR)	TL	ο	535,0									
	19"	100/90 - 19	Cruisetec	57H	TL	€	214,0									
	!	100/90 - 19	ME888-Marath.(WW)	57H	TL	€	257,0									
	!	110/90 - 19	ME888 / Cruisetec	62H	TL	€	231,0									
	!	120/70 - 19	ME888 / Cruisetec	(60W)	TL	€	352,0									
	!	130/60 - 19	Cruisetec	61HB	TL	€	364,0									
	21"	120/70 - 21	Cruisetec/rf.	68HB	TL	€	353,0									

STREET "S / H / V" (15" εως 16")																	
S T R E E T	15"	130/90 - 15	ME77-Perfect	66S	TL	ο	143,0	MT66-TT / City-DEMON	66S	TL	ο	139,0	V195 Custom	66S	TT	ο	97,0
	!	140/90 - 15	ME77-Perfect	70S	TT	ο	149,0										
	16"	3.50 - 16											V159	66P	TT	ο	55,0
	!	100/90 - 16	RoadTec-01	54H	TL	€	136,0										
	!	110/90 - 16	ME77-Perfect	59S	TT	€	98,0										
	!	110/90 - 16	ME77-Perfect	59S	TL	ο	119,0										
	!	120/90 - 16	ME77-Perfect	63H	TL	ο	133,0	City-DEMON	63S	TL	ο	131,0	V195 Custom	63S	TL	ο	94,0
	!	130/90 - 16	RoadTec-01	67H	TL	€	162,0										
	!	130/90 - 16	RoadTec-01	67V	TL	ο	185,0										
	!	150/80 - 16	RoadTec-01	71H	TL	ο	178,0										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>			PIRELLI <ΠΕΛΜΑ>			VeeMoto <ΠΕΛΜΑ>										
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH					
STREET "S / H / V" (17")																			
S T R E E T	S U P E R	90/80 - 17				ANGEL-City	46S	TL	=	79,0									
		120/70 - 17				ANGEL-City	58S	TL	=	101,0									
		90/80 - 17	"SUPERSPORT--Παπιά"			> ROSSO-Sport	46S	TL	=	95,0									
		120/70 - 17				> ROSSO-Sport	58S	TL	=	132,0									
S T R E E T	!	17" 3.00 - 17	ME22-sport/rf.	50P	TT	=	55,0			V158	47P	TT	=	41,0					
		80/90 - 17								ANGEL-City (Παπί)	44S	TL	o	44,0					
		80/100 - 17								ANGEL-City	46S	TL	ε	94,0					
		90/90 - 17								ANGEL-City	49S	TL	=	95,0					
		100/70 - 17								ANGEL-City	49S	TL	o	97,0					
		100/80 <> 17	RoadTec-01	52H	TL	ε	104,0			ANGEL-City	52S	TL	ε/ο	103,0	V396-Manhattan	52P	TL	ε	67,0
		100/80 - 17								ROSSO-Sport	52S	TL	=	109,0					
		100/90 - 17								ANGEL-City	55S	TL	o	108,0					
		110/70 - 17								ANGEL-City	54S	TL	=	105,0					
		110/70 - 17	RoadTec-01	54H	TL	ε	123,0			ROSSO-Sport	54S	TL	=	112,0					
		110/80 - 17	RoadTec-01	57H	TL	ε	135,0												
		130/70 - 17	RoadTec-01	62H	TL	o	153,0			ANGEL-City	62S	TL	o	115,0	V396-Manhattan	62P	TL	o	82,0
		130/70 - 17								ROSSO-Sport	62S	TL	o	127,0					
		130/80 - 17	RoadTec-01	65H	TL	o	169,0												
		140/70 - 17	*SPORTEC-Street 2	66S	TL	=	137,0			ANGEL-City	66S	TL	o	129,0					
		140/70 - 17	RoadTec-01	66H	TL	o	174,0			ROSSO-Sport	66S	TL	o	138,0					
		140/80 - 17	RoadTec-01	69V	TL	o	196,0												
150/60 - 17								ANGEL-City	66S	TL	o	140,0							
150/60 - 17								ROSSO-Sport	66S	TL	o	149,0							
150/70 - 17	RoadTec-01	69V	TL	o	204,0														

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>			PIRELLI <ΠΕΛΜΑ>			VeeMoto <ΠΕΛΜΑ>								
			index	TL	€ ο =	TIMH	index	TL	€ ο =	TIMH	index	TL	€ ο =	TIMH			
STREET "S / H / V" (18" εως 19")																	
S T R E E T	18"	2.75 - 18	ME22-sport/rf.	48P	TL	=	60,0					V160/rf.	48P	TL	=	44,0	
	!	3.00 - 18	ME22-sport/rf.	52P	TL	=	79,0					V160	47P	TL	=	52,0	
	!	3.00 - 18	ME77-Perfect	47S	TL	=	99,0	City-DEMON	47S	TL	€	92,0					
	!	3.25 - 18	ME22-sport/rf.	59P	TT	=	84,0										
	!	3.50 - 18	ME22-sport/rf.	62P	TT	=	95,0										
	!	80/100 - 18	RoadTec-01	47P	TL	€	96,0										
	!	90/90 - 18	RoadTec-01	51P	TL	ο	105,0						V160	57P	TT	=	54,0
	!	100/90 - 18	RoadTec-01	56H	TL	€	142,0						V160	62S	TL	=	73,0
	!	100/90 - 18	RoadTec-01	56V	TL	€	153,0										
	!	110/90 - 18	RoadTec-01	61H	TL	ο	161,0										
	!	120/80 - 18	RoadTec-01	62H	TL	ο	168,0										
	!	130/80 - 18	Lasertec	(66V)	TL	ο	199,0										
	!	19"	100/90 - 19	Lasertec	57V	TL	€	175,0									
	!	90/90 <> 19	RoadTec-01	52H	TL	€	135,0						V158	52S	TT	€	65,0
!	100/90 - 19	RoadTec-01	57V	TL	€	157,0											

ENDURO

ENDURO--ST+ (MT60--RS)

M T 6 0	17"	120/70 ZR 17					MT60-RS	(58W)	TL	€	189,0		
	!	160/60 HR 17					MT60-RS	69HR	TL	ο	248,0		
	!	180/55 ZR 17					MT60-RS	(73W)	TL	ο	295,0		
	18"	110/80 HR 18					MT60-RS	58HR	TL	€	237,0		
	!	120/70 ZR 18					MT60-RS	(59W)	TL	€	248,0		

ENDURO--ST+ (Tourance--NEXT 2 / Scorpion-Trail II)

E N D U R O - S T +	17"	120/70 ZR 17						Scorpion-Trail II	(58W)	TL	ε	173,0						
	!	130/80 VR 17	Tourance-NEXT 2	65V	TL	ο	179,0	Scorpion-Trail II	65V	TL	ο	174,0						
	!	140/80 VR 17	Tourance-NEXT 2	69V	TL	ο	203,0	Scorpion-Trail II	69V	TL	ο	195,0						
	!	160/60 ZR 17						Scorpion-Trail II	(69W)	TL	ο	189,0						
	!	180/55 ZR 17						Scorpion-Trail II	(73W)	TL	ο	255,0						
	!	190/55 ZR 17						Scorpion-Trail II	(75W)	TL	ο	264,0						
	18"	150/70 VR 18	Tourance-NEXT 2	70V	TL	ο	185,0	Scorpion-Trail II	70V	TL	ο	176,0						
	19"	100/90 - 19	Tourance-NEXT 2	57V	TL	ε	158,0											
	21"	90/90 - 21	Tourance-NEXT 2	54V	TL	ε	149,0	Scorpion-Trail II	54V	TL	ε	142,0						
	19"	110/80 VR 19	Tourance-NEXT 2	59V	TL	ε	159,0	Scorpion-Trail II	59V	TL	ε	152,0						
	17"	150/70 VR 17	Tourance-NEXT 2	69V	TL	ο	198,0	Scorpion-Trail II	69V	TL	ο	189,0						
	19"	120/70 VR 19	Tourance-NEXT 2	60V	TL	ε	160,0	Scorpion-Trail II	60V	TL	ε	153,0						
	17"	170/60 VR 17	Tourance-NEXT 2	72V	TL	ο	204,0	Scorpion-Trail II	72V	TL	ο	195,0						
19"	120/70 ZR 19	Tourance-NEXT 2	60W	TL	ε	164,0	Scorpion-Trail II D + K	60W	TL	ε	155,0							
17"	170/60 ZR 17	Tourance-NEXT 2	72W	TL	ο	210,0	Scorpion-Trail II D / K	72W	TL	ο	199,0							

ENDURO--ST+ (Tourance--NEXT)

E N D U R O - S T +	19"	100/90 - 19	*Tourance-NEXT	57V	TL	ε	139,0											
	!	110/80 VR 19	Tourance-NEXT	59V	TL	ε	149,0											
	17"	150/70 VR 17	Tourance-NEXT	69V	TL	ο	187,0											
	19"	120/70 VR 19	Tourance-NEXT	60V	TL	ε	149,0											
	17"	170/60 VR 17	Tourance-NEXT	72V	TL	ο	190,0											

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				VeeMoto <ΠΕΛΜΑ>							
			index	TL	Ε Ο =	TIMH	index	TL	Ε Ο =	TIMH	index	TL	Ε Ο =	TIMH				
ENDURO--AT																		
E N D U R O - A T	14"	180/80 - 14											V275 (A/T) {Rear}	78P	TT	ο	114,0	
	16"	120/90 - 16											V163 (A/T)	63P	TL	ο	87,0	
	17"	3.00 - 17											V022 (A/T)	48R	TT	=	44,0	
	!	4.60 - 17											V022 (A/T)	62R	TT	ο	76,0	
	!	110/90 - 17											V307 (A/T)	60P	TL	ο	91,0	
	!	120/90 - 17	Sahara-3 (A/T)	64S	TT	ο	143,0	MT60 (A/T)	60P	TT	ο	132,0	MT60 (A/T)	64S	TT	ο	143,0	
	!	130/80 - 17	Sahara-3 (A/T) MST	65S	TT	ο	146,0	MT60 (A/T) MST	65H	TL	ο	146,0	V163 (A/T)	64T	TT	ο	92,0	
	!	130/80 - 17	Sahara-3 (A/T)	65T	TL	ο	158,0						V163 (A/T)	65S	TL	ο	99,0	
	!	140/80 - 17	Sahara-3 (A/T) MST	69H	TT	ο	162,0	MT60 (A/T) MST	69H	TL	ο	162,0						
	!	180/80 - 17																
E N D U R O - A T	18"	3.00 - 18											V022 (A/T)	52R	TT	=	50,0	
	!	4.10 - 18											V221 (A/T)	60P	TT	ο	76,0	
	!	4.60 - 18											V221 (A/T)	63P	TT	ο	85,0	
	!	120/80 - 18	Sahara-3 (A/T) MST	62S	TT	ο	139,0											
	!	130/80 - 18																
	!	140/80 - 18	Sahara-3 (A/T) MST	70S	TT	ο	162,0							V274 (A/T) {Front}	66P	TT	ε	85,0
	!	150/70 VR 18																
	!	180/80 - 18																
	!	190/80 - 18																
	!	200/80 - 18																
E N D U R O - A T	19"	2.75 - 19																
	!	90/90 - 19												V022 (A/T)	49R	TT	=	40,0
	!	90/100 - 19												V307 (A/T)	52P	TL	ε	76,0
	!	100/90 - 19												V163 (A/T)	55P	TL	ε	77,0
	!	120/90 - 19																
	!	130/90 - 19																
	!	140/90 - 19																
	!	150/90 - 19																
E N D U R O - A T	21"	2.75 - 21												V221 (A/T)	45P	TT	ε	50,0
	!	3.00 - 21												V221 (A/T)	51P	TT	ε	58,0
	!	90/90 - 21	Sahara-3 (A/T) MST	54S	TT	ε	122,0	MT60 (A/T) MST	54H	TL	ε	122,0	V163 (A/T)	54S	TL	ε	77,0	
	!	90/90 - 21	Sahara-3 (A/T) MST	54H	TL	ε	131,0	*Sco. MT90 (A/T)	54V	TL	ε	155,0						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				VeeMoto <ΠΕΛΜΑ>						
			index	TL	ε ο	=	TIMH	index	TL	ε ο	=	TIMH	index	TL	ε ο	=	TIMH
ENDURO--STREET																	
E N D - S T R	15"	160/60 HR 15								Sco.-Rally-STR m+s	67H	TL	ο		207,0		
	17"	110/70 <> 17	KAROO-Street m+s	54S	TL	ε		189,0	Sco.-Rally-STR m+s	54H	TL	ε		183,0			
	!	120/70 <> 17	KAROO-Street m+s	58V	TL	ε		193,0	Sco.-Rally-STR m+s	58H	TL	ε		185,0			
	!	130/80 VR 17	KAROO-Street m+s	65V	TL	ο		228,0	Sco.-Rally-STR m+s	65V	TL	ο		229,0			
	!	140/70 - 17	KAROO-Street m+s	66S	TL	ο		189,0									
	!	140/80 VR 17	KAROO-Street m+s	69V	TL	ο		225,0	Sco.-Rally-STR m+s	69V	TL	ο		232,0			
	!	150/60 HR 17							Sco.-Rally-STR m+s	66H	TL	ο		209,0			
E N D - S T R	18"	110/80 HR 18							Sco.-Rally-STR m+s	73V	TL	ο		315,0			
	!	150/70 VR 18	KAROO-Street m+s	70V	TL	ο		220,0	Sco.-Rally-STR m+s	73V	TL	ο		315,0			
	19"	100/90 - 19	KAROO-Street m+s	57V	TL	ε		189,0	Sco.-Rally-STR m+s	58H	TL	ε		195,0			
	21"	90/90 - 21	KAROO-Street m+s	54V	TL	ε		169,0	Sco.-Rally-STR m+s	70V	TL	ο		225,0			
	19"	110/80 VR 19	KAROO-Street m+s	59V	TL	ε		205,0	Sco.-Rally-STR m+s	57V	TL	ε		197,0			
	17"	150/70 VR 17	KAROO-Street m+s	69V	TL	ο		228,0	Sco.-Rally-STR m+s	54V	TL	ε		172,0			
	19"	120/70 VR 19	KAROO-Street m+s	60V	TL	ε		205,0	Sco.-Rally-STR m+s	59V	TL	ε		205,0			
17"	170/60 VR 17	KAROO-Street m+s	72V	TL	ο		259,0	Sco.-Rally-STR m+s	69V	TL	ο		229,0				
								Sco.-Rally-STR m+s	60V	TL	ε		206,0				
								Sco.-Rally-STR m+s	72V	TL	ο		262,0				

ENDURO XC (Mid-HARD)																	
X C	18"	100/100 - 18							Scorpion-XC (mid-HARD)	59R	TT	ο		109,0			
	!	110/100 - 18							Scorpion-XC (mid-HARD)	64M	TT	ο		116,0			
	!	140/80 - 18							Scorpion-XC (mid-HARD)	70M	TT	ο		124,0			
	21"	80/100 - 21							Scorpion-XC (mid-HARD)	51R	TT	ε		89,0			

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				VeeMoto <ΠΕΛΜΑ>				
			index	TL	ε ο	TIMH	index	TL	ε ο	TIMH	index	TL	ε ο	TIMH	
ENDURO (FIM)															
E N D U R O - F I M	18"	110/80 - 18	MCE-6days (Standard)	58R	FIM	ο	124,0								
	!	120/90 - 18	MCE-6days (Standard)	65R	FIM	ο	126,0								
	!	130/90 - 18	MCE-6days (Standard)	69M	FIM	ο	128,0								
	!	140/80 - 18	MCE-6days (ExtraSOFT)	70M	FIM	ο	148,0								
	!	140/80 - 18	MCE-6days (SuperSOFT)	70M	FIM	ο	145,0								
	!	140/80 - 18	MCE-6days (SOFT)	70M	FIM	ο	136,0								
	!	140/80 - 18	MCE-6days (MEDIUM)	70M	FIM	ο	130,0								
	!	140/80 - 18	MCE-6days (Standard)	70M	FIM	ο	128,0				V211 (FIM)	70R	FIM	ο	83,0
	21"	80/90 - 21	MCE-6days (Standard)	48R	FIM	ε	87,0								
	!	90/90 - 21	MCE-6days (SOFT)	54M	FIM	ε	99,0								
	!	90/90 - 21	MCE-6days (Standard)	54R	FIM	ε	92,0				V211 (FIM)	54R	FIM	ε	58,0
	!	90/100 - 21	MCE-6days (SuperSOFT)	57M	FIM	ε	119,0								
!	90/100 - 21	MCE-6days (Standard)	57R	FIM	ε	107,0									

ENDURO (Rally--Cross)																	
R A L L Y - C R O S S	17"	4.10 - 17											V147 (Rally-Cross)	67P	TT	ο	59,0
	!	120/90 - 17						MT21 Rally-Cross	64R	TT	ο	121,0					
	!	130/90 - 17						MT21 Rally-Cross	68P	TT	ο	128,0	V147 (Rally-Cross)	68P	TT	ο	93,0
	18"	110/80 - 18						MT21 Rally-Cross	58P	TT	ο	92,0					
	!	120/80 - 18						MT21 Rally-Cross	62R	TT	ο	117,0					
	!	120/90 - 18						MT21 Rally-Cross	65R	TT	ο	124,0	V147 (Rally-Cross)	69R	TT	ο	89,0
	!	130/90 - 18						MT21 Rally-Cross	69R	TT	ο	128,0					
	!	140/80 - 18						MT21 Rally-Cross	70R	TT	ο	130,0	V147 (Rally-Cross)	70R	TT	ο	92,0
	21"	80/90 - 21						MT21 Rally-Cross	48P	TT	ε	71,0					
	!	90/90 - 21						MT21 Rally-Cross	54R	TT	ε	83,0	V147 (Rally-Cross)	54R	TT	ε	59,0

CROSS (JUNIOR Mid-SOFT)																	
J U N I O R - M X	10"	2.50 - 10	< RACE--Junior > Mid--SOFT			> MX32 (RACE Mid-SOFT)	33J	TT	ε	52,0	> V140 (RACE Mid-SOFT)	33J	TT	=	24,0		
	!	2.75 - 10				> MX32 (RACE Mid-SOFT)	37J	TT	ο	81,0							
	12"	60/100 - 12				> MX32 (RACE Mid-SOFT)	36M	TT	ε	60,0							
	!	80/100 - 12				> MX32 (RACE Mid-SOFT)	50M	TT	ο	92,0	> V140 (RACE Mid-SOFT)	41M	TT	ο	44,0		
	14"	60/100 - 14				> MX32 (RACE Mid-SOFT)	29M	TT	ε	61,0							
	!	90/100 - 14				> MX32 (RACE Mid-SOFT)	49M	TT	ο	101,0							
	16"	90/100 - 16				> MX32 (RACE Mid-SOFT)	51M	TT	ο	106,0	> V140 (RACE Mid-SOFT)	51M	TT	ο	59,0		
	17"	70/100 - 17				> MX32 (RACE Mid-SOFT)	40M	TT	ε	76,0	> V140 (RACE Mid-SOFT)	40M	TT	=	40,0		
	19"	70/100 - 19				> MX32 (RACE Mid-SOFT)	42M	TT	ε	86,0	> V140 (RACE Mid-SOFT)	42M	TT	ε	45,0		

CROSS (Mid-HARD)																	
M I D - H A R D	18"	100/100 - 18	MC360 (Mid-HARD)	59M	TT	ο	109,0				V500 (Mid-HARD)	59M	TT	ο	73,0		
	!	110/100 - 18	MC360 (Mid-HARD)	64M	TT	ο	114,0				V500 (Mid-HARD)	64M	TT	ο	79,0		
	!	120/100 - 18	MC360 (Mid-HARD)	68M	TT	ο	118,0										
	!	140/80 - 18	MC360 (Mid-HARD)	70M	TT	ο	126,0										
	19"	100/90 - 19						MX-EXTRA (Mid-HARD)	57M	TT	ο	109,0	V500 (Mid-HARD)	57M	TT	ο	78,0
	!	110/90 - 19	*MC360 (Mid-HARD)	62M	TT	ο	117,0	MX-EXTRA (Mid-HARD)	62M	TT	ο	117,0	V500 (Mid-HARD)	62M	TT	ο	84,0
	!	120/80 - 19	*MC360 (Mid-HARD)	63M	TT	ο	121,0										
	21"	80/100 - 21	*MC360 (Mid-HARD)	51M	TT	ε	87,0	MX-EXTRA (Mid-HARD)	51M	TT	ε	87,0	V500 (Mid-HARD)	51M	TT	ε	59,0
	!	90/90 - 21	MC360 (Mid-HARD)	54M	TT	ε	93,0										

CROSS (Mid-HARD / RACE)															
R A C E	19"	100/90 - 19	> MC360 (RACE Mid-HARD)	NHS	TT	ο	115,0	> MX32 (RACE Mid-HARD)	NHS	TT	ο	124,0	< RACE > Mid--HARD		
	!	110/90 - 19	> MC360 (RACE Mid-HARD)	NHS	TT	ο	120,0	> MX32 (RACE Mid-HARD)	NHS	TT	ο	129,0			
	!	120/80 - 19	> MC360 (RACE Mid-HARD)	NHS	TT	ο	124,0	> MX32 (RACE Mid-HARD)	NHS	TT	ο	134,0			
	21"	80/100 - 21	> MC360 (RACE Mid-HARD)	MST	TT	ε	92,0	> MX32 (RACE Mid-HARD)	MST	TT	ε	99,0			

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>				PIRELLI <ΠΕΛΜΑ>				VeeMoto <ΠΕΛΜΑ>						
			index	TL	ε ο	=	TIMH	index	TL	ε ο	=	TIMH	index	TL	ε ο	=	TIMH
CROSS (Mid-SOFT)																	
M - S O F T	18"	100/100 - 18	MC360 (Mid-SOFT)	59M	TT	ο	109,0										
	!	110/100 - 18	MC360 (Mid-SOFT)	64M	TT	ο	114,0										
	!	120/80 - 18	MC360 (Mid-SOFT)	62R	TT	ο	114,0										
	!	120/100 - 18	MC360 (Mid-SOFT)	68M	TT	ο	118,0										
	!	140/80 - 18	MC360 (Mid-SOFT)	70M	TT	ο	126,0										
	21"	90/90 - 21	MC360 (Mid-SOFT)	54M	TT	ε	93,0										

CROSS (Mid-SOFT / RACE)																
R A C E	19"	100/90 - 19	> MC360 (RACE Mi-SOFT)	NHS	TT	ο	118,0	> MX32 (RACE Mid-SOFT)	NHS	TT	ο	129,0	< RACE > <u>Mid--SOFT</u>			
	!	110/85 - 19					> MX32 (RACE Mid-SOFT)	NHS	TT	ο	127,0					
	!	110/90 - 19	> MC360 (RACE Mi-SOFT)	NHS	TT	ο	123,0	> MX32 (RACE Mid-SOFT)	NHS	TT	ο	135,0				
	!	120/80 - 19	> MC360 (RACE Mi-SOFT)	NHS	TT	ο	127,0	> MX32 (RACE Mid-SOFT)	NHS	TT	ο	139,0				
	!	120/90 - 19					> MX32 (RACE Mid-SOFT)	NHS	TT	ο	143,0					
	21"	80/100 - 21	> MC360 (RACE Mi-SOFT)	MST	TT	ε	96,0	> MX32 (RACE Mid-SOFT)	MST	TT	ε	103,0				
!	90/100 - 21					> MX32 (RACE Mid-SOFT)	M+S	TT	ε	108,0						

MOUSSE (Enduro / Cross)																	
M O U S S E	18"	140/80 - 18	MOUSSE (E-18H1)	End.	METZELER		184,0										
	21"	90/90 - 21	MOUSSE (E-21C1)	End.	METZELER		184,0										
	!	90/100 - 21	MOUSSE (E-21C2)	End.	METZELER		184,0										
	19"	110/90 - 19						MOUSSE (X-19E1)	MX	PIRELLI		184,0					
	!	120/80 - 19						MOUSSE (X-19F1)	MX	PIRELLI		184,0					
	21"	80/100 - 21						MOUSSE (X-21B2)	MX	PIRELLI		184,0					
	GEL	GEL--Mousse						MOUSSE--GEL (Can x 1 Kg.)		PIRELLI		53,0					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΠΕΛΜΑ>			PIRELLI <ΠΕΛΜΑ>			VeeMoto <ΠΕΛΜΑ>					
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH
ATV "ON / OFF"														
A T V	6"	145/70 - 6									V196 WorkHorse	2PR	TL =	32,0
	7"	16 x 8 - 7									V196 WorkHorse	2PR	TL =	44,0
	8"	22 x 11 - 8									V337 Enduro	2PR	TL =	93,0
A T V	9"	22 x 11 - 9									V337 Enduro	2PR	TL =	112,0
	12"	24 x 8 - 12									V326F Enduro	4PR	TL ε	98,0
	!	24 x 10 - 12									V326R Enduro	4PR	TL o	101,0
A T V	8"	20 x 7 - 8									V208 Speedway	4PR	TL =	59,0
	10"	21 x 7 - 10									V208 Speedway	4PR	TL =	67,0
	!	22 x 8 - 10									V208 Speedway	4PR	TL =	72,0
A T V	!	22 x 11 - 10									V189 Grizzly	4PR	TL =	123,0
	12"	25 x 8 - 12									V189 Grizzly	4PR	TL =	112,0
	!	25 x 10 - 12									V189 Grizzly	4PR	TL =	127,0

ΑΕΡΟΘΑΛΑΜΟΙ "CROSS"														
C R O S S	18"	100/100 - 18									Αερθ. Vee--CROSS	TR4	HD	17,0
	!	110/100 - 18	Αερθ. CROSS (CR-18F) {100 > 140 - 18}	26,0	Αερθ. CROSS (21B-18) {100 > 140 - 18}	26,0	Αερθ. Vee--CROSS	TR4	HD	18,0				
	!	120/100 - 18						Αερθ. Vee--CROSS	TR4	HD	19,0			
	19"	100/90 - 19						Αερθ. Vee--CROSS	TR4	HD	17,0			
	!	110/90 - 19	Αερθ. CROSS (CR-19E) {100 > 120 - 19}	26,0	Αερθ. CROSS (21B-19) {100 > 120 - 19}	26,0	Αερθ. Vee--CROSS	TR4	HD	18,0				
	!	120/80 - 19						Αερθ. Vee--CROSS	TR4	HD	19,0			
	21"	80/100 - 21	Αερθ. CROSS (CR-21D) {80 > 90 - 21}	23,0	Αερθ. CROSS (10B-21) {80 > 90 - 21}	23,0	Αερθ. Vee--CROSS	TR4	HD	16,0				

ΑΕΡΟΘΑΛΑΜΟΙ "SAMSON"

S A M S O N	3.00/3.50 - 10	SAMSON--Tubes <In Bag> (by VeeRubber)						> Αερθ. SAMSON (bag) TR87 {90}	5,7
	2.00/2.25 - 17							> Αερθ. SAMSON (bag) TR4 ίσια	4,9
	2.25/2.50 - 17							> Αερθ. SAMSON (bag) TR4 ίσια	5,1
	2.50/2.75 - 17							> Αερθ. SAMSON (bag) TR4 ίσια	5,4

ΑΕΡΟΘΑΛΑΜΟΙ (ΜΟΤΟ εως 14")

Α Ε Ρ Ο Θ Α Λ Α Μ Ο Ι	6"	5.4 - 6							Αερθ. VeeMoto (box) TR87 {90}	11,3		
	8"	2.50 - 8							Αερθ. VeeMoto (box) TR87 {90}	6,5		
		3.00 - 8							Αερθ. VeeMoto (box) TR87 {90}	6,5		
		3.50/4.00 - 8							Αερθ. VeeMoto (box) TR87 {90}	7,5		
	10"	2.50/2.75 - 10				MA-10	TR4	ίσια	11,0	Αερθ. VeeMoto (box) TR87 {90}	6,5	
		3.00/3.50 - 10	*Me D-10 (Off-8mm)	TR4	ίσια	11,3	10-C10 (Off-5mm)	TR87	{90}	11,0	> Αερθ. SAMSON (bag) TR87 {90}	5,7
		3.50/4.00 - 10								Αερθ. VeeMoto (box) TR87 {90}	8,9	
	12"	120/130 - 10								Αερθ. VeeMoto (box) TR87 {90}	8,9	
		60/100 - 12				MH-12	TR4	ίσια	13,5			
		80/100 - 12				MA-12	TR4	ίσια	13,5			
	13"	3.00/3.25 - 12								Αερθ. VeeMoto (box) TR4 ίσια	7,5	
		120/130 - 12								Αερθ. VeeMoto (box) TR87 {90}	9,9	
	14"	130/60 - 13								Αερθ. VeeMoto (box) TR87 {90}	9,5	
		2.00/2.25 - 14				MA-14 (60/100 - 14)	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4 ίσια	5,7	
		2.75/3.00 - 14								Αερθ. VeeMoto (box) TR4 ίσια	6,9	
		4.10 - 14				MB-14 (90/110 - 14)	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4 ίσια	8,7	
	180/80 - 14								Αερθ. VeeMoto (box) TR4 ίσια	19,8		

V	RIM	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER <ΤΥΠΟΣ>	VALVE	TIMH	PIRELLI <ΤΥΠΟΣ>	VALVE	TIMH	VeeMoto <ΤΥΠΟΣ>	VALVE	TIMH		
ΑΕΡΟΘΑΛΑΜΟΙ (ΜΟΤΟ 15" εως 21")													
ΑΕΡΟΘΑΛΑΜΟΙ	15"	130/140 - 15	Me F-16	TR4	(15+16)	13,5	MD-16	TR4	(15+16)	13,5	Αερθ. VeeMoto (box) TR87 ή TR4	10,2	
	!	170/80 - 15	Me E-15	TR4	ίσια	22,0					Αερθ. VeeMoto (box) TR87 {90}	19,8	
	16"	2.00/2.25 - 16					7A-16 (2.25 / 2.50 - 16)	TR4	ίσια	11,0	Αερθ. VeeMoto (box) TR4	ίσια	5,9
	!	2.50/2.75 - 16									Αερθ. VeeMoto (box) TR4	ίσια	6,5
	!	3.00/3.25 - 16									Αερθ. VeeMoto (box) TR4	ίσια	7,8
	!	3.25/3.50 - 16	Me C-16	TR4	ίσια	13,5	MB-16	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	7,8
	!	4.50/5.10 - 16	Me F-16	TR4	(15+16)	13,5	MD-16	TR4	(15+16)	13,5	Αερθ. VeeMoto (box) TR4	ίσια	11,5
	17"	45/90 - 17									Αερθ. VeeMoto (box) TR4	ίσια	5,2
	!	2+2.1/2 - 16+17									Αερθ. VeeMoto (box) TR4	(16+17)	5,7
	!	2.00/2.25 - 17									> Αερθ. SAMSON (bag) TR4	ίσια	4,9
	!	2.25/2.50 - 17					7A-17	TR4	ίσια	11,0	> Αερθ. SAMSON (bag) TR4	ίσια	5,1
	!	2.50/2.75 - 17	Me CD-17	TR4	ίσια	13,5					> Αερθ. SAMSON (bag) TR4	ίσια	5,4
	!	2.75/3.00 - 17	Me CD-17	TR4	ίσια	13,5	MA-17	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	7,5
	!	120/80+90 - 17	Me E-17*	TR4	ίσια	13,5	MC-17	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	10,7
	!	4.50/5.10 - 17	Me F-17B	TR4	ίσια	13,5	MD-17	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	11,8
	18"	2.50/2.75 - 18	Me C-18	TR4	ίσια	13,5					Αερθ. VeeMoto (box) TR4	ίσια	6,8
	!	3.00/3.25 - 18					MA-18	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	7,9
	!	3.25/4.10 - 18	Me E-18Y	TR4	ίσια	13,5	MB-18	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	8,1
	!	4.00/4.50 - 18	Me F-18Y	TR4	ίσια	13,5	MD-18	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	11,2
	19"	2.75/3.00 - 19	Me D-19	TR4	ίσια	13,5	MA-19	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	7,7
!	3.25/4.10 - 19	Me E-19	TR4	ίσια	13,5	MC-19	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	8,5	
21"	2.75/3.00 - 21	Me C/D-21	TR4	ίσια	13,5	MA-21	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	8,3	
!	90/90 - 21	Me C/D-21	TR4	ίσια	13,5	MA-21	TR4	ίσια	13,5	Αερθ. VeeMoto (box) TR4	ίσια	8,5	

ΦΑΚΑΡΟΛΕΣ---VeeMoto (25 εως 35mm πλάτος & 15" εως 21"inch. Ζάντα)

TIMH = BOX x 5 >> 15,0

Intramoto ΑΕ Λογαριασμοί "ΤΡΑΠΕΖΩΝ" & IBAN

Intramoto ΑΕ Σ. Βέμπο 21 & Ιάσωνος 1 (165 61) Γλυφάδα Τηλ. 210-9603961-3 Fax: 210-9640201

VIVA--Wallet (ΑΦΜ--Intramoto: 094334000)

E-mail: intramoto@intramoto.gr (www.intramoto.gr)

ALPHA Λογ. 386 0023 2000 0355

ALPHA IBAN. GR 8501 4038 6038 6002 3200 00355

ΕΘΝΙΚΗ Λογ. 121 / 47030063

ΕΘΝΙΚΗ IBAN. GR 5801 1012 1000 0012 1470 30063

ΠΕΙΡΑΙΩΣ Λογ. 5019 01578 4513

ΠΕΙΡΑΙΩΣ IBAN. GR 1601 7201 9000 5019 0157 84513

EURObank Λογ. 0026 0004 5002 0036 3766

EURObank IBAN. GR 8202 6000 4000 0500 2003 63766